


# Smart Wireless Battery Camera Operating instructions

## ① Packing List



Base Station




Adaptor for base




Ethernet Cable




Smart Wireless Battery Camera



Camera Adaptor



Camera USB cable



Screws




Mounting Base




Quick Start Guide

## ② Product Overview



- ① Sync Key
- ② Indicator Light 1
- ③ Indicator Light 2
- ④ Reset Button
- ⑤ SD Card Slot
- ⑥ USB port
- ⑦ WAN Port
- ⑧ Power port



- ① Lens
- ② Microphone
- ③ Indicator Light
- ④ PIR
- ⑤ Light sensor
- ⑥ Reset Button
- ⑦ On/off button
- ⑧ USB Charging Port

### ③Indicator Light Illustration


Base Station	
Indicator Light 1	Solid Red: Activating Quick Flashing Red:Waiting for Internet Pairing Quick Flashing Green:Connecting to Server Solid Green:Connected to Server Successfully Slow Flashing Red: Device Fault Slow Flashing Green: Device Upgrading
Indicator Light 2	Flashing Green: Adding camera; The indicator light will turn off after completion
SYNC Key	SYNC:Press the SYNC key, the Base Station will enter Adding camera status
Power Port	Power Supply Port
SD Card Slot	For local Storage(SD Card Max Capacity:128GB)
USB Slot	Connect USB storage device for local storage, up to 2TB
WAN Port	Port to connect Router's LAN port
Reset Button	Press and hold for 3s, the base station will be reset.
Camera	
Indicator Light	Red LED blinks quickly: Standby for configuration. Green LED blinks quickly: Network pairing. Green LED on : Camera online. Yellow LED blinks slowly : Firmware upgrade. Red LED blinks slowly : Device fault.
On/off Button	SYNC: Press the button, then the device will enter Waiting for Pairing status. Power Button: Press the button to wake up it when the camera is in deep sleep mode; Press and hold the button for 3s, the camera will enter deep sleep mode.
USB Charging Port	Charging port
Reset Button	Press and hold for 3s,the device will power off and reboot after reset setting, but the camera will not be unbound.

### ④Operating

1.Search **My Homeyo** app from the App Store and Google Play or scan the QR Code to download and install the app to mobile device.



QR Code




Android




iOs

**Noted:**Please make sure that your mobile device OS is iOS 9.0 or higher,or Android 4.1 or higher.


## 2. Creating a new account and then log in on My Homeyo app



Sign up



Agree to this User Agreement




Enter your email address and create a password

Log In

## 3. Connecting the Base Station

- Use the Ethernet cable to connect the Base Station to Router's LAN port
- Plug the adapter to the power outlet to power on the Base Station.

The Indicator light 1 will change from solid red to blink red when the Base Station is ready to pairing.



Noted: 1. Need one router connecting to internet.

2. Need an uplink network with at least 2MB speed.

## 4. Add Device






### a. Add Base Station


1. Please connect your mobile Wi-Fi and Base Station to the same router (network)

2. Open My Homeyo app and click the Add Device or the top right + and then select **Base Station** to add the Base Station.

**Noted: 1. Confirm that indicator light 1 flash red.**

**2. Confirm connect your mobile to same router with Base station.**





**b. Add Camera**

1. Press the On/off button on the camera that you can hear a beep sound and the indicator light of the camera starts to flash red.

**Noted: If the indicator light does not flash red, please press and hold the Reset button for 5S to reset the camera.**

2. Enter the Base Station interface on the app, click the + Add Device icon or press the pairing button on the top of the Base Station to enter pairing status, the indicator light 2 will flash green.

3. When the camera successfully pairs to the Base Station, a voice prompt will be heard from camera and camera's indicator light will turn green, while indicator light 2 of Base Station will turn off and base station exit the pairing status. Then the added cameras will displayed on the app.

4. If there is any camera could not pair to the Base Station, please add the camera again following the above 1-3 steps.

