

Safety Data Sheet

Le Maitre Super Bubble Fluid

Section 1. Identification

Product Identifier Le Maitre Super Bubble Fluid

Synonyms Bubble Fluid

Manufacturer Stock

Numbers

N/A

Recommended use Product is intended for professional Special Effects use only.

Bubble Making

Manufacturer Contact

Address

Roger George Rentals 14525 Bessemer St Van Nuys, CA, 91411

USA

Phone Emergency Phone Fax

(818) 994-3049 (800) 535-5053 #85740 (818) 994-9432

Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2B

FLAMMABLE LIQUIDS - Category 3

Signal Word

Pictogram

Warning



Hazard Statements

Causes serious eye irritation Flammable liquid and vapor

Precautionary Statements

Response If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

In case of fire: Use ... to extinguish.

Prevention Ground/bond container and receiving equipment.

Keep away from heat.

Keep container tightly closed.

Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

Wash skin thoroughly after handling. Wear eye protection/face protection.

Wear protective gloves/eye protection/face protection

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container to ...

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

Additional Information This product has not been tested as a whole.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
64-17-5	Ethanol	1% - 2.5%
56-81-5	1,2,3-Propanetriol	Unknown
	Blend of dispensing aid (Ethanol), water, colorant, perfume.	Unknown
	Blend of anionic and nonionic surfactants, glycerol, stabilizing agents.	Unknown
7732-18-5	Water	Unknown

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

General advice If you feel unwell, seek medical advice. Eye Contact May cause temporary eye irritation.

Eye Flush with cool water.Remove contact lenses, if applicable, and continue

flushing. Obtain medical attention if irritation persists.

Skin Prolonged or repeated contact may cause skin irritation. Prolonged or repeated

contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash). Flush with cool water. Wash with soap and water.

Get medical attention if irritation persists.

Inhalation Prolonged or excessive inhalation may cause respiratory tract irritation. If

symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

Ingestion May cause stomach distress, nausea, or vomiting. Do not induce vomiting.

Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

Notes to physician Symptoms may be delayed.

Section 5. Fire Fighting Measures

Suitable Extinguishing

Not Flammable by OSHA criteria.

Media

Water spray or mist, CO2, dry chemical or foam.

Unsuitable Extinguishing

Fire fighting measures

Media

A self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Section 6. Accidental Release Measures

Personal Precautions Do not drink. Avoid contact with eyes and prolonged exposure to skin. Do not

directly inhale mist.

Methods for containment

Cleanup

None necessary.

Collect material and avoid flushing with water if possible. Use oil dry or kitty litter to soak up spills. Remove as much as possible with broom, scoop, or vacuum.

Dilute with water in grassy areas.

Section 7. Handling and Storage

Handling Use good industrial hygiene practices in handling this material. Store in a cool dry place. Avoid storage at elevated temperatures. Storage

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Ethanol	1000 PPM	1000 PPM	N/A
	1,2,3-Propanetriol	10 mg/m3	15 mg/m3 - Dust 5 mg/m3 - Respirable	N/A
	Blend of dispensing aid (Ethanol), water, colorant, perfume.	N/A	N/A	N/A
	Blend of anionic and nonionic surfactants, glycerol, stabilizing agents.	N/A	N/A	N/A
	Water	N/A	N/A	N/A
Personal Protective Equipment	Goggles, Gloves			

Use good industrial hygiene and safety practices in handling this material. Do Handling

not consume or store food in the work area. Wash hands before beakd and

immediately after handling the product.

Engineering controls

Masks

Good general ventilation should be sufficient to control airborne levels. Wear nuisance dust mask where mist is created. Only required in confined

spaces where there is no ventiliation.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Yellow
Odor	Citrus
Odor Threshold	N/A
Solubility	Miscible
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	1.1
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
Ph	Neutral
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

General This product has not been tested as a whole

Section 10. Stability and Reactivity

Stability Stable under prescribed storage conditions.

Handling Extremes of temperature and direct sunlight. Do not mix with other chemicals.

Incompatibilities Incompatible with oxidizers, acids, chlorine, peroxides.

Hazardous Polymerization Hazardous Polymerization will not occur.
Hazardous Decomposition May include and are not limited to: Acrolein

products

Section 11. Toxicological Information

Toxicity ETHANOL: LC50 Rat 31623 PPM; 30523 mg/l/4h, LO50 Rat 7060 mg/kg.

GLYCEROL: LC50 Rat >2.28 Mg/L, LO50 12600 mg/kg.

Eye May cause eye irritation.

Skin Prolonged exposure may cause skin irritation.

Inhalation Prolonged exposure may cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea, or vomiting.

Additional Information This product has not been tested as a whole.

Section 12. Ecological Information

Ecotoxicity This product is expected to have high biodegradation under aerobic conditions.

> This preparation ormaterial is no expected to bioaccumulate. Based on our recommended product application and the product's characteristics, the

potential environmental exposure is low.

Section 13. Disposal

Compliance ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE,

PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT

PROPER AGENCIES. EPA CHARACTERISTIC: D001

Instructions Discard with solid waste.

Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Non-Regulated as dangerous goods.

DOT Classification N/A **Packing Group** N/A

Section 15. Regulatory Information

OSHA Hazard

Communication Standard Sara Section 313

This product contains a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. (Contains 1.0 - 2.5% Ethanol) This material contains no known products restricted under SARA Title III, Section

313 in amounts greater or equal to 1%.

CERCLA

This product does not contain any "hazardous substances" listed under the Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop. 65

This product and its ingredients are not listed, but may contain the following element(s) known to the State of California to cause Developmental Toxicitiy as listed under Proposition 65 State Drinking Water and Toxic Enforcem ent Act. Ethanol - 64-17-5 - Developmental toxicity initial date 10/1/87 (when in alcoholic

beverages).

Massachusetts Right to know components

Ethanol - CAS-No. 64-17-5 Teratogen Glycerol - CAS-No. 56-81-5 Present

Minnesota Hazardous

Ethanol - CAS-No. 64-17-5. Glycerol - CAS-No. 56-81-5 Present (includes inert

or nuisance dust).

Substance

Ethanol - CAS-No. 64-17-5 sn 0844

New Jersey Right to know components

Pennsylvania Right to Know Ethanol - CAS-No. 64-17-5 Present Glycerol - CAS-No. 56-81-5 Present

components

Section 16. Other Information

Revision Date

1/4/2016

Company Policy/Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. The supplier nor any of its subsidiaries makes no representations as to its accuracy or sufficiency. This information is furnished without warranty of any kind. Conditions of use are beyond Roger George Rentals' control and therefore users must determine whether the product is suitable for their particular purposes and they assume all risk of their use, handling and disposal of the product, or from the publications or use of, or reliance upon information contained herein. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process in which user assumes all responsibility.