

Safety Data Sheet

Color Fire Fluid - Magenta

Section 1. Identification

Product Identifier	Color Fire Fluid - Magen	ta	
Recommended use	Product is intended for professional Special Effects use only.		
Uses advised against	Use of this material is at the sole risk of the purchaser.		
Manufacturer Contact	Roger George Special Effects 14525 Bessemer St Van Nuys, CA, 91411 USA		
	Phone	Emergency Phone	Fax
	(818) 994-3049	(800) 535-5053 #85740	(818) 994-9432

Section 2. Hazards Identification

Classification	FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY - DERMAL - Category 3 ACUTE TOXICITY - INHALATION - Category 3 EYE IRRITATION - Category 2A Specific target organ toxicity - single exposure - Category 1 (Eyes, Central nervous system) Specific target organ toxicity - single exposure - Category 3 (Central nervous system)
Signal Word	Danger
Pictogram	

Hazard Statements	Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye irritation. May cause drowsiness or dizziness Causes damage to organs. Suspected of damaging fertility or the unborn child.
Precautionary Statements	 PREVENTION Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Take precautionary measures against static discharge. Do not breathe fume/gas/ mist/vapors/spray. Wash skin throughly after handling. Do not eat, drink or smoke while using this product. Use only outdoors or in a well ventilated area. Wear protective gloves/eye protection/face protection. RESPONSE IF SWALLOWED: Immediately call a poison center/doctor. Rinse mouth. IF ON SKIN: Take off all contaminated clothing immediately. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call poison center/doctor. IF NEYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF EXPOSED: Call a poison center or doctor. If eye irritation persists: get medical attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. STORAGE Store in a well-ventilated place. Keep container tightly closed. Keep cool Store locked up. Dispose of contents/ container to an approved waste disposal plant.
Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	No Data Available

Section 3. Ingredients

CAS		Ingredient Name	Weight %
67-56-1	Methnanol		90% - 100%

Occupational exposure limits, if available, are listed in Section 8. This Product contains one or more ingredients where the specific chemical identity and exact percentage of composition has been withheld as a trade secret

Section 4. First-Aid Measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
Inhalation	Move to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
Skin Contact	If on skin, rinse well with water. If on clothes, remove clothes.
Eye Contact	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
Ingestion	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. Do not induce vomiting without medical advice.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Use dry chemical, alcohol-resistant foam, or carbon dioxide (CO2).
Unsuitable Extinguishing Media	High volume water jet.
Flammable Properties	Carbon oxides, Formaldehyde, Toxic fumes
Precautions	Do not allow run-off from fire fighting enter drains or water courses.
	Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
	For safety reasons in case of fire, cans should be stored separately in closed containments.
	Use a water spray to cool fully closed containers.
Special protective	
equipment for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.
	Use personal protective equipment.

Section 6. Accidental Release Measures

Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentra-tions. Vapors can accumulate in low areas.
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. This product may cause damage to trees or vegetation by root absorption.
Spills/Leaks Clean-up	Contain spillage, and then collect with non-combustible ab-sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

Section 7. Handling and Storage

Handling	Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap-plication area. Take precautionary measures against static discharges. Provide sufficient ventilation. Open container carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
Storage	No Smoking Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TWA	OSHA Z-1	STEL
	Methanol	200 PPM S	200 PPM S	250 PPM
Personal Protective Equipment	Goggles, Gloves, Respir	ator		
Respirators	General and local exhause exposures below recommended limits or a should be worn. Follow C use NIOSH/MSHA appro- respirators against expose positive pressure air sup- uncontrolled release, exp circumstance where air p protection	nended limits. When re un-known, appro DSHA respirator reg oved respirators. Pro sure to any hazardo plied respi-rator if th poo-sure levels are u	e concentrations a priate respiratory p ulations (29 CFR 19 otection provided by us chemical is limite ere is any potential nknown, or any othe	re above rotection 910.134) and y air purifying ed. Use a for er
Eye Protection	Eye wash bottle with pure Tightly fitting safety gogg			

Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Water-white
Odor	Alcohol
Odor Threshold	160 PPM
Solubility	Miscible in
	water
Partition coefficient Water/n-octanol	- 0.79
VOC%	N/A
Viscosity	0.55
Specific Gravity	0.795
Density lbs/Gal	0.796
Pounds per Cubic Foot	N/A
Flash Point	36.5 F
FP Method	closed cup
Ph	N/A
Melting Point	-144 F
Boiling Point	148.1 F
Boiling Range	N/A
LEL	6
UEL	36.5
Evaporation Rate	N/A
Flammability	Class I B
Decomposition Temperature	N/A
Auto-ignition Temperature	867 F
Vapor Pressure	97.86 mm of
	HG @20 C
Vapor Density	1.11 @ 20 C

General

This product has not been tested as a whole

Section 10. Stability and Reactivity

Stability Possibility of Hazardous Reactions	Stable under normal temperatures and pressures. Vapors may form explosive mixture with air.
Conditions to Avoid Incompatibilities	Keep away from heat, sparks, and flame. Incompatible with oxidizing agents and strong acids. Incompatible with strong reducing agents.
Hazardous Decomposition	Burning produces noxious and toxic fumes. Carbon oxides and formmaldehyde.
Possibility of Hazardous Reactions	Precipitate is a weak acid that may cause corrosion of base metals. Reaction with strong reducing agents such as metal hydrides or alkalki metals will generate hydogen gas which could create an explosive hazard.

Section 11. Toxicological Information

Acute Toxicity	
Oral	Acute toxicity estimate: 101.01 mg/kg
Inhalation	Acute toxicity estimate: 3.03 mg/l
	Exposure time: 4 h
	Test atmosphere: vapor
	Assessment: The component/mixture is toxic after short term inhalation.
	Remarks: Supporting toxicological evidence is limited for this classification. This harmonized classification will replace the indicated classification due to industry leaders and the EU Harmonized Classification (Annex VII).
Dermal	Acute toxicity estimate: 303.03 mg/kg
	Assessment: The component/mixture is toxic after single contact with skin.
Carcinogenicity	No evidence of carcinogenicity. Based on the available data, the classification criteria are not met.
Additional Info	Solvents may degrease the skin.

Section 12. Ecological Information

Eco-toxicity	No data available
Persistence & Degradability	No data available
Bio-accumulative Potential	No data available
Mobility in soil	No data available

Section 13. Disposal

Compliance	ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE, PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT PROPER AGENCIES.
Contaminated Packaging	Empty remaining contents. Dispose of as unused product. Do not re use empty containers.

Section 14. Transport Information


UN Number	1230
UN Proper Shipping Name	Methanol, 3
DOT Classification	Flammable Liquid
Packing Group	I

Section 15. Regulatory Information

California Proposition 65	WARNING: This product contains chemical(s) known to the State of California to cause birth defects or other reproductive harm.
EPA	Methanol - CAS 67-56-1 250 ppm is an EPA Hazardous Air Pollutant.
SARA TITLE 311/312	Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Specific target organ toxicity (single or repeated exposure) Serious eye damage or eye irritation

Section 16. Other Information

Revision Date 9/17/2020



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 =Extreme, * = Chronic

Company Policy/Disclaimer The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. The supplier nor any of its subsidiaries makes no representations as to its accuracy or sufficiency. This information is furnished without warranty of any kind. Conditions of use are beyond Roger George Special Effects' control and therefore users must determine whether the product is suitable for their particular purposes and they assume all risk of their use, handling and disposal of the product, or from the publications or use of, or reliance upon information contained herein. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process in which user assumes all responsibility.