

# Safety Data Sheet

Smoke "A"

#### Section 1. Identification

Product Identifier Smoke "A"
Synonyms N/A

Synonyms Manufacturer Stock

Numbers

N/A

Recommended use Product is intended for professional Special Effects use only.

To be used in conjunction with "Smoke B."

Uses advised against

Use of this material is at the sole risk of the purchaser.

Manufacturer Contact

Address

Roger George Special Effects

14525 Bessemer St Van Nuys, CA, 91411

**USA** 

Phone Emergency Phone Fax

(818) 994-3049 (800) 535-5053 #85740 (818) 994-9432

## Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 1

Danger

FLAMMABLE LIQUIDS - Category 3

SKIN CORROSION/IRRITATION - Category 1A

Signal Word

Pictogram





Hazard Statements Causes severe skin burns and eye damage Flammable liquid and vapor

**Precautionary Statements** 

Prevention Keep away from heat/sparks/open flames/hot surfaces

No Smoking

Keep container tightly closed

Take precautionary measures against static discharge.
Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Wash skin thoroughly after handling

Wear protective gloves, clothing, eye and face protection

Response If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Immediately call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

poison center/doctor.

Wash contaminated clothing before reuse.

In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to

extinguish.

Storage Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal Dispose of contents/container to an approved waste disposal plant.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

No Data Available

#### Section 3. Ingredients

| CAS                 |  | Ingredient Name | Weight % |
|---------------------|--|-----------------|----------|
| 64-19-7 Acetic acid |  | 100% - Max      |          |

#### Occupational exposure limits, if available, are listed in Section 8.

This Product contains one or more ingredients where the specific chemical identity and exact percentage of composition has been withheld as a trade secret

#### Section 4. First-Aid Measures

General Advice Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

Inhalation Remove to fresh air. If not breathing, give artificial respiration.

Skin Wash off immediately with soap and plenty of water while removing

contaminated clothing. If skin irritation is severe or continues, get medical

attention. Call a physican or poison control center immediately.

Eye In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If easy to do remove contact lens. Call a physican or poison control

center immediately.

Ingestion Seek medical advice.

Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects both acute & delayed

Causes serious eye damage

Causes severe burns

Notes to physician Treat symptomatically.

#### Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable

Extinguishing Media

None known

Specific hazards during

fire fighting

Water may be ineffective, The product will float on water and can be

reignited on surface water.

Further info

Use water spray to cool unopened containers. Flammable liquid and vapor.

#### Section 6. Accidental Release Measures

Precautionary Measures Prevent further leakage or spillage if safe to do so. Do not let product enter

drains. Discharge into the environment must be avoided.

Evacuate Evacuate nonessential personnel and remove or secure all ignition sources.

Handling Beware of vapors accumulating to form explosive concentrations. Vapors car

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Clean-up For personal protection see section 8. Avoid breathing vapors, mist or gas.

Ensure adequate ventilation. Soak up with inert absorbent material and dispose

of as hazardous waste. Keep in suitable, closed containers for disposal.

Cleanup Contain spillage, and then collect with an electrically protected vacuum cleaner

or by wet-brushing and place in container for disposal according to local

regulations (see section 13).

## Section 7. Handling and Storage

Handling Avoid inhalation of vapor or mist. Beware of vapors accumulating to form

explosive concentrations. Vapors can accumulate in low areas. No smoking, open flames, or sources of ignition in handling and storage area. Put on

appropriate personal protective equipment (see Section 8).

Storage Keep container tightly closed in a dry, well-ventilated place. Take measures to

prevent the build up of electrostatic charge. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from

moisture.

TRGS 510 Flammable liquids

#### Section 8. Exposure Controls/Personal Protection

Occupational Exposure Ingredient Name ACGIH TLV OSHA PEL STEL Limits

Acetic acid 10 PPM N/A 15 PPM

Personal Protective

Equipment General Goggles, Gloves, Face Shield, Respirator

Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking.

Eyes Chemical splash goggles should be worn to prevent eye contact.

Hand Protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratort practices. Wash and dry hands.

Body Protection Complete suit protecting against chemicals, Flame retardant antistatic

protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the

specific workplace.

Respirators Where risk assessment shows air-purifying respirators are appropriate use a

full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards

such as NIOSH (US) or CEN (EU).

## Section 9. Physical and Chemical Properties

| Physical State                        | Liquid       |
|---------------------------------------|--------------|
| Color                                 | Colorless    |
| Odor                                  | pungent      |
| Odor Threshold                        | .048ppm      |
| Solubility                            | Soluble      |
| Partition coefficient Water/n-octanol | -0.17        |
| VOC%                                  | N/A          |
| Viscosity                             | N/A          |
| Specific Gravity                      | 1            |
| Density Ibs/Gal                       | 1.049        |
| Pounds per Cubic Foot                 | N/A          |
| Flash Point                           | 40 C / 104 F |
| FP Method                             | Closed cup   |
| Ph                                    | 2.4          |
| Melting Point                         | 16.2 C       |
| Boiling Point                         | 117 C        |
| Boiling Range                         | 117-118 C    |
| LEL                                   | 4            |
| UEL                                   | 19.9         |
| Evaporation Rate                      | N/A          |
| Flammability                          | N/A          |
| Decomposition Temperature             | N/A          |
| Auto-ignition Temperature             | 485 C        |
| Vapor Pressure                        | 73.3         |
| Vapor Density                         | N/A          |

# Section 10. Stability and Reactivity

Stability Stable under normal temperatures and pressures.

Incompatibilities Avoid heat, flames, and other sources of ignition. Strong Oxidizing agents

Section 11. Toxicological Information

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by

IARC/ACGIH/NTP/OSHA.

Acute Toxicity LD50 Oral - rat 3,310 mg/kg. LC50 Inhalation - mouse 5620 PPM/1hr: Sense

organs and special senses (Nose, Eye, Ear, and Taste): Eye: Conjunctive irritation. LC50 Inhalation - rat 11.4 mg/L/4h. LD50 Dermal - rabbit 1112 mg/kg. Skin corrosion: Rabbit - Causes severe burns. Eye Damage/irritation: Rabbit -

Corrosive to eyes.

RTECS Material is extremely destructive to tissue of the mucous membranes and upper

respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Ingestion or inhalation of concentrated acetic acid causes damage to tissues of the respiratory and digestive tracts. Symptoms include: hematemesis, bloody diarrhea, edema and/or perforation of the esophagus and pylorus, pancreatitis, hematuria, anuria, uremia, albuminuria, hemolysis, convulsions, bronchitis, pulmonary edema, pneumonia, cardiovascular collapse, shock, and death. Direct contact or exposure to high concentrations of vapor with skin or eyes can cause: erythema, blisters, tissue destruction with slow healing, skin blackening, hyperkeratosis, fissures, corneal erosion, opacification, iritis, conjunctivitis, and possible blindness., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.
Stomach - Irregularities - Based on Human Evidence

# Section 12. Ecological Information

Toxicity: Fish Semi-static test LC50 Oncorhynchus mykiss (rainbow trout) >1,000 mg/L/96h.

Toxicity: Inveterbrates EC50 Daphnia magna (Water flea) >300.82 mg/L/48h.

Biodegradability This product is readily biodegradable.

#### Section 13. Disposal

Compliance ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE,

PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT

PROPER AGENCIES. EPA CHARACTERISTIC: D001

Disposal Processing, use or contamination may change the waste disposal requirements.

Do not dispose of on land, in surface waters, or in storm drains. Waste should be recycled or disposed of in accordance with regulations. Large amounts should be collected for reuse or consigned to licensed hazardous waste haulers

for disposal.

# Section 14. Transport Information

UN Number 2789

UN Proper Shipping Name Acetic acid, glacial

DOT Classification 8
Packing Group ||

#### Section 15. Regulatory Information

SARA 302 Components SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302

SARA 311/312 This product is subject to the reporting requirements of SARA Title III, Section

311/312 for Immediate (acute) health hazard, chronic health hazard, and as a

Fire Hazard.

**SARA 313** There are no chemicals in this material are subject to reporting under SARA Title

III, Section 313.

Massachusetts Right to

Acetic Acid - CAS #64-19-7

Pennsylvania Right to Know Acetic Acid - CAS #64-19-7 New Jersey Right to Know Acetic Acid - CAS #64-19-7

California Prop. 65 This product does not contain any chemicals known to State of California to

cause cancer, birth defects, or any other reproductive harm.

#### Section 16. Other Information

**Revision Date** 

8/4/2020

Company Policy/Disclaimer The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. The supplier nor any of its subsidiaries makes no representations as to its accuracy or sufficiency. This information is furnished without warranty of any kind. Conditions of use are beyond Roger George Special Effects' control and therefore users must determine whether the product is suitable for their particular purposes and they assume all risk of their use, handling and disposal of the product, or from the publications or use of, or reliance upon information contained herein. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process in which user assumes all responsibility.