

Safety Data Sheet

Issue date 12-Feb-2018 Version 4

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name SANTA ICE CRYSTALS

Chemical name 7-4676-2

Other means of identification

Product code FG 499-0542-3GHS Synonyms Artificial Ice Crystals

Recommended use of the chemical and restrictions on use

Recommended UseTo decorate windows, mirrors or any glass surface. **Uses advised against**Do not spray on varnished, painted or plastic surfaces.

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressChase Products Co.Chase Products Co.2727 Gardner Road2727 Gardner RoadBroadview, IL 60155Broadview, IL 60155708-273-1121708-273-1121

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

Causes serious eye irritation

EXTREMELY FLAMMABLE AEROSOL

Contains gas under pressure; may explode if heated



Appearance Hazy, pale yellow liquid.

Physical State Aerosol

Odor Strong solvent odor.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

- · Causes mild skin irritation
- · Toxic to aquatic life with long lasting effects
- · Harmful to aquatic life

3.44% of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on Ingredients

Synonyms Artificial Ice Crystals.

Chemical FamilyMIXTURES.Formula7-4676-2

Chemical nature Aqueous solution of ethanol and other ingredients.

Chemical name	CAS No	weight-%	Trade secret
Ethyl alcohol	64-17-5	35-40	*
Water	7732-18-5	25-30	*
N-Butane	106-97-8	5-10	*
Propane	74-98-6	1-5	*
Methyl Amyl Alcohol	108-11-2	1-5	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Wash with soap and water. If irritation develops, consult a physician.

Inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

Ingestion Ingestion from an aerosol product is unlikely to occur. In case of accidental ingestion, do

not induce vomiting unless directed by a physician. Seek medical attention immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening.

Contact with eyes causes irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide, nitrogen

oxides and ammonia.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Other Information Keep out of reach of children.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid getting spray into eyes. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing

temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	
N-Butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content	TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	
Methyl Amyl Alcohol	STEL: 40 ppm	TWA: 25 ppm	IDLH: 400 ppm
108-11-2	TWA: 25 ppm	TWA: 100 mg/m ³	TWA: 25 ppm
	S*	(vacated) TWA: 25 ppm	TWA: 100 mg/m ³
		(vacated) TWA: 100 mg/m ³	STEL: 40 ppm
		(vacated) STEL: 40 ppm	STEL: 165 mg/m ³
		(vacated) STEL: 165 mg/m ³	
		(vacated) S*	
		S*	

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves, if desired.

Use in well-ventilated area ONLY. When using indoors, keep windows and doors open until Respiratory protection

fumes disipate.

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

Hazy, pale yellow liquid. **Appearance** Odor Strong solvent odor. Odor threshold Color Pale yellow No information available

Property Values Remarks • Method No information available 11.05 pН No information available Melting point/freezing point NA Boiling point/boiling range 173 F/78.33 C - Ethyl alcohol No information available No information available

Flash Point Not Available. This is an aerosol product for which Flame Projection is

18 inches, without flashback. Temperatures above 130 °F may

cause cans to burst.

Evaporation Rate Faster than butyl acetate Flammability (solid, gas)

Flammability Limits in Air **Upper flammability limits** Not available

Lower Flammability Limit Not available Vapor pressure Not available

Vapor Density

0.997 +/- 0.02 concentrate No information available **Relative Density** Water solubility completely soluble No information available

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information available

Explosive propertiesOxidizing properties
No information available
No information available

Other Information

Softening point No information available No information available

VOC content (%) 44.35%

Density No information available

Bulk Density 8.31 Lb/gal

10. Stability and Reactivity

Reactivity

Not applicable No data available

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening.

Contact with eyes causes irritation.

Inhalation See data below.

Eye Contact No data available.

Skin contact No data available.

Ingestion This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
64-17-5			
Water	> 90 mL/kg (Rat)	-	-
7732-18-5	- ' '		
N-Butane	-	-	= 658 g/m³ (Rat) 4 h

106-97-8			
Propane	-	-	= 658 mg/L (Rat) 4 h
74-98-6			
Methyl Amyl Alcohol 108-11-2	= 2600 mg/kg (Rat)	= 2880 mg/kg (Rabbit)	> 4600 ppm (Rat) 2 h

Information on toxicological effects

Symptoms See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitizationNo information available. **Germ cell mutagenicity**No information available.

Carcinogenicity Not known chronic effects based on available data. None of the ingredients present in

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 3.44% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-gas) 10000000 ATEmix (inhalation-vapor) 16447.4 mg/l

12. Ecological Information

ecotoxicity

2.42% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Ethyl alcohol		13400 - 15100: 96 h	EC50 = 34634 mg/L 30 min	10800: 24 h Daphnia magna
64-17-5		Pimephales promelas mg/L	EC50 = 35470 mg/L 5 min	mg/L EC50 9268 - 14221: 48
		LC50 flow-through 100: 96 h	_	h Daphnia magna mg/L
		Pimephales promelas mg/L		LC50 2: 48 h Daphnia
		LC50 static 12.0 - 16.0: 96 h		magna mg/L EC50 Static
		Oncorhynchus mykiss mL/L		
		LC50 static		
Methyl Amyl Alcohol		360: 24 h Carassius auratus		
108-11-2		mg/L LC50		

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3
Methyl Amyl Alcohol 108-11-2	1.43

Other adverse effects No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if

available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable

14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class ORM-D

IATA

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

<u>IMDG</u>

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard No
Fire Hazard yes

Sudden release of pressure hazard No Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol	X	X	X
64-17-5			
Water			X
7732-18-5			
N-Butane	X	X	X
106-97-8			
Propane	X	X	X
74-98-6			
Methyl Amyl Alcohol	X	X	X
108-11-2			

U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information				
NFPA_	Health Hazards 1	Flammability 3	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 3	Physical hazards 1	Personal Protection B - Eyes and hands protection

Prepared by Regulatory Department

Issue date 12-Feb-2018

Revision note

This SDS supersedes a previous SDS dated May 10, 2017.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet