

INSTRUCTIONS ON INSTALLING

FELT TILES

FELT RIGHT

Thank you for your Felt Right order. We want to ensure you have the best possible installation experience. Before beginning, please take a moment and watch our installation video.



How to Install

RECOMMENDED EQUIPMENT




Level




Utility knife

TAB PLACEMENT



Lg. Square
24" x 24"




Square
12" x 12"




Quarter
6" x 6"




Pixel
3" x 3"



Hex
10" x 12"



Qtr Circle
12" x 12"



Lg. Halfflap
12" x 24"




Half
6" x 12"



Shiplap
6" x 24"



Mini Ship
3" x 12"



Lg. 1/2 Circle
12" x 24"




Half Circle
6" x 12"



Lg. Diamond
12" x 21"



Sm. Diamond
6" x 10"



90°
Triangle
12" x 12"




Lg.
Triangle
12" x 10"



Sm.
Triangle
6" x 5"



1 Tab




4 tabs per sheet

INSTRUCTIONS ON INSTALLING


FELT TILES

FELT RIGHT



1. PEEL TABS


Peel 1 of the 4 adhesive tabs from the branded liner.



2. PLACE AND PRESS

Firmly press and rub the whole tab, including the edges, onto the back side of the tile. Place the tabs according to the Tab Placement.

Remove the backing, leaving the adhesive on the tile. Place the tile against the wall and apply pressure for up to 30 seconds for the best results.




Commercial: For commercial applications, we recommend using our commercial adhesive tabs in combination with a construction adhesive, such as Heavy Duty Loctite. Apply the construction adhesive around the area of the tabs.

INSTRUCTIONS ON REMOVING

FELT TILES


FELT RIGHT



1. PULL UP CORNER

Starting with one corner, SLOWLY peel the tile from the wall, leaving the adhesive behind. Insert your finger behind the tile and slowly add pressure until the tile releases from the tabs.

Tip: Work slowly and steadily, peeling too quickly can cause damage to the tile or wall.



2. ROLL OFF ADHESIVE

Starting at the corner, roll your thumb across the adhesive to peel it off the wall.

Tip: If tabs don't release, apply heat with a blow dryer or use adhesive remover like Goo Gone to soften and scrape off any leftover adhesive.

The Felt Right Move Guarantee

Our tiles are made to last a lifetime, so you can take them wherever you go. If you need new adhesive tabs when you move, just email support@feltright.com, and we'll send replacements to keep your designs securely in place—wherever life takes you.


INSTRUCTIONS ON CUTTING

FELT TILES

FELT RIGHT




How to Cut



1. MEASURE AND MARK

Measure and mark the back of the tile according to the dimensions required for your space.

Tip: Double-check your measurements: It's always a good idea to measure twice to avoid mistakes.



2. SCORE TILE FOR CUTTING

Use a straight edge and a utility/craft knife to score the tile, making multiple passes if necessary for a clean cut.

Tip: Make sure to use a sharp utility or craft knife when cutting our felt tiles.