

SAFETY DATA SHEET

SODIUM LAURYL SULFOACETATE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. PRODUCT IDENTIFIER

Product name: Sodium Lauryl Sulfoacetate

Product No.: SLSA

CAS-No.: 1847-58-1 EC No.: 217-431-7

REACH: 01-2119979530-32

Synonym: 2-sulfo-acetic acid, Dodecyl ester, Monosodium salt

Chemical Formula: C₁₄H₂₇NaO₅S

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Recommended use: As a foaming or dispersing agent and as a wetting agent,

For medical and veterinary use,

Surface active agents.

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

HD Chemicals LTD UNIT 9 Scott Business Park PL2 2PB Plymouth UK

Contact Person responsible for SDS: Mr Peter Konefal, e-mail: contact@hdchemicals.co.uk

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification 67/548/EEC: Xi; R37, R41

Classification – EC 1272/2008: Acute toxicity, oral; Category 4 (H302)

Serious eye damage/eye irritation; Category 1 (H318)

Hazardous to the aquatic environment, chronic toxicity; Category 3

(H412)



2.2. LABEL ELEMENTS



SIGNAL WORDS

Danger

RISK PHRASES

R37 Irritating to respiratory system
R41 Risk of serious damage to eyes

HAZARD PHRASES

H302 Harmful if swallowed

H318 Causes serious eye damage

H412 Harmful to aquatic life with long lasting effects

PROTECTION PHRASES

P273 Avoid release to the environment

P280 Wash hand/skin thoroughly after handling

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P501 Dispose of contents/container to comply with local, state and federal regulations

SAFETY PHRASES

Not classified



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

67/548/EEC/1999/45/EC

Composition information – main constituents					
Substance name	Mol. Formula	REACH	EINECS No.	CAS-No.	Classification
Sodium Lauryl Sulfoacetate	C ₁₄ H ₂₇ NaO₅S	01-2119979530- 32	217-431-7	1847-58-1	Xi; R37, R41

EC 1272/2008

Composition information – main constituents					
Substance name	Mol. Formula	REACH	EINECS No.	CAS-No.	Classification
Sodium Lauryl Sulfoacetate	C ₁₄ H ₂₇ NaO ₅ S	01-2119979530- 32	217-431-7	1847-58-1	H302, H318, H412

SECTION 4: FIRST AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

First-aid measures general: Consult a physician when you fell unwell. Show this safety data sheet to

the doctor in attendance.

Inhalation: Remove to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth

thoroughly with water. Give plenty of water to drink. Get medical

attention if symptoms are severe or persist. Do not induce vomiting.

Skin contact: Remove contaminated clothing. Rinse with water. Continue to rinse for at

least 15 minutes. Wash contaminated clothing before reuse. Get medical

attention if symptoms are severe or persist.

Eye contact: Rinse immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if symptoms are severe or persist.



4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Inhalation: Dust may irritate the respiratory system. Frequent inhalation of dust over

a long period of time increases the risk of developing lung diseases.

Ingestion: May cause discomfort if swallowed.

Skin contact: Prolonged contact may cause dryness of the skin.

Eye contact: Dust may cause slight irritation.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable extinguishing media: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Adjust extinguishing media to the surrounding fire. Use alcohol resistant

foam, dry powder, carbon dioxide or water spray.

Unsuitable extinguishing media: Do not use water jet.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of sulphur. Sodium oxides.

5.3. Advice for fire-fighters

In case of fire wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. Use protective equipment appropriate for surrounding materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment (splash goggles, protective suit, boots, gloves and self-contained breathing apparatus) to prevent any contamination of skin, eyes and personal clothing. Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. Avoid breathing vapours, mist or gas. Avoid formation of dust. Keep unprotected persons away. Evacuate personnel to a safe area.

For personal protection see section 8.1.



6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter sewers/ surface or ground water. Do not allow to enter into soil/subsoil. Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely. Clear up spills immediately and dispose of waste safely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

For waste disposal, see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid formation of dust and spilling. Do not inhale dust/smoke/mist. Ensure adequate ventilation of the working area. Wear personal protective equipment. Avoid contact with eyes and skin. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. Remove contaminated clothing and shoes. Wash clothing before re-using. Avoid the formation or spread of mists in the air.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store at room temperature. Keep in a cool, dry, well ventilated area. Keep in original tightly closed containers. Keep away from food, drink and animal feeding stuffs. Avoid water, moisture, heat and other sources of ignition. Avoid from strong oxidising agents, acids and alkalis.

7.3. SPECIFIC END USE(S)

See section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS/EXPOSURE GUIDELINES

Occupational Exposure Limit Values (Sodium Lauryl Sulfoacetate):

CAS NO	Exposure limit	Value	Name of Agent
1847-58-1	TWA – 8 Hrs	No data available	No data available



1847-58-1 STEL – 15 Min	No data available	No data available
-------------------------	-------------------	-------------------

Engineering controls:

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wash hands before breaks and at the end of the working day.











Protective equipment:

Use protective tightly fitting safety goggle (European standard - EN 166), face shield, gloves (European standard - EN 374), long sleeved clothing to prevent skin, body and eyes exposure. Dust/aerosol mask.

Respiratory equipment:

Respiratory protection not required in normal conditions, but when workers are facing concentrations above the exposure limit they must use appropriate certified respirators, which are NIOSH/MSHA or European Standard EN 149 approved respirator.

Skin and body protection:

Wear appropriate protective gloves and clothing to prevent skin exposure. Wear impervious protective clothing. Wear appropriate protective work gloves when handling material to prevent skin contact. The glove material has to be impermeable and resistant to the product. Polyvinyl alcohol or nitrile rubber are recommended. Protective gloves should be replaced at first signs of wear. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Wash and dry hands.

Eye/Face protection:

Tight sealing safety goggles. Face protection shield.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid

Colour: White

Odour: Odourless

Initial boiling point (°C): No data available

Melting point (°C): No data available

Freezing point: No data available

Relative density: No data available

Specific gravity / density: Not available

Vapour density: Not available

Vapour pressure: Not available

Flash point (°C): Not available

Molecular mass: 330.42 g/mol

Auto-ignition temperature: Not applicable

Oxidizing properties: Not available

Decomposition temperature: Not available

Molecular formula: C₁₄H₂₇NaO₅S

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

Sodium Lauryl Sulfoacetate is stable under normal conditions of use, storage and transport.

10.2. CHEMICAL STABILITY

This product is stable under normal conditions and under recommended usage and storage.

10.3. Possibility of Hazardous reactions

When heated can decompose. May liberate toxic gases.

10.4. CONDITIONS TO AVOID

Keep away from food, drink and animal feeding stuffs. Avoid water, moisture, heat and other sources of ignition.



10.5. INCOMPATIBLE MATERIALS

May liberate toxic gases. Keep away from incompatibles such as strong oxidising agents, acids and alkalis.

10.6. HAZARDOUS DECOMPOSITION

Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of sulphur. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

TOXIC DOSE LD50 Oral – 700 mg/kg (Rat)

LD50 Dermal - > 2000 (Rabbit)

Inhalation: Dust may irritate the respiratory system. Frequent inhalation of dust over

a long period of time increases the risk of developing lung diseases.

Ingestion: May cause discomfort if swallowed.

Skin contact: Prolonged contact may cause dryness of the skin.

Eye contact: Dust may cause slight irritation.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

Aquatic Toxicity:

No data available.

12.2. Persistence and degradability

Readily biodegradable.

12.3. BIOACCUMULATIVE POTENTIAL

No data available.

12.4. MOBILITY

No data available.



12.5. RESULTS OF PBT AND VPVB ASSESSMENT

No data available.

12.6. OTHER ADVERSE EFFECTS

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal recommendations: Disposal of Sodium Lauryl Sulfoacetate should be in accordance with local and national legislation. Processing, use or contamination of this product may change the waste management options. Should not be released into the environment. Do not discharge into waterways or sewer systems. Mixing with other materials or other alterations to pure product may significantly change the characteristics of the material. Empty packaging can have residues and are subject to proper waste disposal. Do not re-use empty containers.

Uncleaned packaging: Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

IMDG

UN number	N/A
UN proper shipping name	N/A
Transport hazard class(es)	N/A
Packing group	N/A

ADR/RID

UN number	N/A
UN proper shipping name	N/A
Transport hazard class(es)	N/A
Packing group	N/A

IATA

UN number	N/A
UN proper shipping name	N/A
Transport hazard class(es)	N/A
Packing group	N/A



SECTION 15: REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2 CHEMICAL SAFETY ASSESSMENT

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

The information contained in this safety data sheet is provided in accordance with the requirements of the regulations. The product should not be used for purposes other than those shown in section 1 without first referring to the supplier and obtaining written handling instruction. As the specific conditions of use of the product are outside the suppliers control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

Revision Comments

This information is provided in a revised format to that previously produced.

Revision Date: 01/10/2018

Revision: 01

Safety Data Sheet Status Approved.

Date printed 01/10/2018

Signature Initials P.K.

DISCLAIMER:

If this product is re-distributed and re-formulated for sale, details of its hazards and recommended methods for safe handling must be passed to customers. Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by a work activity using this product is undertaken before this product is used.



Note:

The information contained in this Safety Data Sheet does not constitute the users own assessment of workplace risk as required by other Health & Safety Legislation (e.g. the Health and Safety at Work Act,1974;the control of Substances Hazardous to Health Regulations,1988). The data given here is based on current knowledge and experience. The purpose of this data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the product's properties.