

ATHENS DOWN SERIES



Description

The **Athens** wall sconce allows control of lighting in interior and exterior spaces. This modern style will decorate and illuminate facades while saving space. It also makes a bold statement in either commercial or residential applications.

The Athens can be positioned in interior living spaces or on exterior walls as it is IP65 rated.. Operating temperature is -20 ~ +65 C / -4 ~ +149 F.

1-10V dimmable available on some sizes.

Black (Standard)

Finish color option



Grey

Finish color option



White

Finish color option



Finish Options

Black (standard), White and Grey

Certifications and Warranty

CE and cETL with 6 year warranty

ATHENS DOWN - 4"

9W/12W



Product Information

	9W	12W
Installation:	Wall Mount	
Material:	Aluminum	
Finish:	Powder coat	
System power (W):	9	12
Fixture lumen output (lm):	630	840
System efficiency (lm/W):	70	
LED engine:	Lumileds	



Packaging

Net weight lamp (kg/lb):	1.05 / 2.31	1.05 / 2.31
Gross weight carton (kg/lb):	13.40 / 31.53	14.30 / 31.53
Master carton dimensions (mm/in):	650x420x300 / 25.6x16.5x11.8	650x420x300 / 25.6x16.5x11.8
Quantity per carton:	18	18

Code composition

Series	Model	Size	Mounting	Luminous Ways	Wattage-Lumens	Optics
WS	Wall Sconce	ATH Athens	4 4"	WM Wall Mount	D Down	9W-6.3L 9W-630lm 15 15D 30 30D 60 60D



CCT	CRI	Voltage	Dimming	Finish
30K 3000K	80 80+	UNV 120-277V	ND No Dimming	BK Black (Standard)
40K 4000K				WH White
50K 5000K				GR Grey




Code composition

Series	Model	Size	Mounting	Luminous Ways	Wattage-Lumens	Optics
WS	Wall Sconce	ATH Athens	4 4"	WM Wall Mount	D Down	12W-8.4L 12W-840lm 15 15D 30 30D 60 60D


CCT	CRI	Voltage	Dimming	Finish
30K 3000K	80 80+	UNV 120-277V	ND No Dimming	BK Black (Standard)
40K 4000K				WH White
50K 5000K				GR Grey




9W-15D-4000K-CRI80




9W-30D-4000K-CRI80




9W-60D-4000K-CRI80




12W-15D-4000K-CRI80



12W-30D-4000K-CRI80



12W-60D-4000K-CRI80



ATHENS DOWN - 5" 18W



Product Information

18W


Installation:	Wall Mount
Material:	Aluminum
Finish:	Powder coat
System power (W):	18
Fixture lumen output (lm):	1260
System efficiency (lm/W):	70
LED engine:	Lumileds

Packaging


Net weight lamp (kg/lb):	2.00 / 4.41
Gross weight carton (kg/lb):	37.50 / 82.67
Master carton dimensions (mm/in):	650x470x320 / 25.6x18.5x12.6
Quantity per carton:	18

Code composition

Series	Model	Size	Mounting	Luminous Ways	Wattage-Lumens	Optics		
WS	Wall Sconce	ATH	Athens	5 5"	WM Wall Mount	D Down	18W-12.6L 18W-1260lm	15 15D 30 30D 60 60D
CCT	CRI	Voltage	Dimming	Finish				
30K	3000K	80 80+	UNV 120-277V	D 1-10V Dimming	BK Black (Standard)			
40K	4000K				WH White			
50K	5000K				GR Grey			



18W-15D-4000K-CRI80 18W-30D-4000K-CRI80 18W-60D-4000K-CRI80



ATHENS DOWN - 6" 24W/30W



Product Information

	24W	30W
Installation:	Wall Mount	
Material:	Aluminum	
Finish:	Powder coat	
System power (W):	24	30
Fixture lumen output (lm):	1680	2100
System efficiency (lm/W):	70	
LED engine:	Lumileds	


Packaging

Net weight lamp (kg/lb):	2.45 / 5.40	2.45 / 5.40
Gross weight carton (kg/lb):	31.20 / 68.78	31.20 / 68.78
Master carton dimensions (mm/in):	650x370x370 / 25.6x14.6x14.6	650x370x370 / 25.6x14.6x14.6
Quantity per carton:	12	12

Code composition

Series	Model	Size	Mounting	Luminous Ways	Wattage-Lumens	Optics
WS	Wall ATH	Athens 6 6"	WM Wall Mount	D Down	24W-16.8L 24W-1680lm	15 15D 30 30D 60 60D


CCT	CRI	Voltage	Dimming	Finish	
30K	3000K	80 80+	UNV 120-277V	D 1-10V Dimming	BK Black (Standard)
40K	4000K				WH White
50K	5000K				GR Grey




Code composition

Series	Model	Size	Mounting	Luminous Ways	Wattage-Lumens	Optics
WS	Wall ATH	Athens 6 6"	WM Wall Mount	D Down	30W-2100L 30W-2100lm	15 15D 30 30D 60 60D


CCT	CRI	Voltage	Dimming	Finish	
30K	3000K	80 80+	UNV 120-277V	D 1-10V Dimming	BK Black (Standard)
40K	4000K				WH White
50K	5000K				GR Grey




24W-15D-4000K-CRI80




24W-30D-4000K-CRI80




24W-60D-4000K-CRI80




30W-15D-4000K-CRI80




30W-30D-4000K-CRI80



30W-60D-4000K-CRI80



ATHENS DOWN - 7" 36W



Product Information

36W

Installation:	Wall Mount
Material:	Aluminum
Finish:	Powder coat
System power (W):	36
Fixture lumen output (lm):	2520
System efficiency (lm/W):	70
LED engine:	Lumileds


Packaging

Net weight lamp (kg/lb):	3.05 / 6.72
Gross weight carton (kg/lb):	38.50 / 84.88
Master carton dimensions (mm/in):	650x400x400 / 25.6x15.7x15.7
Quantity per carton:	12

Code composition

Series	Model	Size	Mounting	Luminous Ways	Wattage-Lumens	Optics						
WS	Wall Sconce	ATH	Athens 7 7"	WM	Wall Mount	D	Down	36W-25.2L	36W-2520lm	15 15D	30 30D	60 60D

CCT	CRI	Voltage	Dimming	Finish	
30K	3000K	80 80+	UNV 120-277V	D 1-10V Dimming	BK Black (Standard)
40K	4000K				WH White
50K	5000K				GR Grey



36W-15D-4000K-CRI80 36W-30D-4000K-CRI80 36W-60D-4000K-CRI80

