

## VERVEL C SERIES



### Description

Everybody falls in love with the **Vervel C light** as soon as they press the light switch.

### Inspiration


Vervel C is a good match for tables, whether they are dining, office, or meeting room tables.

### Certifications and Warranty

CE and cETL with 6 year warranty



# VERVEL C 15W/25W



Product Information	15W	25W
Installation:	Suspended, Surface	
Material:	Aluminum	
Finish:	Powder coat	
System power (W):	15	25
Fixture lumen output (lm):	1050	1750
System efficiency (lm/W):	70	
LED driver:	Included	

## Packaging


Net weight lamp (kg/lb):	4.1 / 9.04	5.8 / 12.79
Gross weight carton (kg/lb):	6.3 / 13.89	8.1 / 17.86
Master carton dimensions (mm/in):	450x450x200 / 17.72x17.72x7.87	550x550x200 / 21.65x21.65x7.87
Quantity per carton:	1	1



## Code composition

Series	Model	Size	Mounting	Wattage-Lumens
DR Decorative	VRC Vercel C	14 14"	SP Suspended CM Surface	15W-10.5L 15W-1050lm


CCT	CRI	Voltage	Dimming	Finish
30K 3000K	90 90+	UNV 120-277V	D 0-10V Dimming	WH White
35K 3500K				BK Black
40K 4000K				




## Code composition

Series	Model	Size	Mounting	Wattage-Lumens
DR Decorative	VRC Vercel C	18 18"	SP Suspended CM Surface	25W-17.5L 25W-1750lm


CCT	CRI	Voltage	Dimming	Finish
30K 3000K	90 90+	UNV 120-277V	D 0-10V Dimming	WH White
35K 3500K				BK Black
40K 4000K				



25W-160D-3000K-CRI90



# VERVEL C 36W/50W



Product Information	36W	50W
Installation:	Suspended, Surface	
Material:	Aluminum	
Finish:	Powder coat	
System power (W):	36	50
Fixture lumen output (lm):	2520	3500
System efficiency (lm/W):	70	
LED driver:	Included	


### Packaging

Net weight lamp (kg/lb):	7.6 / 16.76	9.8 / 21.61
Gross weight carton (kg/lb):	10.2 / 22.49	12.4 / 27.34
Master carton dimensions (mm/in):	700x700x200 / 27.56x27.56x7.87	900x900x200 / 35.43x35.43x7.87
Quantity per carton:	1	1

### Code composition

Series	Model	Size	Mounting	Wattage-Lumens
DR Decorative	VRC Vercel C	24 24"	SP Suspended CM Surface	36W-25.2L 36W-2520lm


CCT	CRI	Voltage	Dimming	Finish
30K 3000K	90 90+	UNV 120-277V	D 0-10V Dimming	WH White
35K 3500K				BK Black
40K 4000K				



### Code composition

Series	Model	Size	Mounting	Wattage-Lumens
DR Decorative	VRC Vercel C	32 32"	SP Suspended CM Surface	50W-35L 50W-3500lm

CCT	CRI	Voltage	Dimming	Finish
30K 3000K	90 90+	UNV 120-277V	D 0-10V Dimming	WH White
35K 3500K				BK Black
40K 4000K				



### 36W-160D-3000K-CRI90

