LED NSF Linear High Bay Installation Instructions







LED HIGH BAY INSTALLATION GUIDE - WARNING

Please read instructions carefully before attempting to install hight bay light. Retain instruction for future reference.
Disconnect power before installing or servicing. This led high bay must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.

- Make sure there is enough support for the position to install the LED high bay light.
- Do not attempt to open the LED high bay light for any reason.
- If the external soft cable or soft wire of the LED high bay light was damaged, please replace it with the cable or wire specially provided by the manufacturer or its agent.
- This product must be earthed!
- Metal surface is hot when working, please don't touch it before the luminaire cools down adequately!

Installation Instructions


This led high bay has 2 installation methods. Suspended and Pendant Mount.

1. Suspended

Step 1: Fix the pothook on the wall with expansion screws

Step 2: Hang the light with chain

Step 3: Connect with power wire






2. Pendant Mount


Step 1: Measure the distance, fix the holder on the wall with expansion screws

Step 2: Fix the light on holder with nuts


Step 3: Connect with power wire



Wiring Diagram



Sensor OR Non-sensor Model Wiring Diagram



Package Includes

- . led NSF highbay 1pc/carton
- . 2pcs suspended chain with hook
- . 2pcs expansion screw with hook
- . Installation instruction