

REMIER PAPER

Ireland's Premier Paper Company

October 2022



2022

WIDE FORMAT CATALOGUE



01

DIGITAL PRINT AQUEOUS

Poster Paper	2-3
Art Prints	4
Self Adhesive Vinyl/Laminate	5
Banner	6
Canvas	7
Roll Up Media	8

03

SHEETS

Corriboard	28
Foamboard	28
Sign Panel	28
Favini Sumo	29
Favini Biancoflash	29

01

DIGITAL PRINT AQUEOUS / DYE BASED INK

ROCKET - Photo Satin Poster Paper	2
TRUCOLOR - Ivory Poster Paper	2
TRUCOLOR - White Matt Poster Paper	3
CREATIVE - Smooth Paper	4
CREATIVE - Textured Paper	4
PREMIUM - S/A Vinyl	5
EMBLEM - Textured Laminate	5
TEXBANNER - Xtreme White	6
CLARA - Canvas Plus Matt AQ	7
ROLL UP FILM PLUS	8
SUPERDRY - Satin Roll Up Film	8

02

DIGITAL PRINT SOLVENT/LATEX/UV

Poster Paper	10
Photo Paper	11
Monomeric Self Adhesive	12-14
Polymeric Self Adhesive	16-17
Pull Up Media	18
Roll Up Media	18
Stands	19
Banner	20
Backlit Film	21
Vehicle Grade Magnetic	21
Floor Graphics	22
Wall Decoration	23
Table Cloth	23
Canvas	24
Window Films	25
Heatpress	26-27



Premier Paper Dublin
54 Park West
Dublin 12
D12 HW83

(01) 620 55 55
sales@premierpaper.ie





ROCKET
Photo Satin Poster Paper



Code	g/m ²	Width	Length	Cores
3372	190	24" 610mm	60 mtrs	2"
		36" 914mm	60 mtrs	2"
		42" 1067mm	60 mtrs	2"
		60" 1524mm	60 mtrs	2"

This microporous coated, satin photo paper with PE film on both sides, is suitable for indoor posters and photo applications and offers outstanding value for money. The coating is optimised for use with aqueous ink systems and enables quick drying. Prints impress with high colour brilliance and a broad colour gamut

- Super fast drying of all common inks.
- Brilliant true colours.
- Bright white.
- Soft gradients.



TRUCOLOR
INKJET POSTER PAPER
Ivory (Warm White)



Code	g/m ²	Width	Length	Cores
3294	210	36" 914mm	30 mtrs	2"
		42" 1067mm	30 mtrs	2"

Warm white, matt coated paper for artistic prints, posters, graphic images, greeting cards, advertising and indoor signage.

- OBA free for a natural white shade.
- Smooth surface.
- Wide colour gamut and high optical densities.
- High ink limit.
- Outstanding drying properties.
- Water and rub resistant.
- Acid & chlorine free.
- Waterproof.




TRUCOLOR
White Matt Poster Paper



Code	g/m ²	Width	Length	Cores
3335	180	24" 610mm	30 mtrs	2"
		36" 914mm	30 mtrs	2"
		42" 1067mm	30 mtrs	2"
		50" 1270mm	30 mtrs	2"
		50" 1270mm	50 mtrs	2"

Bright white, matt, coated special paper for posters and indoor advertising applications. This paper is optimised for printing with aqueous ink systems. Prints are splashproof, resistant to erasure and impress with high colour density and vibrant colours. This material achieves very good contour sharpness and is therefore predestined for the printing of CAD drawings. Good flatness and high stiffness.

- Very good flatness & high stiffness.
- Excellent contour definition.
- High density & vivid colours.
- Quick dry.
- Water & rub resistant.
- Acid free.



SIMPLE, EFFECTIVE,
BENEFICIAL.



EFFECTIVE IDEAS,
POWERFUL IMPACT.



sihl

CREATIVE SMOOTH PAPER

320 Matt



Code	g/m ²	Width	Length	Cores
3315	320	32" 1118mm	12 mtrs	3"

Acid-free, smooth premium cotton paper for fine art prints.

Creative Smooth Matt Cotton Paper 320 is made exclusively from cotton fibres and has a smooth, velvety touch. This paper is extremely resistant and suitable for use with aqueous and latex inks. Creative Smooth Paper is the ideal media for art prints, reproductions, artistic photography and portraits. The natural colouring of the paper is like that of traditional artist paper. Due to its weight of 320 gsm, the product has a high stiffness and is particularly suitable for further processing. Creative Smooth Paper 320 is also suitable for sheet fed printing with DryLab inkjet printers.

- Excellent colour reproduction.
- Water-resistant.
- Contains no optical brighteners.
- Instant dry.

Certified acid-free and ageing resistance in accordance with ISO 9706.

sihl

CREATIVE TEXTURED PAPER

240 Matt



Code	g/m ²	Width	Length	Cores
3316	240	36" 914mm	12 mtrs	3"

Acid-free, textured premium cotton paper for fine art prints.

Creative Textured Paper 240 is a textured, matt paper for art prints manufactured exclusively from cotton fibres and finished with a special matt coating. This paper is extremely resistant and suitable for use with aqueous and latex inks. Its lightly textured finish makes it ideal for creating distinctive art prints, reproductions and artistic photos. The natural colouring of the paper is like that of traditional artist paper. The material is also suitable for sheet fed printing with DryLab inkjet printers.

- Excellent colour reproduction.
- Water-resistant.
- Contains no optical brighteners.
- Instant dry.
- Soft transitions
- Acid Free


sihl

PREMIUM S/A Vinyl



EMBLEM

EMBLEM Textured Laminate



Code	Mic	Width	Length	Cores
3585	110	36" 914mm	30 mtrs	2"

Premium Vinyl SA is a gloss, permanent self-adhesive vinyl compatible with both dye and pigment aqueous ink sets. When printed with pigmented inks, the products water resistant coating combined with its resistance to edge tear makes it a great solution for short-term outdoor signage. Premium Vinyl SA also provides high color density and dries instantly. For extended durability use cold laminate 3585 and watch your image last!

- Gloss.
- Quick dry.
- High colour saturation.
- Permanent water-based glue.
- No optical brighteners.
- Brilliant colour reproduction.
- Splashproof prints.
- *Treated with flame retardant. B1 certified*

Code	Mic	Width	Length	Cores
LAMPERSA3	100	41.3" 1050mm	50 mtrs	2"

EMBLEM LAMPERSA3 is a sand structured monomeric 100 µm PVC film with anti-flex structure. The solvent-free adhesive is characterised by a high colour neutrality and provides genuine colours. Lamination can be cut right to or over the edges. Usually there is no danger of water moving in between laminate and print. It depends on the printed material if water can get in or not.

Typical Applications: posters, roll ups, pop-up walls, displays.





TEXBANNER
Xtreme White



Code	Mic	Width	Length	Cores
3275	320	36" 914mm	45.7 mtrs	2"

TexBanner is an extremely white, universal, 100% synthetic non-woven banner with a high quality waterfast coating. Developed as an economical alternative to Tyvek.

Advantages: Light, flexible banner with high tensile strength and tear-resistance.

- High Opacity.
- Good Flatness.
- Bright and vivid colours.
- Can be stapled, sewn or used with grommets.
- High water-resistance with pigmented inks.
- PVC free and recyclable.



CLARA
Canvas Plus Matt AQ



Code	g/m ²	Width	Length	Cores
3579	320	24" 610mm	12 mtrs	2"
		36" 914mm	12 mtrs	2"
		44" 1118mm	12 mtrs	2"

Universal, white canvas for industrial printing of portraits and Photos.

Clara Canvas Plus Matt is a universal artistic, cotton / polyester blend canvas for waterbased inks. Due to the weak, regular structure of the material, this product is best suited for printing portraits and photos. The white, matt coating hinders disrupting reflections and allows excellent colour reproduction. The printed material shows no white-scoring and is splashproof.

- Real cotton/polyester canvas (1:1 structure)
- Resistant against cracking (90°)
- Increased opacity.
- Brilliant colour reproduction.
- No white scoring.
- Quick dry & splash proof.
- Good flatness for short to mid-term use.





ROLL UP FILM PLUS
Matt AQ



Code	Mic	Width	Length	Cores
3597	210	36" 914mm	30 Mtrs	2"

Roll-Up Film Plus 210 SB Matt AQ (3597) was designed to produce roll-up and display graphics with waterbased and latex inks. The matt coating on the front ensures excellent scratch resistance and a high print quality and brilliant colour reproduction. The tear-resistant polypropylene/polyester composite guarantees problem-free processing and provides a high level of opacity thanks to the matt silver back. Besides it shows good flatness and constructional stability in roll-up systems.

- Brilliant colour reproduction.
- Anti-refelctive, matt surface.
- Tear-resistant.
- Matt, silver back for for high opacity.
- High ink absorption capacity.
- Greyback for high opacity.
- PVC Free.
- Scratch-resistant, surface and reverse side.



SUPERDRY
Satin Roll Up Film



Code	Mic	Width	Length	Cores
3471	190	36" 914mm	30 Mtrs	2"

Opaque white, microporous SuperDry coated greyback PET (polyester) film impervious to light, with a satin finish. With its special anti-static back, this film is ideal for premium quality printed images, such as those required for photo-realistic posters, displays for the POS sector, high-quality photo reproductions, pop-up displays, short-term advertising and indoor signs. The rigidity makes the product resistant to mechanical stress and is easily processed without the loss of properties. The satin SuperDry coating guarantees a unique high-quality colour representation and combined with modern pigment inks achieves photographic qualities never to have been seen before.

- Brilliant colour reproduction.
- Very high resolution.
- Quick dry.
- Excellent flatness.
- Greyback for high opacity.
- PVC free.

02

DIGITAL PRINT SOLVENT/LATEX/UV

- Poster Paper _____ 10
- Photo Paper _____ 11
- Monomeric Self Adhesive Vinyl _____ 12-14
- Polymeric Self Adhesive Vinyl _____ 16-17
- Pull Up Media _____ 18
- Roll Up Media _____ 18
- Banner Stands _____ 19
- Banner Materials _____ 20
- Backlit Film _____ 21
- Magnetic Vinyl _____ 21
- Floor Graphics _____ 22
- Wall Decoration _____ 23
- Event Table Cloth _____ 23
- Canvas _____ 24
- Window Films _____ 25
- Heatpress _____ 26-27



Premier Paper Dublin
54 Park West
Dublin 12
D12 HW83

(0) 620 55 55
sales@premierpaper.ie

NEWEST TECHNOLOGIES IN
THE BEST HANDS.





**VALUE BLUEBACK
Billboard Poster Paper**



Code	g/m ²	Width	Length
SOVBB	115	63" 1600mm	100 Mtrs

Emblem SOVBB is a water resistant, coated one side, matt to semi-matt white paper with blue back giving a high opacity which makes it ideal for billboard applications.



**TRISOLV PRIMEART
Glossy Paper**



Code	g/m ²	Width	Length	Cores
3686	200	54" 1372mm	50 Mtrs	3"

Premium, glossy poster paper with high stiffness for outdoor and indoor applications.

This multi-coated, weatherproof paper with high wet-strength and a gloss finish is suitable for printing with solvent, latex and UV-curing inks. The photorealistic prints impress with high colour brilliance and very good image definition. The material dries quickly even with high ink densities and displays good flatness. TriSolv Poster Paper Prime 200 qualifies for outdoor billboard applications and displays very good resistance to scratches. The weight of 200 g/m² lends the material high opacity and stiffness and thus enables optimum handling.



**EMBLEM ONE FOR ALL
Paper Satin 200 Neo**



Code	g/m ²	Width	Length
SOFAPSA200N	195	54" 1372mm	50 Mtrs

EMBLEM Solvent One For All Paper Satin 200 Neo is a paper for commercial poster applications when prints with brilliant colors are required. The application spectrum of the EMBLEM SOFAP series ranges from posters at the POS to sophisticated photo prints. The wood- and acid-free base paper ensures a stable paper white over longer periods of use. The paper is used both indoors and in protected outdoor areas.

The EMBLEM SOFAPSA200N can be printed with commercially available eco-solvent, solvent, latex and UV inks. The SOFAP series is a pure paper product and is very environmentally friendly, PVC-free, chlorine-free and FSC® (FSC-C119162) certified.



**EMBLEM ONE FOR ALL
Paper Glossy 200 Neo**



Code	g/m ²	Width	Length
SOFAPGL200N	195	54" 1372mm	50 Mtrs

EMBLEM Solvent One For All Paper Glossy 200 Neo is a paper for commercial poster applications when prints with brilliant colours are required. A balanced paper volume ensures a pleasant feel of the glossy-coated paper. The application range of the EMBLEM SOFAP series goes from posters at the POS to demanding photo prints. The wood- and acid-free base paper ensures a stable paper white for longer periods of use. The paper is used both indoors and in protected outdoor areas.

- Environmentally friendly,
- PVC-free, chlorine-free.
- FSC® (FSC-C119162) certified.
- Posters & displays.
- POS & signage.
- Indoor and outdoor advertising.



**EMBLEM
Semi-Photo Paper Glossy**



Code	g/m ²	Width	Length
SOSPPGL	220	54" 1372mm	50 Mtrs

Emblem Solvent Semi-Photo Paper Glossy is a white high quality coated paper with a glossy surface.

SOSPPGL supports high resolution print quality such as 780 x 1080 dpi. It is for printing with eco-solvent-, solvent, UV-curable and latex-based inks. Because of these facts SOSPPGL is well suited for indoor poster application. The excellent surface provides a high colour saturation with extreme brilliant colours.



**EMBLEM
Semi-Photo Paper
Semi-Matt**



Code	g/m ²	Width	Length
SOSPPSM	220	54" 1372mm	50 Mtrs

High quality white coated photo paper suitable for printing with eco-solvent, solvent, UV and latex based inks. It has a non-reflecting surface and gives high resolution print quality such as 780 x 1080 dpi and is therefore well suited for indoor poster application. The excellent surface provides a high quality saturation with extreme brilliant colours.





MONOMERIC VINYL

Monomeric vinyl has been designed to be highly resistant to the influence of solvent inks. Excellent printing results with high resolution and rich colours have been accomplished with ECO-Solvent, Solvent, UV and Latex digital printers. The vinyls are coated with high-quality dispersion and solvent based acrylic adhesives and offer perfect flatness and dimensional stability. Particularly suitable for short to mid term indoor and outdoor advertising and for application on flat, curved and slightly corrugated surfaces.



Code	Mic	Width	Length	Cores
800	80	54" 1372mm	50 Mtrs	3"

Poli-Print 800 White Gloss 80 mic is a Monomeric PVC-Film. Laminated with a one-sided clay-coated silicone paper (135 g/m²) and equipped with a clear dispersion acrylic adhesive (permanent). Suitable for bonding various surfaces for example on commercial slabs, glass, metal and plastic.

Code	Mic	Width	Length	Cores
810	80	54" 1372mm	50 Mtrs	3"
		63" 1600mm	50 Mtrs	3"

Monomeric PVC film, clear gloss vinyl/laminate, highly stabilized, calendared. Clear acrylic permanent adhesive.

Code	Mic	Width	Length	Cores
815	80	54" 1372mm	50 Mtrs	3"
		63" 1600mm	50 Mtrs	3"

Monomeric PVC film, clear matt vinyl/laminate, highly stabilized, calendared. Clear acrylic permanent adhesive.

POLI-PRINT Gloss White Vinyl

CLEAR ADHESIVE



Certified for HP Latex Inks

POLI-PRINT Transparent Gloss Vinyl/Laminate

CLEAR ADHESIVE



POLI-PRINT Transparent Matt Vinyl/Laminate

CLEAR ADHESIVE



POLI-PRINT Gloss White Vinyl

CLEAR ADHESIVE



Certified for HP Latex Inks

POLI-PRINT Matt White Vinyl

CLEAR ADHESIVE



Certified for HP Latex Inks

POLI-PRINT Gloss White Vinyl

GREY ADHESIVE



Certified for HP Latex Inks

POLI-PRINT Matt White Vinyl

GREY ADHESIVE



Certified for HP Latex Inks

Code	Mic	Width	Length	Cores
900	100	54" 1372mm	50 Mtrs	3"
		63" 1600mm	50 Mtrs	3"

100 micron monomeric vinyl with clear permanent adhesive for short to mid-term (4 year) indoor and outdoor advertising. In addition to excellent opacity and flatness, these films offer high dimensional stability. Features a heavy 135 g/m² one-sided clay coated silicone liner that offers excellent handling properties.

Code	Mic	Width	Length	Cores
905	100	54" 1372mm	50 Mtrs	3"
		63" 1600mm	50 Mtrs	3"

100 micron monomeric vinyl with clear permanent adhesive for short to mid-term (4 year) indoor and outdoor advertising. In addition to excellent opacity and flatness, these films offer high dimensional stability. Features a heavy 135 g/m² one-sided clay coated silicone liner that offers excellent handling properties.

Code	Mic	Width	Length	Cores
920	100	54" 1372mm	50 Mtrs	3"

100 micron monomeric vinyl with grey permanent adhesive for short to mid-term (4 year) indoor and outdoor advertising. Features a heavy 135 g/m² one-sided clay coated silicone liner that offers excellent handling properties.

Code	Mics	Width	Length	Cores
925	100	54" 1372mm	50 Mtrs	3"

100 micron monomeric vinyl with grey permanent adhesive for short to mid-term (4 year) indoor and outdoor advertising. Features a heavy 135 g/m² one-sided clay coated silicone liner that offers excellent handling properties.

POLI-PRINT VINLYS & LAMINATES ARE SUITABLE FOR SOLVENT · ECO-SOLVENT · UV · LATEX



The solution you need

POLI-PRINT HOV
Gloss White Air Free

CLEAR ADHESIVE



Code	Mic	Width	Length	Cores
982	100	54" 1372mm	50 Mtrs	3"

POLI-PRINT 982 HOV White Gloss P Air Free is a Monomeric PVC-Film (gloss, 100 µ). Laminated with a one-sided clay-coated, embossed silicone paper (136 g/m²) and equipped with a clear acrylic dispersion adhesive. Suitable for bonding various surfaces for example on commercial slabs, glass, metal or plastic. Especially suitable for the use on smooth as well as slightly curved surfaces. POLI-PRINT 982 HOV White Gloss P Air Free is ideal for short term presentation of advertising panels

POLI-PRINT
Gloss White Vinyl Removable

GREY ADHESIVE




Code	Mic	Width	Length	Cores
990	100	54" 1372mm	50 Mtrs	3"

100 micron monomeric vinyl with grey removable adhesive for short to mid-term (4 year) indoor and outdoor advertising. Features a heavy 135 g/m² one-sided clay coated silicone liner that offers excellent handling properties.



Check out our website & instagram for all the latest product news!



POLI-TAPE



POLYMERIC VINYL

Polymeric PVC films have been designed to be highly resistant to the influence of solvent inks and have excellent printing results with high resolution and rich colours with all ECO-Solvent, Solvent, UV and Latex digital printers. The films convince due to minimal shrinkage performance and perfect flatness. The films are suitable for long-term (7 years) outside application due to the UV and weather-resisting solvent adhesive



Code	Mic	Width	Length	Cores
1200	75	54" 1372mm	50 Mtrs	3"

Polymeric PVC film coated with a grey-coloured acrylic solvent adhesive. In addition to excellent opacity and minimal shrinkage, the digital films offers an excellent flatness due to the applied PE liner (140 g/m²). The films are suitable for long-term (7 years) outside application due to the UV and weather resistant solvent adhesive.

Code	Mic	Width	Length	Cores
1201	75	54" 1372mm	50 Mtrs	3"

Polymeric PVC film coated with a transparent solvent acrylic adhesive. In addition to excellent opacity and minimal shrinkage, the digital film offers an excellent flatness due to the applied PE liner (140 g/m²). The films are suitable for long-term (7 years) application due to the UV and weather-resisting solvent adhesive.

Code	Mic	Width	Length	Cores
1203	75	54" 1372mm	50 Mtrs	3"

Polymeric PVC film coated with a grey-coloured solvent acrylic adhesive (permanent), offering very good printing performance on any Solvent, ECO-Solvent, Latex and UV digital printer. The special embossed micro-structured adhesive avoids any bubbles and reduces the time required for the application on the substrate. Particularly suitable for application on flat, curved and slightly corrugated surfaces.

AIR FREE - Suitable for mid-term outside application due to UV and weather resistant solvent adhesive

POLI-PRINT Gloss Clear Vinyl / Laminate

CLEAR ADHESIVE



Code	Mic	Width	Length	Cores
1230	75	54" 1372mm	50 Mtrs	3"

Polymeric clear gloss vinyl / laminate with a clear solvent acrylic permanent adhesive, offering a very good printing performance and a high dimensionable stability.

Particularly suitable for application on flat, curved and slightly corrugated surfaces.

POLI-PRINT Matt Clear Vinyl / Laminate

CLEAR ADHESIVE



Code	Mic	Width	Length	Cores
1235	75	54" 1372mm	50 Mtrs	3"

Polymeric clear matt vinyl / laminate with a clear solvent acrylic permanent adhesive, offering a very good printing performance and a high dimensionable stability.

Particularly suitable for application on flat, curved and slightly corrugated surfaces.



POLI-PRINT Gloss White Vinyl

GREY ADHESIVE



POLI-PRINT Gloss White Vinyl

CLEAR ADHESIVE



POLI-PRINT White Gloss PG AIR FREE

CLEAR ADHESIVE



The solution you need



StayFlat Scrimless PET Greyback Roll-Up Media

GREY BACK & ANTI-CURL



Code	g/m ²	Width	Length	Cores
StayFlat	420	36" 914mm	50 Mtrs	3"

Featuring a scrimless super smooth surface and non curling edge performance it's perfect for high resolution printing. As the product is scrimless; StayFlat is the market leader for roller banner stands.

- Non curling scrimless banner.
- Smooth surface.
- No overlamination required.
- Used for indoor applications.

Code	Mic	g/m ²	Width	Length	Cores
3515	180	240	36" 914mm	30 Mtrs	3"

Premium quality, dimensionally stable polyester film with a greyback for roll-up systems. The satin finish coating hinders interfering reflections caused by artificial light, while enabling the printing of photorealistic images with excellent colours and high resolutions. The roughened antistatic greyback ensures 100% opacity and outstanding processing properties.

- Brilliant colour reproduction.
- Greyback for high opacity.
- Excellent contour sharpness.
- Excellent flatness.
- PVC free.

Code	Mic	Width	Length	Cores
3598	205	36" 914mm	50 Mtrs	3"

Roll-Up Film Plus 205 SB Satin is suitable for the creation of high quality roll-up and display graphics using solvent, latex and UV inks. An increase in general productivity is possible thanks to the good printing results achieved with fast print mode (HP Latex up to 6 pass).

- Brilliant colour reproduction
- Scratch resistant
- Matt, silver back for high opacity
- Anti-reflective, satin surface
- Good flatness
- PVC free
- Tear resistant

Code	Mic	Width	Length	Cores
3516	310	42" 1067mm	20 Mtrs	3"

PolySOL Pop-Up Film is for the production of premium quality graphics for mobile exhibition systems and indoor POS applications. The satin finish enables exceptional reproduction of colours and is optimised for printing with solvent, latex and UV inks. The roughened greyback guarantees high opacity and printability. The material's particular rigidity and dimensional stability make it ideal for long-term use in pop-up systems. Its innovative, waterproof coating makes it ideal for prolonged periods of outdoor use.

- Brilliant colour reproduction.
- Greyback for high opacity.
- Excellent contour sharpness.
- Very good lamination capability.
- Quick dry.
- PVC free.

siHL POLYSOL GREY BACK Satin Roll-Up Film



siHL ROLL-UP FILM PLUS 205 SB Satin



siHL POLYSOL Satin Pop-Up Film



Aintree No Lean Pull Up Stand

Graphic size: 850mm x 2000mm

Key Features

- Stable reinforced stand.
- Graphic size, 850mm x 2000mm
- Easy graphic application.
- 2.3kg heavyweight aluminium.



Curve End Caps
Better balance & stability.



Reinforced Base
Superior base strength & durability.



Pole Connector
Available as clip & tape profilebars.



Pole Bracket
Increased strength & no lean.

Interchangeable Dulux Roll Up

Graphic size: 850mm x 2000mm

Key Features

- Premium quality.
- Snap-open top & bottom
- Easy change of graphic
- Wide base giving extra stability
- Chrome end caps.
- Supplied with black carry case



FRONT LIT Semi-Coated Banner



Code	g/m ²	Width	Length
BW2-510	510	54" 1370mm	30 Mtrs

BW2-510 is a premium, super-strong, durable and opaque substrate for high quality front-lit displays. Excellent for long term outdoor billboards and banners.

- White opaque substrate for high quality frontlit displays.
- Smooth surface.
- Super strong & durable but still soft to handle.

PREMIUM BANNER EYEPRESS Chrome Grommets

13558	Emblem Manual EyePress	1 per box
13562	Self-Piercing-Adapter (size #3 11mm)	1 per box
13566	Chrome Grommets (size #3 11mm)	500 per bag

Premium hand press for processing of self-tapping eyes from 6.5mm up to 18.2mm diameter. Punches and eyes in one process. Prepared for bench mounting or free standing use.

POLI-GRIP Banner Joining Tape

Code	Width	Length
400	1" 25mm	25 Mtrs

Double-sided adhesive tape for the overlapping connection (splicing) and seaming of banner films. Safe splicing and seaming of PVC banners with flat and structured surface. Suitable also for the strengthening of loops. Replaces the welding and sewing of banner material.

EMBLEM Easy Edge Tape Plus

Code	Width	Length
22435	1" 25mm	25 Mtrs

Emblem Easy Banner Plus is a very strong, 400mic, double-sided adhesive tape which is used for hemming banners. It has a 5mm overlapping liner for ease of use.

EMBLEM Easy Edge 2 Banner Tape

Code	Width	Length
24105	2" 50mm	20 Mtrs

Emblem Easy-Edge 2 is a unique self adhesive reinforcing banner tape. Its high tear strength and stiffness gives an excellent protection against damaging the banner near the grommets.




EMBLEM Backlit Film Satin



Code	Mics	Width	Length
Lumax	208	54" 1370mm	30 Mtrs

EMBLEM Solvent Backlit Lumax is a transparent backlit polyester film with a bright white satin coating for backlit application indoor and outdoor. The specific surface of Lumax permits a good ink coverage as well as brilliant colours, excellent flatness and good drying time. The special coating is developed for solvent, eco-solvent, UV-curable and latex inks.



VEHICLE GRADE MAGNETIC

MAGMAX Vehicle Grade Magnetic

Code	g/m ²	Width	Length
MAGMAX	0.85mm	24.4" 620mm	10 Mtrs

Magnetic White Vinyl 620mm wide is suitable for vehicle graphics and tested to national speed limits. This material has a magnetic pull of 42g/cm²

Please note vehicle signs should always be placed on the side or back of the vehicle dependant on individual vehicle aerodynamics.

0.85mm total thickness gloss finish.



TEC

FLOOR & DÉCOR

Digitally Printable Floor & Wall Covering



Code	Mics	Width	Length
ETEC	150	54" 1370mm	50 Mtrs

A high quality textured 150mic, self-adhesive white PVC faced printable material which is coated with a removable clear adhesive and laminated with a 140gsm high quality PE coated silicon Kraft Paper.

Predominantly suitable for use as a digitally printable floor and wall covering. Can also be used for outdoor signs and similar uses.

Certified Anti Slip Properties: R10

No Lamination Required.

EMBLEM

PROFESSIONAL PRINTMEDIA



Code	Mics	Width	Length
WOS2	100	54" 1370mm	25 Mtrs

EMBLEM Solvent Walk On Sign is a structured, white, monomeric soft PVC film for printing with common eco solvent, solvent and latex inks.

- The dot-like structures on the surface provide the slip-resistant effect.
- The product can therefore be used as floor advertising in shopping centres and supermarkets, depending on local requirements.
- The advertising message can be used indoors for up to 3 months depending on the degree of stress.
- The product is REACH and RoHS compliant.

Certified Anti Slip Properties: R9

No Lamination Required.

EMBLEM Walk on Sign II



POLI-TAPE

POLI-LUX 102 Floor Laminate

CLEAR ADHESIVE

Code	Mics	Width	Length
102	120	54" 1370mm	50 Mtrs

POLI-LUX 102 FLOOR is a Monomeric, embossed PVC-Film (transparent matt, 120 µm)

- Laminated with a one-sided clay-coated silicone paper (90 g/m²) and equipped with an affective clear dispersion acrylic adhesive (permanent).
- Suitable for bonding various surfaces for example on commercial slabs, glass, metal, plastic and floor coverings.
- Can be used in conjunction with our gloss removable or high tack gloss vinyl.

Certified Anti Slip Properties: R9

siHL

WALLGRAFX PRIME 240 FR Satin



Code	Mics	Width	Length
3517	240	54" 1372mm	25 Mtrs

Self-adhesive, opaque polyester fabric for interior decoration. Wallgrafx Prime is dimensionally-stable with a coating, suitable for printing with solvent, latex and UV inks. It is excellent for the decoration of walls, exhibition stands, walls, furniture and for advertising applications.

The material can be easily applied to smooth and lightly structured substrates, it can be repositioned and is removable without leaving residue.

- Excellent print quality.
- Self adhesive.
- Suitable for Solvent, UV and Latex inks.
- Satin surface finish.
- Removable without leaving residue.
- Treated with flame retardant.
- M1 certified.
- PVC Free.

Code	gsm	Width	Length
2517	210	42" 1067mm	51 Mtrs

High quality satin finish non-woven wallpaper for busy areas.

The Non-woven design2wall FR 210 satin is a high quality non-woven wallpaper for printing with solvent, latex and UV inks and is characterised by high colour brilliance and dimensional stability. This product is flame retardant and certified with the classification C-s1, d0 which is particularly important for use in public spaces. Due to its scratch resistant surface, this wallpaper is suitable for long-term use in busy areas.

- Wide colour gamu.
- High opacity for good coverage.
- Scratch resistant surface.
- Good lightfastness.
- Dimensionally stable.
- Dry strippable.
- Good coverage of uneven surfaces.
- PVC free.
- FSC® certified.
- Hang using standard non-woven wallpaper paste.

Flame retardant and C-s1, d0 certified according to European Standard EN.

siHL

DESIGN2WALL FR10 Satin



EMBLEM


EMBLEM Event Table Cloth



Code	g/m ²	Width	Length
ETCTB	350	54" 1370mm	25 Mtrs

EMBLEM Event Table Cloth Textile Back is based on a textile fabric with a soft PVC coating. This product design enables a high dimensional stability and production reliability during printing.

Used to decorate tables for product launches, exhibitions, weddings etc.





VINCENT
Satin Canvas




Code	g/m ²	Width	Length	Cores
3385	380	36" 914mm	15 Mtrs	3"
		42" 1067mm	15 Mtrs	3"
		60" 1524mm	15 Mtrs	3"

Vincent Canvas Plus Satin is a universal artistic, cotton / polyester blend canvas for solvent, latex and UV inks. The satin finish enables prints with excellent colour reproduction. The printed surface shows no signs of white-scoring and is splashproof.

The material was developed specifically with industrial printing of framed art and photo application in mind and can therefore be used in automated framing machines

- Brilliant colour reproduction.
- Quick dry.
- No white-scoring.
- Splashproof.



**SIMPLE, EFFECTIVE,
BENEFICIAL.**



POLI-PRINT
Static Cling
White/Transparent Gloss



Code	Gloss	Mic	Width	Length
150	White	150	54" 1372mm	50 Mtrs
	Clear	150	54" 1372mm	50 Mtrs

POLI-PRINT 150 Cling White / Transparent Gloss is a 150mic monomeric PVC Film.

Laminated with a one-sided clay-coated paper (180 g/m²) Suitable for bonding various surfaces for example on commercial slabs, glass, metal and plastic. Especially suitable for use on smooth as well as slightly curved surfaces. POLI-PRINT 150 Cling White / Transparent Gloss is ideal for short term presentation of advertising panels.

Code	Mic	Width	Length
5052	80	48" 1220mm	50 Mtrs
	80	54" 1372mm	50 Mtrs

POLI-ETCH 5052 Silver Frosty is a polymeric PVC-Film (translucent, 80 μ)

Laminated with a PE-coated silicone paper (141 g/m²) and equipped with a clear solvent acrylic adhesive (permanent). Suitable for bonding various surfaces for example on commercial slabs, glass, metal and plastic. Especially developed to achieve a sand blasting or frosty effect on glass and mirrors as well as transparent plastic sheets. Suitable for the use on smooth as well as slightly curved surfaces.

POLI-ETCH 5052 Silver Frosty is ideal for mid to long term applications.

Code	Mic	Width	Length
5055	80	54" 1372mm	50 Mtrs

As above but with a clear micro structured permanent solvent based acrylic adhesive. The special embossed micro structure adhesive avoids any bubbles and reduces the time required for the application on the substrate.



POLI-ETCH
Silver Frosty



POLI-ETCH
Silver Frosty Air Free



POLI-PRINT
One Way Vision



Code	Mic	Width	Length
5051	175	54" 1372mm	50 Mtrs
	175	60" 1524mm	30 Mtrs

POLI-PRINT One Way Vision SV/UV is a monomeric, perforated PVC-Film with black interlayer (translucent, 175mic). Especially designed for decoration of vehicles windows and shop windows with perfect visibility due to 60-40 balance between vinyl and holes with 1.6mm perforation.

Clear solvent acrylic removable adhesive.

Once applied it can be removed without leaving adhesive residues.



TURBO-PRINT
4036 Matt



Code	Mic	Width	Length
4036	100	500mm	25 Mtrs
		750mm	25 Mtrs

TURBO PRINT 4036 MATT is a heat-sealable, printable PU textile transfer film (opaque white, 100 µ) suitable for light and dark textiles.

- It offers a high print resolution with a matt finish and has a pleasant soft textile touch.
- Due to a special top coat, the film offers an excellent washing-resistance.
- The transfer film is used for motifs and logos on sport, leisure and work wear.
- Suitable for transfer to textiles like cotton, polyester, uncoated nylon, mixtures of polyester/cotton and polyester/acrylic.
- For application to nylon that is treated with any kind of coating, please test for suitability.

TURBO PRINT 4036 MATT is compatible with all current printers using ECO-solvent, solvent and latex inks. Due to a newly developed, self-adhesive PET film liner, even very small letters and motifs can be easily cut by all current CAD/CAM plotters after the printing process.

We recommend using POLI-TACK 854 as a transfer tape and as a protection cover during the heat transfer.

Information

265°F 320°F	5 SEC 3 SEC	3.0 BAR MEDIUM PRESSURE	LIGHT AND DARK TEXTILES
HOT WASH 60°C TUMBLE DRY	LATEX ECO-SOLVENT SOLVENT	CERTIFIED BY OEKO-TEX® STANDARD 100 CLASS I (CPSIA COMPLIANT)	15" X 30 YD 20" X 30 YD 60" X 30 YD



POLI-TACK 854
Transparent Polyester Film

Code	Width	Length
854	500mm	25 Mtrs

- Transparent Polyester Film coated with a cross-linked acrylic adhesive offering excellent temperature resistance, ageing and UV stability.
- The adhesive can be removed without residue even after long periods of usage.
- POLI-TACK 854 Transfer Film is suitable for thermal transfer of heat sealing substrates, i.e. for the transfer of Flockand Flex-film onto textiles.



POLI-FLEX TURBO



Code	Colour	Width	Length
4901	White	500mm	25 Mtrs
4902	Black	500mm	25 Mtrs
4940	Neon Yellow	500mm	25 Mtrs
4943	Neon Pink	500mm	25 Mtrs
4941	Neon Green	500mm	25 Mtrs
4944	Neon Red	500mm	25 Mtrs

POLI-FLEX® TURBO is the versatile polyurethane transfer vinyl. Equipped with a special hotmelt, you can use it for fast application at low temperature.

POLI-FLEX® TURBO is suitable for transfer to textiles like cotton, polyester, uncoated nylon, mixtures of polyester /cotton and polyester/acrylic.

POLI-FLEX® TURBO can be used for lettering on T-shirts, sport & leisure wear, sport bags and promotional articles, it ensures that the transfer is gentle to the material.

The vinyl does not contain PVC, plasticizers or heavy metals, in accordance with OEKO-TEX® Standard 100 category I (CPSIA compliant).

Information

130°C 160°C	5 SEC 3 SEC	2,5 - 3,0 BAR	WARM LUKE WARM
60°C TUMBLE DRY DRY-CLEANING	MULTILAYER	OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 07.0.50430 HOHENSTEIN HTTI Tested for harmful substances. www.oeko-tex.com/standard100	500 MM X 25 M 500 MM X 10 M 1000 MM X 25 M 1524 MM X 25 M

50 colours available on request call to enquire (01) 620 55 55



CORRIBOARD

A light, rigid, fluted polypropylene sheet used for short to medium term signage.

Perfect substrate for indoor and outdoor applications.

Size	Thickness
1220 x 2440mm	3.5mm
1220 x 2440mm	5mm
1220 x 2440mm	9mm

Can be printed directly onto surface and or overlaid with printed vinyl etc.

FOAM BOARD

Palfoam LW Board offers easy to handle foamed PVC in a cost efficient way.

It's bright, consistent and smooth surface provides a good printing surface.

Size	Thickness
1220 x 2440mm	3mm
1220 x 2440mm	5mm
1220 x 2440mm	10mm

PALFOAM is flexible, versatile and extremely convenient to work with, cut and fabricate.

PREMIUM SIGN PANEL

PREMIUM SIGN PANEL is a 3mm aluminium composite sheet with .15 skin designed for use in advertising, sign making and other projects.

Size	Thickness
1220 x 2440mm	3mm



FAVINI SUMO



Size	Thickness	Packed
710 x 1010mm	1 mm	20
710 x 1010mm	1.5mm	20
710 x 1010mm	2mm	10
710 x 1010mm	3mm	10

The Heavy Heavyweight

Sumo Display Board is the heavy weight, thick board that is ideal for sharp and outstanding communication.

The finest quality makes Sumo perform excellently in the areas of invitation, tags, covers, business cards, luxury POS material, high-end packaging, mounting, picture framing and architectural modelling.

Also available ex. mill in colours as follows, dark blue, kraft brown, red, dark grey & light grey.

FAVINI BIANCOFLASH PREMIUM



Size	Weight	Mics	Ream
710 x 1010mm	400gsm	420	50
710 x 1010mm	500gsm	530	50
710 x 1010mm	700gsm	740	50

Biancoflash, the original brand from Favini, is the Italian word for whiteness and quality.

Biancoflash paper is a hugely versatile range for design and high-end print. Suitable for all major print and finishing processes. Applications include, books, brochures, catalogues, packaging, stationery, diaries, calendars menus and hotel stationery suites.

With Biancoflash, the ink doesn't just sit on the surface and look shiny, nor does it sink in and lose definition. It provides the optimum surface for a perfectly-balanced result.





54 Parkwest
Dublin I2
D12 HW83
(01) 620 5555
sales@premierpaper.ie

D5 Grange Industrial Estate
Ballycurreen
T12 F822
cork@premierpaper.ie

Scan QR code to
Follow us on Instagram

@premier.paper

