



# Ford® F-150® Raptor R™ 4X4 (Model 101076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

2728	Ball bearings (5x8x2.5mm) (2)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
3934	Body clips, heavy duty (12)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
10124	Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting)
10125	Body mount, rear/ inserts (2) (for clipless body mounting)
<b>10111</b>	<b>Body, Ford Raptor R (clear, requires painting)/ window masks/ decal sheets</b>
10112-BLK	Body, Ford Raptor R, complete (black) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-BLUE	Body, Ford Raptor R, complete (blue) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-RED	Body, Ford Raptor R, complete (red) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10120	Grille/ grille mount/ 3x10 BCS (7) (fully assembled, includes installed headlight lenses and decals) (fits #10111 body)
10142	Latch, body mount, front/ hood insert/ 3x8mm BCS (5) (for clipless body mounting) (attaches to #10111 body)
10143	Side mirrors (left & right)/ mirror mounts (left & right)/ 3x14mm BCS (2) (attaches to #10111 body)
10121	Tailgate trim/ trim mount/ 3x10mm BCS (7)/ decals (attaches to #10111 body)

## Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
<b>6893X</b>	<b>Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)</b>
<b>6893G</b>	<b>Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)</b>
<b>6780A</b>	<b>Center differential, complete (fits Hoss® 4X4 VXL)</b>
6841	Cover, center driveshaft (clear)
<b>6877A</b>	<b>Cover, gear (clear)</b>
6877	Cover, gear/ motor wire hold-down clip
<b>6780</b>	<b>Differential kit, center (complete)</b>
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
10155	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (274mm)
<b>6783</b>	<b>Gear set, differential (spider gears (4)/ spider gear shaft (2))</b>
5148	Grease, white lithium
<b>6781</b>	<b>Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)</b>
<b>9081</b>	<b>Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)</b>
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
<b>6782</b>	<b>Output gears, center differential, hardened steel (2)</b>
6890	Plate, motor
<b>6890X</b>	<b>Plate, motor, 6061-T6 aluminum (blue-anodized)</b>
<b>6890R</b>	<b>Plate, motor, 6061-T6 aluminum (red-anodized)</b>
<b>5352R</b>	<b>Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>
<b>5352X</b>	<b>Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>

5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone Grease
6878	Slipper clutch, complete (for Slash 4x4)
5556	Slipper pressure plate & hub (aluminum alloy)
<b>5351</b>	<b>Slipper pressure plate and hub (alloy)</b>

## Chassis & Attachments

8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
10124	Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting)
10125	Body mount, rear/ inserts (2) (for clipless body mounting)
7424	Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x12mm BCS (2)
10151	Bumper, front/ bumper mount, front/ light covers (left & right)/ 2.5x10mm BCS (4) (fits Ford Raptor R)
10152	Bumper, rear/ bumper mounts, rear (upper & lower) (fits Ford Raptor R)
10122	Chassis/ adapter, center driveshaft cover
6841	Cover, center driveshaft (clear)
7423	Nerf bars, chassis (2)
7425	Seal kit, receiver box (includes o-ring, seals, and silicone grease)

## Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
<b>6780A</b>	<b>Center differential, complete (fits Hoss® 4X4 VXL)</b>
<b>6780</b>	<b>Differential kit, center (complete)</b>
<b>5136X</b>	<b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>
<b>6788</b>	<b>Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally &amp; 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)</b>
<b>6789</b>	<b>Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally &amp; 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)</b>
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
<b>6783</b>	<b>Gear set, differential (spider gears (4)/ spider gear shaft (2))</b>
<b>6781</b>	<b>Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)</b>
<b>9081</b>	<b>Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)</b>
6881	Housings, differential, front
6880	Housings, differential, rear
<b>6782</b>	<b>Output gears, center differential, hardened steel (2)</b>
5379X	Ring gear, differential/ pinion gear, differential
<b>5379R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)</b>
<b>6879R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)</b>
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone Grease

## Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
<b>9059X</b>	<b>Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)</b>
<b>9057X</b>	<b>Differential output shafts, steel-splined constant-velocity (2)</b>
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)

**Page 2 Ford® F-150® Raptor R™ 4X4: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 101076-4) Parts List**

10155	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (274mm)
<b>9051R</b>	<b>Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)</b>
<b>9052R</b>	<b>Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)</b>
<b>9056X</b>	<b>Half shaft, internal splined (steel-spline constant velocity) (1)</b>
<b>9058X</b>	<b>Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)</b>
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
5452	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)

**Extreme HD Upgrade Kit**

<b>9050</b>	<b>Carriers, stub axle, rear, extreme heavy duty, black (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050X</b>	<b>Carriers, stub axle, rear, extreme heavy duty, blue (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>9050G</b>	<b>Carriers, stub axle, rear, extreme heavy duty, green (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050T</b>	<b>Carriers, stub axle, rear, extreme heavy duty, orange (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050R</b>	<b>Carriers, stub axle, rear, extreme heavy duty, red (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032</b>	<b>Caster blocks (c-hubs), extreme heavy duty, black (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032X</b>	<b>Caster blocks (c-hubs), extreme heavy duty, blue (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>9032G</b>	<b>Caster blocks (c-hubs), extreme heavy duty, green (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032T</b>	<b>Caster blocks (c-hubs), extreme heavy duty, orange (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032R</b>	<b>Caster blocks (c-hubs), extreme heavy duty, red (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
<b>9051R</b>	<b>Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)</b>
<b>9052R</b>	<b>Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)</b>
<b>9080</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, black</b>
<b>9080X</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, blue</b>
9080-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray
<b>9080G</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, green</b>
<b>9080T</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, orange</b>
<b>9080R</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, red</b>
<b>9043</b>	<b>Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)</b>
<b>9038</b>	<b>Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)</b>

<b>9038X</b>	<b>Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)</b>
9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
<b>9038G</b>	<b>Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)</b>
<b>9038T</b>	<b>Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)</b>
<b>9038R</b>	<b>Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)</b>
<b>9039</b>	<b>Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)</b>
<b>9039X</b>	<b>Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)</b>
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
<b>9039G</b>	<b>Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)</b>
<b>9039T</b>	<b>Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)</b>
<b>9039R</b>	<b>Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)</b>
<b>9037</b>	<b>Steering blocks, extreme heavy duty, black (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9037X</b>	<b>Steering blocks, extreme heavy duty, blue (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>9037G</b>	<b>Steering blocks, extreme heavy duty, green (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9037T</b>	<b>Steering blocks, extreme heavy duty, orange (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9037R</b>	<b>Steering blocks, extreme heavy duty, red (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
<b>9054</b>	<b>Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)</b>
<b>9053</b>	<b>Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)</b>
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
<b>9042X</b>	<b>Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)</b>
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)

**Front Suspension & Steering**

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
<b>6823G</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (green-anodized)</b>
<b>6823R</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (red-anodized)</b>
6830X	Bulkhead, front
<b>3643X</b>	<b>Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>3643G</b>	<b>Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>3643R</b>	<b>Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>9032</b>	<b>Caster blocks (c-hubs), extreme heavy duty, black (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032X</b>	<b>Caster blocks (c-hubs), extreme heavy duty, blue (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>9032G</b>	<b>Caster blocks (c-hubs), extreme heavy duty, green (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032T</b>	<b>Caster blocks (c-hubs), extreme heavy duty, orange (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032R</b>	<b>Caster blocks (c-hubs), extreme heavy duty, red (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>

6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

### Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm)
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
3981	PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)

2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

### LED Lights

10156	LED light harness, front (fits #10151 bumper) (requires #2263 Y-harness)
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
2263	Y-harness, BEC to LED light set

### Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3340	Cooling fan, Velineon® VXL-3s ESC
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
3458	Heat sink (fits #3351R and #3461 motors)
3354R	Motor cover, endbell (Velineon® 3500)
6860A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
6860R	Motor mount, 6061-T6 aluminum (blue-anodized)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

### Radio System, Batteries & Chargers

2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	AA 4PK
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)

- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas® Link Bluetooth® module
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6555 Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6539 Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
- 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas® Link Bluetooth® module
- 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

**Ready-To-Race Model**

- 101076-4 Ford® F-150® Raptor R™ 4X4: 1/10 Scale 4WD Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

**Rear Suspension**

- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
- 6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 6829 Bulkhead, rear
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 9050 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050X Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050G Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050T Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050R Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9039 Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
- 9039X Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
- 9039-GRAY Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
- 9039G Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
- 9039T Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
- 9039R Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
- 9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
- 9055 Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
- 9054 Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
- 9053 Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
- 9042X Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)

- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

**Shocks (GTR)**

- 7466X Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
- 7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7466G Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7466A Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7466R Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
- 7467X Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
- 7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7467G Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7467A Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7467R Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
- 7468X Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
- 5469 Rod ends (GTR shocks)
- 7464T Shaft, GTR long, TiN-coated (2)
- 7461 Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461G Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461X Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462X Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 8459 Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
- 7440 Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
- 7441 Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
- 7444 Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
- 7445 Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
- 7448 Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
- 7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
- 7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
- 7446 Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
- 7447 Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
- 7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

**Shocks (Pro-level Aluminum)**

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)

- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)

**Shocks (Ultra Shocks)**

- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 6893X Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 6878 Slipper clutch, complete (for Slash 4x4)
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 Slipper pressure plate and hub (alloy)

### Spur Gears & Pinion Gears

3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
6842X	Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

### Steering Components

6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
2746	Washers, 3x6mm metal (12)

### Suspension Linkage

2537	3mm threaded rods: 1 each of 20mm, 25mm & 44mm
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler® Bandit/ Stampede®)
6834	Suspension pin set, complete (front and rear)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

### Team Traxxas Items

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

### Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
10187- BLKCR	Tires & wheels, assembled, glued (Ford Raptor R black chrome wheels, BFGoodrich® All-Terrain™ T/A® KO2 tires, foam inserts) (2) (4WD front/rear, 2WD rear)
10181	Tires, BFGoodrich® All-Terrain™ T/A® KO2 (dual profile 4.5x1.7-2.2/3.0") (2)/ foam inserts (2)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
1654R	Wheel hubs, hex (steel) (2)/ axle pins (2)

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

### Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)

**Page 7 Ford® F-150® Raptor R™ 4X4: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 101076-4) Parts List**

6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**