

Bandit® (Model 24054-61) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3677P 3677	Wheelie bar mount (1) / hardware (pink)
4607	Ball bearings (5x11x4mm) (8)	3677X	Wheelie bar mount (1)/ hardware (black) Wheelie bar mount (1)/ hardware (blue)
2728	Ball bearings (5x8x2.5mm) (2)	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
1606	Ball bearings (5x8x2.5mm) (8) (for wheels only)		LED light kit installation)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3678	Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®,
5 114 2545	Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)		Stampede® series)
1675	Bushings, self-lubricating (5x11x4mm) (14)	3678X	Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®,
3775	Bushings, self-lubricating (5x8x2.5mm) (12)	3678A	Stampede® series) Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®,
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3010A	Stampede® series)
	Body & Accessories	3678T	Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®,
1026			Stampede® series)
1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	3678P	Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®,
1834	Body clips (12) (standard size)	00700	Stampede® series)
1815	Body washers (8)	3678R	Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series)
6716	Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)	9460	Wheelie bar, black (assembled)/ wheelie bar mount
2417	Body, Bandit® (front & rear) (clear, requires painting)/ window,	4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
	lights, grille decal sheet	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
2420	Body, Bandit®, ProGraphix® (replacement for the painted body.		axles (2)/ rubber tires (2)
	Graphics are printed, requires paint & final color application)/ decal sheet	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
2514	Decal sheet, racing sponsors		axles (2)/ rubber tires (2)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)		Differential Components
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	2380	Differential, complete (assembled) (fits 1/10-scale 2WD Rustler®
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	2204	Bandit®, Stampede®, Slash)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	2381X	Main diff with steel ring gear/ side cov er plate/ screws (Bandit®, Stampede®, Rustler®)
3677A	Wheelie bar mount (1) / hardware (green)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
3677P 3677	Wheelie bar mount (1) / hardware (pink) Wheelie bar mount (1)/ hardware (black)	2002	shaft (1) all hardened steel
3677X	Wheelie bar mount (1)/ hardware (blue)	2388X	Planetary gear differential with steel ring gear (complete) (fits
3678	Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®,		Bandit®, Stampede®, Rustler®)
	Stampede® series)	1647	Silicone grease
3678X	Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®,		Driveline Components
	Stampede® series)	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
3678A	Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®,		screw pin (2)
3678T	Stampede® series) Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®,	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
00701	Stampede® series)	9450	Driveshaft assembly (1), left or right (fully assembled, ready to
3678P	Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®,	9450R	install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete
	Stampede® series)	340010	assembly) (2)
3678R	Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®,	2751	Half-shaft pro-pack (internal-splined (6)/external-splined (6))
4976	Stampede® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)	1051	(plastic shafts only)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	1651	Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)
	axles (2)/ rubber tires (2)	3652	Stub axle carriers (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
0045	axles (2)/ rubber tires (2)	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
2615 2414	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire		aluminum (blue-anodized)/ 5x11mm ball bearings (4)
2414	5	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
	Chassis & Attachments		aluminum (green-anodized)/ 5x11mm ball bearings (4)
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)	3652T	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3727A	Battery hold-down plate (gray)/ metal posts (2) / body clips (2)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
3628	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)		aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
3728	Lower chassis (black) (166mm long battery compartment) (fits		aluminum (red-anodized)/ 5x11mm ball bearings (4)
- · - •	both flat and hump style battery packs)	2754	Stub axle pins (4)
3722X	Lower chassis (black) (166mm long battery compartment) (fits	2753X	Stub axles, rear (2)
	both flat and hump style battery packs) (use only with #3725R		Front Suspension & Steering
3728A	ESC mounting plate) Lower chassis (gray) (166mm long battery compartment) (fits both flat	2728	Ball bearings (5x8x2.5mm) (2)
3120A	and hump style battery packs)	4606	Ball bearings (5x8x2.5mm) (8) (for wheels only)
3722R	Lower chassis (gray) (166mm long battery compartment) (fits	5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
	both flat and hump style battery packs) (use only with #3725R	2545 2530	Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black)
7055	ESC mounting plate)	2530A	Bulkhead (front) (gray)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Ruetler®)	2432	Caster blocks (left & right) (30-degree)
3629	into Bandit® or Rustler®) Seal kit, receiver box (includes o-ring, seals, and silicone grease)	2437	Front axles (2)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw
3723	Upper chassis (black)		(2)
	Upper chassis (black)	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
3729	• • • • • • • • • • • • • • • • • • • •	2742	Rod ends, long (6)/ hollow ball connectors (6)
3723A	Upper chassis (gray)	E247	Bod ands Boyon (large) with hellew helle (40)
3723A 3729A	Upper chassis (gray) Upper chassis (gray)	5347 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)
3729 3723A 3729A 4974 3677A		5347 2742X 3744	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Serv o sav er w/adapters

Page 2	Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Part		
3636 3736	Steering blocks (l&r) Steering blocks, left & right (2) (requires 5x11x4mm bearings)	3167 2743	Screws, 4x15mm countersunk machine (6) Set (grub) screws, 3mm hardened (12)
3636A	Steering blocks, reit a right (2) (requires 3x 11x4nin bearings) Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3636G	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6	2754	Stub axle pins (4)
3636T	aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6	3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
3636P	aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6	2637 2537	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2746	Washers, 3x6mm metal (12)
3636X	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
2531X	Suspension arms (front) (2)		LED Lights
2531A	Suspension arms, black, front, heavy duty (2) (requires #3632	3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)
2531L	series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632	3795	LED light harness, rear (requires #2477 wheelie bar mount)
	series caster block and #3640 screw pin set)	3794	LED light set, complete (includes front and rear bumpers with LED
2531G	Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)		light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
2531T	Suspension arms, orange, front, heavy duty (2) (requires #3632	2263	Y-harness, BEC to LED light set
05045	series caster block and #3640 screw pin set)		Motors & Electronics
2531R	Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2)	1552 2260	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench BEC assembly (complete)
2640	(strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to	3790	Gear adapter, fixed
2640	strengthen front bulkhead)	2072A	Gear set (for 2070, 2075 servos)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640	2252	Gear set, metal (for 2250, 2255 servos)
	for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)	1275 3785	Motor, Stinger (20-turn, 540 size) Motor, Titan® 12T (12-Turn, 550 size)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge
2532	Tie bar, fiberglass (requires suspension pins, part# 2640)	07050	wire and gold-plated bullet connectors)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)	3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Rustler®)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
	(assembled with rod ends and hollow balls)	2253 2251	Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
	Hardware	2231	2250, 2255 servos)
3642 1552	Shoulder screws, Ultra shocks (3x12) (6) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench	2074	Serv o case/gaskets (for 2056 and 2075 waterproof serv os)
4363	Ball screws (3x12mm) (lower shock attachment screws) (6)	2053 2075R	Servo gears (for 2055, 2056 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof
1834	Body clips (12) (standard size)	2075K 2075	Servo, digital high-torque (ball bearing), waterproof
3934 3980	Body clips, heavy duty (12) Glow plug wrench (universal wrench)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
3647	Nuts, 4mm flanged ny lon locking (steel, serrated) (8)	2255	waterproof Servo, digital high-torque 400 brushless, metal gear (ball
1747	Nuts, 4mm ny lon locking (10)	2200	bearing), waterproof
1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	2056 3350R	Servo, high-torque, waterproof (blue case) Velineon® VXL-3s Brushless Power System, waterproof
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	000011	(includes VXL-3s waterproof ESC, Velineon 3500 motor, and
1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3355R	speed control mounting plate (part #3725R)) Velineon® VXL-3s Electronic Speed Control, waterproof
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3333K	(brushless) (fwd/rev/brake)
	(2)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
5525R 2742	Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6)		detection, fwd/rev/brake) Padio Suctom Pattorioc o Chargore
5347	Rod ends, Revo® (large) with hollow balls (12)	2042V	Radio System, Batteries & Chargers 5000mAh 7.4v 2-Cell 25C LiPo Battery
2742X	Rod ends, short (6)/ hollow balls (6)	2842X 2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
3739 3229	Screw pin set (Rustler®, Bandit®, Stampede®) Screws, 2.5x10mm cap-head machine (hex drive) (6)	2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
3965	Screws, 2.5x8mm cap-head machine (6)	2976	AC to DC converter, 40W
2587	Screws, 3x10mm cap-head machine (6) (no washer)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2675 2578	Screws, 3x10mm roundhead self-tapping (6) Screws, 3x12mm button-head machine (hex drive) (6)	2943	Battery charge indicators (green (4), blue (4), gray (4))
2648	Screws, 3x12mm countersunk self-tapping (6)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2676	Screws, 3x12mm roundhead self-tapping (6)	2914	Battery, Power Cell AA Alkaline (4)
3186 3286	Screws, 3x12mm washerhead machine (6) Screws, 3x12mm washerhead self-tapping (6)	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2649	Screws, 3x15mm countersunk self-tapping (6)	2926X 2942X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2563	Screws, 3x15mm roundhead machine (6)	2942X 2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
3187 3288	Screws, 3x15mm washerhead machine (6)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
3288 2566	Screws, 3x15mm washerhead self-tapping (6) Screws, 3x20mm roundhead machine (6)	2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2567	Screws, 3x23mm roundhead machine (6)	2950X 2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2592 2554	Screws, 3x40mm button-head machine (hex drive) (6) Screws, 3x6mm cap-head machine (hex drive) (6)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
	Screws, 3x6mm roundhead machine (6)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
2558			
2558 3185X	Screws, 3x8mm washerhead machine (large head for motor mount)		battery (1))
		2984	

Page 3	Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Part	s List	
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	3652T	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
2260	BEC assembly (complete)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	3032X	aluminum (red-anodized)/ 5x11mm ball bearings (4)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	2753X	Stub axles, rear (2)
2074	Battery Identification	2750R	Suspension arms, long (rear)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®,
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto		Stampede®)
2070	Battery Identification		Shock Oil
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2072A	Gear set (for 2070, 2075 servos)	5033 5034	Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2252 2968X	Gear set, metal (for 2250, 2255 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
	Traxxas® iD® batteries)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	5037 5029	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)
6554X	Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit®, Slash 2WD)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	4007	80 wt premium shock oils with spinning carousel rack)
6519	pad Pagaiyar migra TO 2 4GHz (3 channel)	1667 5038	Silicone shock oil (30 wt), 60cc Spinning carousel rack
6526	Receiv er, micro, TQ 2.4GHz (3-channel) Sensor, auto-detectable, temperature	5000	Shocks (Pro-level Aluminum)
6527	Sensor, auto-detectable, voltage	2664	Big Bore shock cylinder (long) (1)
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
6521 2254	Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)		(assembled with TiN shafts and springs) (front & rear) (4)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
2074	2250, 2255 servos) Serv o case/gaskets (for 2056 and 2075 waterproof servos)		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2053	Serv o gears (for 2055, 2056 serv os)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	2362	Rebuild kit, Ultra shocks (for 2 shocks)
2075	Servo, digital high-torque (ball bearing), waterproof	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	2742X	(2) Rod ends, short (6)/ hollow balls (6)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	2667	Shock caps, aluminum (Big Bore Shocks) (2)
2075X	bearing), waterproof	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
20757	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	1664	Shock shafts, steel, chrome finish (long) (2)
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	2765	Shock shafts, steel, chrome finish (X-long) (2)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with	1765 2668	Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers:
	#6550X telemetry expander)	2000	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)	5860	Shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum
6540	Telemetry trigger magnet, 5X2mm (1)	3000	Big Bore shocks)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas		Big Bore shocks)
	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro		Shocks (Ultra Shocks)
6516	receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	3642 3765A	Attachment screws, shock (3x12mm shoulder screws) (6) Body, Ultra Shock(s) (long) (gray) (2)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	3766A	Body, Ultra Shock(s) (XXL) (gray) (2)
	channel (transmitter only)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	2742X	Rod ends, short (6)/ hollow balls (6)
0544	channel (transmitter only)	3767	Shock caps (2)/ shock bottoms (2)
6511 6537	Traxxas Link™ Wireless Module Wire retainers, gear cover/ 3x4mm BCS (2)	8361 3767A	Shock caps (black) (4) (assembled with hollow balls) Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
	detection, fwd/rev/brake)	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra
	Ready-To-Race Model	3767P	Shocks) Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
24054-61	Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system and LED lights	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
		1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
9450	RGALSISIONSION Driveshaft assembly (1), left or right (fully assembled, ready to	2765T 1664	Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2)
3430	install)/ screw pin (1)	2765	Shock shafts, steel, chrome finish (X-long) (2)
3638	Shock tower (rear)	1765	Silicone diaphragms (4)
3652	Stub axle carriers (2)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3752 3652A	Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	2458	Springs, front (black) (2)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6	2458P	Springs, front (pink) (2)
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	2458A 2457	Springs, front (white) (2) Springs, rear (black) (2)
			-rg-, radi (aldan) (±)

Page 4	Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Part	ts List	
2457P	Springs, rear (pink) (2)	2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to
2457A 3760	Springs, rear (white) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	3640	strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®,
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	1937	Stampede®) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers &	1935	links)
3762A	springs) (2) Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	2443	Turnbuckles, 36mm (2) Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
	Slipper Clutch Components	2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)
2554	4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6)		Team Traxxas Items
5556	Slipper pressure plate & hub (aluminum alloy)	2514	Decal sheet, racing sponsors
	Spur Gears & Pinion Gears	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
3790	Gear adapter, fixed	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
2416	Gear, 16-T pinion (48-pitch) / set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
1918	Gear, 18-T pinion (48-pitch) / set screw	0775	Tires & Wheels
2419	Gear, 19-T pinion (48-pitch) / set screw	3775	Bushings, self-lubricating (5x8x2.5mm) (12)
2421	Gear, 21-T pinion (48-pitch) / set screw	3647 1747R	Nuts, 4mm flanged ny lon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
2423 2426	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	1747K	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw	1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
	slipper clutch)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper	1647	Silicone grease
4000	clutch)	2754	Stub axle pins (4)
4686 4690	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control	2470T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)
4030	slipper clutch)	2471T	Tires & wheels, assembled (2.2" black chrome wheels, Alias®
	Steering Components		ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam
2728	Ball bearings (5x8x2.5mm) (2)	2479T	inserts) Tires & wheels, assembled (2.2" black chrome wheels,
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	24751	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	2478T	Tires & wheels, assembled (2.2" black chrome wheels,
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear))
2742	(2) Rod ends, long (6)/ hollow ball connectors (6)	2470G	Tires & wheels, assembled (2.2" graphite gray, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium
5347	Rod ends, Revo® (large) with hollow balls (12)		compound with foam inserts)
2742X	Rod ends, short (6)/ hollow balls (6)	2471G	Tires & wheels, assembled (2.2" graphite gray, satin chrome
3744	Serv o sav er w/adapters		beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)	0.4500	compound with foam inserts)
3743	(2)/ draglink shoulder screws (chrome) (2)	2479G	Tires & wheels, assembled (2.2" graphite gray, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2)
3743 3743A	Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)		(Bandit® front)
01-1074	5x8mm ball bearings (4)/ hardware (assembled)	2478G	Tires & wheels, assembled (2.2" graphite gray, satin chrome
3743G	Steering bellcranks, drag link (green-anodized 6061-T6		beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2)
	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	2471A	(Bandit® rear) Tires & wheels, assembled (Tracer 2.2" black chrome wheels,
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	24/ 18	Alias ribbed 2.2" tires) (2) (Bandit® front, medium compound w/
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)		foam inserts)
	5x8mm ball bearings (4)/ hardware (assembled)	2478A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels,
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/	2470R	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear) Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias
6845X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo	2-77-013	2.2" tires) (2) (Bandit® rear, soft compound with foam inserts)
0040X	spring retainer/servo horn, steering	2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw		ribbed 2.2" tires) (2) (Bandit® front, soft compound w/ foam
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber	2479R	inserts) Tires & wheels, assembled (Tracer 2.2" chrome wheels,
0445	links)	247510	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)	2478R	Tires & wheels, assembled (Tracer 2.2" chrome wheels,
	Suspension Linkage		Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)
	=	4740	Tires, 2.1" Pro-Trax ribbed (front) (2)
3642 2441A	Attachment screws, shock (3x12mm shoulder screws) (6) Camber link set for Bandit® (gray) (plastic/ non-adjustable)	1771 1770	Tires, 2.1" spiked (front) (2)
2441A	Camber link set for Bandit® (plastic/ non-adjustable)	2470	Tires, 2.15 spiked (rear) (2) Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit®) (soft
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	2470	compound)
	(2)	2471	Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit®)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)		(soft compound)
2742	Rod ends, long (6)/ hollow ball connectors (6)	2478	Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit®) (soft
5347 2742X	Rod ends, Revo® (large) with hollow balls (12)	2479	compound) Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit®)
2742X 3739	Rod ends, short (6)/ hollow balls (6) Screw pin set (Rustler®, Bandit®, Stampede®)		(soft compound)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens	3471	Tires, street slicks (front) (2)
-	caster blocks)	3470	Tires, street slicks (rear) (2)
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front	2481A	Wheels, 2.2" (black chrome) (2) (Bandit® front)
	suspension arm to caster block)	2480A	Wheels, 2.2" (black chrome) (2) (Bandit® rear)

Page 5 Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Parts List

Page 5	Banuito: 1Q 2.4GHZ Raulo (Model 24054-61) Parts
2481	Wheels, 2.2" (graphite gray, satin chrome beadlock) (2) (Bandit® front)
2480	Wheels, 2.2" (graphite gray, satin chrome beadlock) (2) (Bandit® rear)
2475	Wheels, front (2)
2474	Wheels, rear (2)
2473A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit® front)
2472A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit® rear)
2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit® front)
2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit® rear)
	Transmission Components
1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
4607	Ball bearings (5x11x4mm) (8)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3790	Gear adapter, fixed
3691	Gearbox halves (I&r) (black) w/ idler gear shaft
3691A	Gearbox halves (I&r) (gray) w/ idler gear shaft
5148	Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled)
5552X	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
	4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)
	Travvac Toole

Ц	rax	las	Tools
		_	

	Havras Innis
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench / 8mm & 4mm wrench / U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

	Turnbuckles & Threaded Rods
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
1935	Turnbuckles, 36mm (2)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM