

Stampede® VXL (Model 36076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	4976 5186A	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)
1607	Ball bearings (5x11x4mm) (8)	3100A	axles (2)/ rubber tires (2)
116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
675	Bushings, self-lubricating (5x11x4mm) (14)		axles (2)/ rubber tires (2)
985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)		Differential Components
	Body & Accessories	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
926	Antenna caps, vinyl (2)/ antenna spool	23017	Stampede®, Rustler®)
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignmen
834	Body clips (12) (standard size)		shaft (1) all hardened steel
934	Body clips, heavy duty (12)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandi
914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm		Stampede®, Rustler®)
	(2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	5169	Screws, 2.6x8mm countersunk machine (6)
614	Body mounts (front & rear)	1647	Silicone grease
619	Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)		Driveline Components
815	Body washers (8)	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)		screw pin (2)
617	Body, Stampede® (clear, requires painting) (requires #3614 to	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
	mount)	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
617R	Body, Stampede® VXL, ProGraphix® (replacement for the	1951R	Driveshafts, rear, steel-spline constant-velocity (complete
	painted body. Graphics are printed, requires paint & final color	4050	assembly) (2) (fits 2WD Rustler/Stampede)
	application)/ window, grille, lights decal sheet	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
514	Decal sheet, racing sponsors	6752	Half shaft, external splined (steel-spline constant-velocity) (1)
613R 950	Decal sheets, Stampede® VXL Official Team Traxxas® racing decal set (flag logo/ 6-color)	0.02	(fits 2WD Rustler/Stampede)
950 185	, , ,	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
105 677A	Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green)	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2
677P	Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)		metal u-joints (4)
677	Wheelie bar mount (1)/ hardware (black)	1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/
677X	Wheelie bar mount (1)/ hardware (blue)		metal U-joints (4)
678	Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®,	6757	Rebuild kit, steel-splined constant-velocity driveshafts (include
	Stampede® series)	0750	pins, dustboots, lube, and hardware)
678X	Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,	3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
	Stampede® series)	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
678A	Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®,	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	Stampede® series)	00020	aluminum (green-anodized)/ 5x11mm ball bearings (4)
678P	Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®,	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
976	Stampede® series) Wheele (4) eyles (2) (for T. Mayy/®/E. Mayy wheelis her)		aluminum (pink-anodized)/ 5x11mm ball bearings (4)
976 1 86A	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
IOOA	axles (2)/ rubber tires (2)		aluminum (red-anodized)/ 5x11mm ball bearings (4)
186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	2754	Stub axle pins (4)
	axles (2)/ rubber tires (2)	6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaf
	Chassis & Attachments	2753X	(1) Stub axles, rear (2)
725X	Battery expansion kit (allows for installation of taller multi-cell	6853X	Stub axles, rear, heavy duty (2)/pins (2)
120%	battery packs) (Rustler, Bandit, Stampede) (requires part		Front Suspension & Steering
	#3627X)		rront anahenaion w areering
627X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal	3637	Axles (front) (2)
627X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
628	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)	5116 2530	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black)
628 735	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front)	5116 2530 2530A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey)
628 735 735P	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink)	5116 2530	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
628 735 735P	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits	5116 2530 2530A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
627X 628 735 735P 622X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs)	5116 2530 2530A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
628 735 735P 622X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat	5116 2530 2530A 3644X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
628 735 735P 622X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs)	5116 2530 2530A 3644X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum
628 735 735P	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation	5116 2530 2530A 3644X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,
628 735 735P 622X 622R	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)	5116 2530 2530A 3644X 3644G	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
628 735 735P 622X 622R 626R	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease)	5116 2530 2530A 3644X 3644G	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
628 735 735P 622X 622R 626R 629 623	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)	5116 2530 2530A 3644X 3644G 3644R	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree)
628 735 735P 622X 622R 626R 629 623 623X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (black)	5116 2530 2530A 3644X 3644G	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le
628 735 735P 622X 622R 622R 626R 629 623 623X 623X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (black) Skid plates, front & rear (blue)	5116 2530 2530A 3644X 3644G 3644R	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2)
628 735 735P 622X 622R 622R 626R 629 623 623X 623X 623A 623P 185	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5//XL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (blue) Skid plates, front & rear (green) Skid plates, front & rear (green) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	5116 2530 2530A 3644X 3644G 3644R	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le
628 735 735P 622X 622R 622R 626R 629 623 623X 623A 623P 185 677A	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (black) Skid plates, front & rear (green) Skid plates, front & rear (green) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green)	5116 2530 2530A 3644X 3644G 3644R 3632 3632A 3632G	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2)
628 735 735P 622X 622R 622R 626R 629 623 623X 623A 623A 623A 623P 185 677A 677P	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (blue) Skid plates, front & rear (blue) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green)	5116 2530 2530A 3644X 3644G 3644R	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (& right)/ suspension screw pin (2)
628 735 735P 622X 622R 622R 626R 623 623X 623X 623A 623P 185 677A 677P 677	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (blue) Skid plates, front & rear (green) Skid plates, front & rear (green) Skid plates, front & rear (green) Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (black)	5116 2530 2530A 3644X 3644G 3644R 3632 3632A 3632G	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (& right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2)
628 735 735P 622X 622R 622R 626R 623 623X 623A 623A 623P 185 677A 677P 677	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (black) Skid plates, front & rear (blue) Skid plates, front & rear (green) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (black) Wheelie bar mount (1)/ hardware (black)	5116 2530 2530A 3644X 3644G 3644R 3632 3632A 3632G 3632P	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2)
628 735 735P 622X 622R 622R 626R 623 623X 623A 623A 623P 185 677A 677P 677	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (black) Skid plates, front & rear (blue) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (black) Wheelie bar mount (1)/ hardware (blue) Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®,	5116 2530 2530A 3644X 3644G 3644R 3632 3632A 3632G 3632P	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2)
628 735 735P 622X 622R 622R 622R 623A 623A 623A 623A 677A 677P 677A 677P	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (black) Skid plates, front & rear (blue) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (blue) Wheelie bar mount (1)/ hardware (blue) Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)	5116 2530 2530A 3644X 3644G 3644R 3632 3632A 3632G 3632P 3632X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (leftiright)/ suspension screw pin (2)
628 735 735P 622X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (black) Skid plates, front & rear (blue) Skid plates, front & rear (green) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1)/ hardware (black) Wheelie bar mount (1)/ hardware (black) Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series) Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,	5116 2530 2530A 3644X 3644G 3644R 3632 3632A 3632G 3632P 3632X 3646 1844 3639	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (le right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (lef right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (lef right)/ suspension screw pin (2) Screws, 3x15mm flat-head machine (hex drive) (6) Servo saver Shock tower (front)
628 735 735P 622X 622R 622R 626R 629 623 623X 623A 623A 6623P 185 677A 677P 6777 677X 678	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (blue) Skid plates, front & rear (blue) Skid plates, front & rear (green) Skid plates, front & rear (green) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (blue) Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series) Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)	5116 2530 2530A 3644X 3644G 3644R 3632 3632A 3632G 3632P 3632X 3646 1844 3639 3736	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left right)/ suspension screw pin (2) Screws, 3x15mm flat-head machine (hex drive) (6) Servo saver Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bearings)
628 735 735P 622X 622R 622R 622R 623A 623A 623A 623A 677A 677P 677A 677P	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skid plates, front & rear (black) Skid plates, front & rear (blue) Skid plates, front & rear (green) Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1)/ hardware (black) Wheelie bar mount (1)/ hardware (black) Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series) Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,	5116 2530 2530A 3644X 3644G 3644R 3632 3632A 3632G 3632P 3632X 3646 1844 3639	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (le right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (le right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left right)/ suspension screw pin (2) Screws, 3x15mm flat-head machine (hex drive) (6) Servo saver Shock tower (front)

3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2075	Servo, digital high-torque (ball bearing), waterproof
3636P	aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2075X 3350R	Servo, digital high-torque, metal gear (ball bearing), waterproo Velineon® VXL-3s Brushless Power System, waterproof (includes
636X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6		VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
631	aluminum (red-anodized)/ 5x11mm ball bearings (4) Suspension arms (front) (2)	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless (fwd/rev/brake)
631X	Suspension arms, black, front, heavy duty (2)	3343	Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches)
631A 631G	Suspension arms, blue, front, heavy duty (2) Suspension arms, green, front, heavy duty (2)		Radio System, Batteries & Chargers
631T	Suspension arms, orange, front, heavy duty (2)	2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
631R	Suspension arms, red, front, heavy duty (2)	2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
631L	Suspension arms, white, front, heavy duty (2)	2842X 2843X	5000mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery
640	Suspension pins, 44mm (2) w/ e-clips	2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)	2976	AC to DC converter, 40W
532	Tie bar, fiberglass	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteri
644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	1726	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
645	with rod ends and hollow balls) (1 left, 1 right)	2943	Battery charge indicators (green (4), blue (4), grey (4))
045	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529
	Hardware		6530 transmitters)
926	Antenna caps, vinyl (2)/ antenna spool	2914 2922¥	Battery, Power Cell AA Alkaline (4)
9 26 726	Antenna caps, vinyi (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2922X 2923X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
55 2	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hat, 6.4V)
	wrench	2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
834	Body clips (12) (standard size)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
934 633	Body clips, heavy duty (12) E-clips/ C-rings	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
586	Screws, 3x15mm cap-head machine (hex drive) (6)	2952X 2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
745	Nuts, 3mm nylon locking (12)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
747	Nuts, 4mm nylon locking (10)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
747A 985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	2963X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
965 525	Rod ends (12)/ hollow balls (12)	2984	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell Ni
347	Rod ends, Revo® (large) with hollow balls (12)		battery (1))
742X	Rod ends, short (6)/ hollow balls (6)	2992	Battery/charger completer pack (includes #2970 iD® charger (
236	Screws, 2.5x12mm cap-head machine (6)	2004	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
1347 1577	Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)	2994	Battery/charger completer pack (includes #2970 iD® charger (* #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
1859	Screws, 3x10mm flat-head machine (hex drive) (4)	2260	BEC assembly (complete)
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Batte
2579	Screws, 3x15mm button-head machine (hex drive) (6)	2973	Identification Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto
3646 2580	Screws, 3x15mm flat-head machine (hex drive) (6) Screws, 3x20mm button-head machine (hex drive) (6)	20.0	Battery Identification
2591	Screws, 3x23mm button-head machine (hex drive) (6)	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Batte
2582	Screws, 3x30mm button-head machine (hex drive) (6)	0070	Identification
592	Screws, 3x40mm button-head machine (hex drive) (6)	2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
575	Screws, 3x6mm button-head machine (hex drive) (6)	6525	Communication link, telemetry expander
.554 .932	Screws, 3x6mm cap-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)	6512	Cover plate, Traxxas Link™ Wireless Module
932 931	Screws, 3x8mm flat-head machine (hex drive) (6)	2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
937	Screws, 4x12mm button-head machine (hex drive) (6)	2072A	Gear set (for 2070, 2075 servos)
542	Screws, 4x12mm countersunk machine (hex drive) (6)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
743	Set (grub) screws, 3mm hardened (12)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter fo
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,		Traxxas® iD® batteries)
642X	captured (4) Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	6557	Mount, telemetry expander (fits Stampede® 2WD)
754	Stub axle pins (4)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
746	Washers, 3x6mm metal (12)	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
	Motors & Electronics	6552	Seal kit, expander box (includes o-ring, seals, and silicone
552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	0.500	grease)
260	BEC assembly (complete)	6526 6527	Sensor, auto-detectable, temperature
342	Bullet connectors, male, 3.5mm (3)/ heat shrink	6527 6522	Sensor, auto-detectable, voltage Sensor, RPM (short)/ 3x4mm BCS (2)
340 790	Cooling fan, Velineon® VXL-3s ESC Gear adapter, fixed	6521	Sensor, temperature and voltage (long)
790 072A	Gear set (for 2070, 2075 servos)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
354R	Motor cover, endbell (Velineon® 3500)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproo
351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire	2075 2075¥	Servo, digital high-torque (ball bearing), waterproof
6065	and gold-plated bullet connectors)	2075X 6553X	Servo, digital high-torque, metal gear (ball bearing), waterproc Telemetry expander 2.0 and GPS module 2.0, TQi radio system
8626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)	6550X	Telemetry expander 2.0, TQi radio system (compatible only wi
352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)	6550	#6551X GPS module) Telemetry expander, TQi radio system
347	Screws, 2.5x5mm button-head machine (hex drive) (6)	6551X	Telemetry GPS module 2.0, TQi radio system (compatible only
931	Screws, 3x8mm flat-head machine (hex drive) (6)	CEOO	with #6550X telemetry expander)
074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm
2074 2 075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		3x8mm CCS (3)/ 3x10mm CCS (3)

6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™	8361	Shock caps (black) (4) (assembled with hollow balls)
JJ0311	enabled, TSM (2-ch transmitter, 5-ch micro receiver)	3767A	Shock caps (black) (4) (assembled with hollow balls) Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shock
5528	receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	3767P 3767X	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
	channel (transmitter only)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
5529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	1664	Shock shafts, steel, chrome finish (long) (2)
5511	channel (transmitter only) Traxxas Link™ Wireless Module	2656	Shock shafts, steel, chrome finish (xx-long) (2)
355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless)	1765 1666	Silicone diaphragms (4) Silicone shock oil (30 wt)
	(fwd/rev/brake)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
5537	Wire retainers, gear cover/ 3x4mm BCS (2)	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
	Ready-To-Race Model	3758	(2)) Springs, front (black) (2)
36076-4	Stampede® VXL: 1/10 Scale Monster Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management	3758T	Springs, front (blue) (2)
	(TSM)®	3758A	Springs, front (green) (2)
	Rear Suspension	3758P	Springs, front (pink) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3758X 3757	Springs, front (white) (2) Springs, rear (black) (2)
3638	Shock tower (rear)	3757T	Springs, rear (blue) (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)	3757A	Springs, rear (green) (2)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3757P	Springs, rear (pink) (2)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3757R 3757X	Springs, rear (red) (2.9 rate) (2) Springs, rear (white) (2)
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	4957	Springs, real (write) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load space
3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6		& springs) (front) (2)
	aluminum (red-anodized)/ 5x11mm ball bearings (4)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
2753X	Stub axles, rear (2)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
3655P 3655R	Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2)		springs) (2)
8655G	Suspension arms, green, front/rear (left & right), heavy duty (2)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers
8655X	Suspension arms, left & right		springs) (rear) (2)
8655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)		Slipper Clutch Components
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)	3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin
3655A 3640	Suspension arms, white, front/rear (left & right), heavy duty (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a	3332X	4.0mm NL (1)/ 5.0mm NL (1))
	complete suspension pin set) (Bandit, Rustler®, Stampede®)	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
	Shocks (Pro-level Aluminum)	5556	Slipper pressure plate & hub (aluminum alloy)
2664	Big Bore shock cylinder (long) (1)		Spur Gears & Pinion Gears
2666	Big Bore shock cylinder (XX-long) (1)	3790	Gear adapter, fixed
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)	2416 1918	Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6	2419	Gear, 19-T pinion (48-pitch) / set screw
	aluminum) (assembled with TiN shafts) w/o springs (front) (2)	2421	Gear, 21-T pinion (48-pitch) / set screw
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	2423	Gear, 23-T pinion (48-pitch) / set screw
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings	2426 2431	Gear, 26-T pinion (48-pitch)/set screw Gear, 31-T pinion (48-pitch) / set screw
	& washers (2) (Big Bore Shocks)	4725	Gear, pinion (25-tooth) (48-pitch) / set screw
2362	Rebuild kit, Ultra shocks (for 2 shocks)	4728	Gear, pinion (28-tooth) (48-pitch)/ set screw
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
2742X	Rod ends, short (6)/ hollow balls (6)	4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control
2667 1664T	Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2)	4000	slipper clutch)
2656T	Shock shafts, hardened steel, titanium nitride coated (tong) (2)	4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipp- clutch)
	(2)	4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control
1664 2656	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)		slipper clutch)
2656 1765	Silicone diaphragms (4)		Steering Components
1666	Silicone shock oil (30 wt)	5347	Rod ends, Revo® (large) with hollow balls (12)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	1844 2336A	Servo saver Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®)
860	Shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)	2336X	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)
859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)	3645	(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turphysion to ligh 61mm (06mm center to center) (2) (assembled to the fit of the
	Shocks (Ultra Shocks)	3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assemble with rod ends and hollow balls) (fits Stampede®)
642	Attachment screws, shock (3x12mm shoulder screws) (6)		Suspension Linkage
3765A	Body, Ultra Shock(s) (long) (grey) (2)	3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,
3766A	Body, Ultra Shock(s) (XXL) (grey) (2) Rebuild kit Ultra shocks (for 2 shocks)	A	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
2362 1942	Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	00455	wrench (1)
	(2)	3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
			go: man mananij (ovinnij (£ji rod Giluð (Ŧji didililillilli

Page 4	Stampede® VXL: TQi Traxxas Link Enabled 2.4GH	z Radio &	TSM (Model 36076-4) Parts List
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	5353 5480X 3772A	Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, All-Star 2.8" (black chrome) (2WD electric rear)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	5576A 3772 5576	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	3673 3672 3675	Wheels, chrome (2.2") (front) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2)
5525	Rod ends (12)/ hollow balls (12)	3674	Wheels, dyeable nylon 2.2 (rear) (2)
5347	Rod ends, Revo® (large) with hollow balls (12)	3774	Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
1844	Servo saver	5572	Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)
2640	Suspension pins, 44mm (2) w/ e-clips	0012	
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)	1552	Transmission Components Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	4607	Ball bearings (5x11x4mm) (8)
	(1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)	5116 3792	Ball bearings, blue rubber sealed (5x11x4mm) (2) Dust cover/rubber plug (w/ screws) (telemetry ready)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm	5478	Flat wrench, 8mm (blue-anodized aluminum)
	(1) (assembled w/ rod ends & hollow balls) (See part 3741A for	3790	
	complete camber link set)	3691	Gear adapter, fixed
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	3691A	Gearbox halves (I&r) (black) w/ idler gear shaft
	(1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for		Gearbox halves (I&r) (grey) w/ idler gear shaft
	complete camber link set)	5148	Grease, white lithium
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm	3696	Idler gear, steel (30-tooth)
	(1) (assembled with rod ends & hollow balls) (See part 3741X for	3793	Input shaft (slipper shaft) / spring pin
	complete camber link set)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	0000	Stampede®, Rustler®)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
	(assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)	5552X	Stampede®, Rustler®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,		4.0mm NL (1)/ 5.0mm NL (1))
07417	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
	balls)/wrench	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)	3185X	Screws, 3x8mm washerhead machine (large head for motor mount)
	(assembled with rod ends & hollow balls) (fits Stampede®)		(6)
	(requires 5mm aluminum wrench #5477)	1647	Silicone grease
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	5556	Slipper pressure plate & hub (aluminum alloy)
	with rod ends and hollow balls) (1 left, 1 right)	3195	Top drive gear, steel (22-tooth)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled		Traxxas Tools
00.15	with rod ends and hollow balls) (1 left, 1 right)	3433X	Body reamer (aluminum handle)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled	3433	Body reamer (plastic handle)
	with rod ends and hollow balls) (fits Stampede®)	3436	Cap, body reamer
	Team Traxxas Items	3432	Scissors, curved tip
2514	Decal sheet, racing sponsors	3431	Scissors, straight tip
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	07.12	premium handle (medium), travel pouch, hex drivers (straight:
9909	Traxxas® racing banner, red & black (3x7 feet)		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	Tires & Wheels		and 8.0mm), 1/4" drive
		8721	Speed bit handle, medium (one piece)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	8720	Speed bit handle, premium, large (rubber overmold)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,	8722	Speed bit handle, premium, medium (rubber overmold)
0047	#6469)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)		premium handle (medium), travel pouch, hex drivers (straight:
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
1647	Silicone grease		3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
2754 3689	Stub axle pins (4)		7.00mm, 8.00mm),
3009	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
3668A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2) (TSM rated)	0740	2.5mm, 3.0mm), 1/4" drive
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
3003A	wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	rated)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,	0710	drive
	Talon tires, foam inserts) (2WD electric rear) (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,	51 15A	3.0mm), 1/4" drive
	Talon tires, foam inserts) (nitro rear/ electric front) (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
1970	Tires, low-profile spiked 2.2" (2)		2.5mm), 1/4" drive
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
4790R	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam		2.5mm, 3.0mm), 1/4" drive
40==	inserts (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
1870	Tires, Sledgehammer terra-spiked (2)		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
3671	Tires, Talon 2.8" (2)/ foam inserts (2)		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)		driver handle

Page 5 Stampede® VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 36076-4) Parts List

	Turnbuckles & Threaded Rods
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
00400	wrench (1)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
3644X	wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®)
3741X	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM