

Rustler® (Model 37054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	4974 2677 A	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
4607	Ball bearings (5x11x4mm) (8)	3677A 3677P	Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)
4608	Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)	3677	Wheelie bar mount (1)/ hardware (black)
2728	Ball bearings (5x8x2.5mm) (2)	3677X	Wheelie bar mount (1)/ hardware (blue)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3678	Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®,
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)		Stampede® series)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3678X	Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,
1675	Bushings, self-lubricating (5x11x4mm) (14)		Stampede® series)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3678A	Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®,
	Body & Accessories	3678P	Stampede® series) Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®,
1926	Antenna caps, vinyl (2)/ antenna spool	3070	Stampede® series)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
1834	Body clips (12) (standard size)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
3934	Body clips, heavy duty (12)		axles (2)/ rubber tires (2)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
3614	Body mounts (front & rear)		axles (2)/ rubber tires (2)
1815	Body washers (8)		Differential Components
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
3714	Body, Rustler® (clear, requires painting)/window, lights decal		Stampede®, Rustler®)
	sheet/ wing and aluminum hardware	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
3749	Body, Rustler®, Hawaiian graphics (painted, decals applied)		shaft (1) all hardened steel
3717	Body, Rustler®, ProGraphix® (replacement for the painted body.	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit
	Graphics are printed, requires paint & final color	E460	Stampede®, Rustler®)
	application)/window, lights, decal sheet/wing & aluminum hardware	5169	Screws, 2.6x8mm countersunk machine (6)
3748	Body, Rustler®, Rock n' Roll (painted, decals applied)	1647	Silicone grease
3617	Body, Stampede® (clear, requires painting) (requires #3614 to		Driveline Components
0017	mount)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3617R	Body, Stampede® VXL, ProGraphix® (replacement for the	1675	Bushings, self-lubricating (5x11x4mm) (14)
	painted body. Graphics are printed, requires paint & final color	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
	application)/ window, grille, lights decal sheet		screw pin (2)
3617X	Body, Stampede®, ProGraphix® (replacement for the painted	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
	body. Graphics are printed, requires paint & final color	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
2514	application)/ window, grille, lights decal sheet	1951R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)
2514 3716	Decal sheet, racing sponsors Decal sheets, Rustler®	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	1000	(plastic shafts only)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	6752	Half shaft, external splined (steel-spline constant-velocity) (1)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)		(fits 2WD Rustler/Stampede)
3677A	Wheelie bar mount (1) / hardware (green)	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
3677P	Wheelie bar mount (1) / hardware (pink)	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2)
3677	Wheelie bar mount (1)/ hardware (black)	1051	metal u-joints (4)
3677X	Wheelie bar mount (1)/ hardware (blue)	1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/
3678	Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®,	6757	metal U-joints (4) Rebuild kit, steel-splined constant-velocity driveshafts (include:
	Stampede® series)	0/3/	pins, dustboots, lube, and hardware)
3678X	Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,	3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
20704	Stampede® series)	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
3678A	Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)		aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3678P	Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®,	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
00.01	Stampede® series)		aluminum (green-anodized)/ 5x11mm ball bearings (4)
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	00500	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
	axles (2)/ rubber tires (2)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	axles (2)/ rubber tires (2)	3032X	aluminum (red-anodized)/ 5x11mm ball bearings (4)
	Chassis & Attachments	2754	Stub axle pins (4)
3725X	Battery expansion kit (allows for installation of taller multi-cell	6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft)
	battery packs)		(1)
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)	2753X	Stub axles, rear (2)
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)	6853X	Stub axles, rear, heavy duty (2)/pins (2)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)		Front Suspension & Steering
2735	Bumper (front)	3637	Axles (front) (2)
2735P	Bumper (front) (pink)	2728	Ball bearings (5x8x2.5mm) (2)
3722X	Lower chassis (black) (166mm long battery compartment) (fits	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3722R	both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
J1 ZZR	and hump style battery packs)	2530	Bulkhead (front) (black)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL	2530A	Bulkhead (front) (grey)
	into Bandit or Rustler®)	1675	Bushings, self-lubricating (5x11x4mm) (14)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)		stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
3723	Upper chassis (black)		wrench (1)

Page 2	Rustler®: TQ 2.4 GHz Radio (Model 37054-1) Parts	List	
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	1747R 1747G 1747P	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	1747P 1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
3632	Caster blocks (l&r) (30-degree)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)		(2)
3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left	5525R 2742	Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6)
	& right)/ suspension screw pin (2)	5347	Rod ends, Revo® (large) with hollow balls (12)
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left	2742X	Rod ends, short (6)/ hollow balls (6)
3632X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3032X	right)/ suspension screw pin (2)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3965 2587	Screws, 2.5x8mm cap-head machine (6)
	(2)	2676	Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x12mm roundhead self-tapping (6)
5525R 2742	Rod ends, heavy duty (Jato®/Slayer) (8)	3186	Screws, 3x12mm washerhead machine (6)
5347	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)	2649	Screws, 3x15mm countersunk self-tapping (6)
2742X	Rod ends, short (6)/ hollow balls (6)	3187	Screws, 3x15mm washerhead machine (6)
3744	Servo saver w/adapters	3185X	Screws, 3x8mm washerhead machine (large head for motor mount)
3639	Shock tower (front)	3290	(6) Screws, 3x8mm washerhead self-tapping (6)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bushings or	2548	Screws, 4x12mm countersunk machine (100-degree) (6)
3636A	bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3167	Screws, 4x15mm countersunk machine (6)
3030A	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	2743	Set (grub) screws, 3mm hardened (12)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	2742	captured (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3636X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2754	Stub axle pins (4)
3030X	aluminum (red-anodized)/ 5x11mm ball bearings (4)	3740	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens
3631	Suspension arms (front) (2)		caster blocks)
3631X	Suspension arms, black, front, heavy duty (2)	2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3631A	Suspension arms, blue, front, heavy duty (2)	2746	Washers, 3x6mm metal (12)
3631G	Suspension arms, green, front, heavy duty (2)		Motors & Electronics
3631T 3631R	Suspension arms, orange, front, heavy duty (2) Suspension arms, red, front, heavy duty (2)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3631L	Suspension arms, white, front, heavy duty (2)	1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
3740	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2)	2260 3790	BEC assembly (complete) Gear adapter, fixed
	(strengthens caster blocks)	2072A	Gear set (for 2070, 2075 servos)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to	2252	Gear set, metal (for 2250, 2255 servos)
3640	strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®,	1275	Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)
2537	Stampede®) Threeded rade (20/25/44mm 1 on)/ (1) 12mm act serow	3785	Motor, Titan® 12T (12-Turn, 550 size)
2537 2532	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Tie bar, fiberglass (requires suspension pins, part# 2640)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for	3725R	wire and gold-plated bullet connectors) Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3737	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
3/3/	(1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)	2253 2251	Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
3139	Turnbuckles (62mm) (front tie rods) (2)	2074	2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	2053	Servo gears (for 2055, 2056 servos)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	2075 2250	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
3741X	wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
04000	balls)/wrench	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	2056 3350R	Servo, high-torque, waterproof (blue case) Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	3355R	speed control mounting plate (part #3725R)) Velineon® VXL-3s Electronic Speed Control, waterproof
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)	3010D	(brushless) (fwd/rev/brake)
	(assembled with rod ends and hollow balls)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)
	Hardware		Radio System, Batteries & Chargers
1926	Antenna caps, vinyl (2)/ antenna spool	2042	
1726 3642	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6)	2842X 2843X	5000mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	2976	AC to DC converter, 40W
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries
1834	Body clips (12) (standard size)	1700	to separate balance ports)
3934	Body clips, heavy duty (12)	1726 2943	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), grey (4))
1589 3647	Double-sided adhesive tape (25mm x 25mm) (2)	2 943 6548	Battery charge indicators (green (4), blue (4), grey (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,
3647 1747	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10)	30.0	6530 transmitters)

Page 3 Rustler®: TQ 2.4 GHz Radio (Model 37054-1) Parts List

2914	Battery, Power Cell AA Alkaline (4)		
2922X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)		Rear Suspension
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	E116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)	5116 1675	Bushings, self-lubricating (5x11x4mm) (14)
2942X 2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
2940X 2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)	3638	Shock tower (rear)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)	3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	20520	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
2961X 2984	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
2260	BEC assembly (complete)	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	2753X	Stub axles, rear (2)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	3655X	Suspension arms, left & right
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®,
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification		Stampede®) Shocks (Pro-level Aluminum)
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	2664	Big Bore shock cylinder (long) (1)
	Battery Identification	2666	Big Bore shock cylinder (long) (1) Big Bore shock cylinder (XX-long) (1)
6525	Communication link, telemetry expander	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	-	(assembled with TiN shafts and springs) (front & rear) (4)
2072A	Gear set (for 2070, 2075 servos)	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6
2252	Gear set, metal (for 2250, 2255 servos)	0000	aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
6554	Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	2742X	Rod ends, short (6)/ hollow balls (6)
6518	Receiver, micro, TQi 2.4GHz with telemetry (5-channel)	2667	Shock caps, aluminum (Big Bore Shocks) (2)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)	1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)
6526	Sensor, auto-detectable, temperature		(2)
6527	Sensor, auto-detectable, voltage	1664	Shock shafts, steel, chrome finish (long) (2)
6520 6521	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)	2656	Shock shafts, steel, chrome finish (xx-long) (2)
2254	Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	1765 1666	Silicone diaphragms (4) Silicone shock oil (30 wt)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
2074 2053	Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo gears (for 2055, 2056 servos)	5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum
2075 2250	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),		Big Bore shocks) Shocks (Ultra Shocks)
	waterproof	3642	Shoulder screws, Ultra Shocks (3x12) (6)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	3765A	Body, Ultra Shock(s) (long) (grey) (2)
2075X	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2056	Servo, high-torque, waterproof (blue case)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)	2742X	(2) Rod ends, short (6)/ hollow balls (6)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/	3767	Shock caps (2)/ shock bottoms (2)
-	3x8mm CCS (3)/ 3x10mm CCS (3)	8361	Shock caps (black) (4) (assembled with hollow balls)
6540	Telemetry trigger magnet, 5X2mm (1)	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas	3767G 3767P	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
6507R	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
0307K	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro	1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)
6516	receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)		(2)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only)	1664 2656	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	1765	Silicone diaphragms (4)
	channel (transmitter only)	1666	Silicone shock oil (30 wt)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only)	3769 3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
6537	Wire retainers, gear cover/ 3x4mm BCS (2)	0,00	(2)) (2))
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	2458	Springs, front (black) (2)
	detection, fwd/rev/brake)	2458P	Springs, front (pink) (2)
	Ready-To-Race Model	2458A	Springs, front (white) (2)
37054-1	Rustler®: 1/10 Scale Stadium Truck with TQ 2.4 GHz radio system	3757	Springs, rear (black) (2)

Page 4	Rustler®: TQ 2.4 GHz Radio (Model 37054-1) Parts	List	
3757T	Springs, rear (blue) (2)	3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum,
3757A	Springs, rear (green) (2)		stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
3757P	Springs, rear (pink) (2)		wrench (1)
3757X	Springs, rear (white) (2)	3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)		stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers	3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
3762	& springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load	00440	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
0.02	spacers & springs) (rear) (2)		wrench (1)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &	3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,
	springs) (2)		stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &	1942	wrench (1) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	springs) (rear) (2)	1042	(2)
	Slipper Clutch Components	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
3793	Input shaft (slipper shaft) / spring pin	2742	Rod ends, long (6)/ hollow ball connectors (6)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	5347	Rod ends, Revo® (large) with hollow balls (12)
0554	4.0mm NL (1)/ 5.0mm NL (1))	2742X	Rod ends, short (6)/ hollow balls (6)
2554 5556	Screws, 3x6mm cap-head machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy)	3739 3740	Screw pin set (Rustler®/ Bandit/ Stampede®)
3330		3/40	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)
	Spur Gears & Pinion Gears	2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
3790	Gear adapter, fixed	2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to
2416	Gear, 16-T pinion (48-pitch) / set screw		strengthen front bulkhead)
1918	Gear, 18-T pinion (48-pitch) / set screw	3640	Suspension screw pin set, steel (hex drive) (requires part #2640
2419 2423	Gear, 19-T pinion (48-pitch) / set screw		for a complete suspension pin set) (Bandit, Rustler®,
2423 4725	Gear, 23-T pinion (48-pitch) / set screw Gear, pinion (25-tooth) (48-pitch) / set screw	0507	Stampede®)
4728	Gear, pinion (25-tooth) (46-pitch)/ set screw	2537 3737A	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control	3/3/A	(1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for
	slipper clutch)		complete camber link set)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm
	slipper clutch)		(1) (assembled w/ rod ends & hollow balls) (See part 3741A for
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control		complete camber link set)
4600	slipper clutch)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)		(1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
	,	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
	Steering Components		(1) (assembled with rod ends & hollow balls) (See part 3741X for
2728	Ball bearings (5x8x2.5mm) (2)		complete camber link set)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear
2545 1942	Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3139	camber links) (requires #2742 rod ends)
1342	(2)	2336	Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, 78mm (optional rear camber rods) (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
5347	Rod ends, Revo® (large) with hollow balls (12)	•	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
2742X	Rod ends, short (6)/ hollow balls (6)		wrench
3744	Servo saver w/adapters	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)		(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
3743	(2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (I&r)/ draglink	3741X	wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front,
3743A	Steering belicranks (lot) dragilik Steering belicranks, drag link (blue-anodized 6061-T6 aluminum)/	3/417	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
01401	5x8mm ball bearings (4)/ hardware (assembled)		balls)/wrench
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		(assembled with rod ends & hollow balls) (requires 5mm
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/	2044	aluminum wrench #5477)
07.40V	5x8mm ball bearings (4)/ hardware (assembled)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	3643	Turnbuckles, camber link, 49mm (82mm center to center)
6845X	Steering belicranks/ servo saver/ servo saver spring/ servo	-	(assembled with rod ends and hollow balls) (1 left, 1 right)
	spring retainer/servo horn, steering	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw		(assembled with rod ends and hollow balls)
3139	Turnbuckles (62mm) (front tie rods) (2)		Team Traxxas Items
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	2514	Decal sheet, racing sponsors
	wrench #5477)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
	(assembled with rod ends & hollow balls) (requires 5mm	9909	Traxxas® racing banner, red & black (3x7 feet)
	aluminum wrench #5477)		Tires & Wheels
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)	4608	Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)
	(assembled with rod ends and hollow balls)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	Suspension Linkage	5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
3642	Shoulder screws, Ultra Shocks (3x12) (6)	1675	Bushings, self-lubricating (5x11x4mm) (14)
3641A	Camber link set (plastic / non-adjustable) (front & rear) (grey)	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)	2647	#6469) Nuts 4mm flanged pylon locking (steel, corrected) (8)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,	3647 1747R	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)	1747K 1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum,	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
	wrench (1)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
		1647	Silicone grease
		2754	Stub axle pins (4)

Page 5	Rustler®: TQ 2.4 GHz Radio (Model 37054-1) Parts	List	
3770A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated)	3691A 5148	Gearbox halves (l&r) (grey) w/ idler gear shaft Grease, white lithium
3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome	3696	Idler gear, steel (30-tooth)
	wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)	3793 2381X	Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit,
3771A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2)	2382	Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,	2002	shaft (1) all hardened steel
3771	Alias® tires, foam inserts) (2WD electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
	ribbed tires, foam inserts) (electric front) (2)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
6773G	Tires & wheels, assembled, glued (2.8") (RXT 4X4 green wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD		4.0mm NL (1)/ 5.0mm NL (1))
	electric front only) (2) (TSM rated)	2554 3185X	Screws, 3x6mm cap-head machine (hex drive) (6) Screws, 3x8mm washerhead machine (large head for motor mount)
6774X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2)	1647	(6) Silicone grease
6773X	(TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black chrome	5556	Slipper pressure plate & hub (aluminum alloy)
01100	wheels, Talon Extreme tires, foam inserts) (4WD electric	3195	Top drive gear, steel (22-tooth) Trannas Tools
6774	front/rear, 2WD electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels,	3433X	Body reamer (aluminum handle)
	Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM	3433	Body reamer (plastic handle)
6773	rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels,	3436	Cap, body reamer
0//3	Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD	3432 3431	Scissors, curved tip Scissors, straight tip
	electric front only) (2) (TSM rated)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM		premium handle (medium), travel pouch, hex drivers (straight:
	rated)		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
6774A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM	8721	Speed bit handle, medium (one piece)
	rated)	8720	Speed bit handle, premium, large (rubber overmold)
6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels,	8722 8710	Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes
	Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	• • • • • • • • • • • • • • • • • • • •	premium handle (medium), travel pouch, hex drivers (straight:
6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
6773R	(TSM rated) Tires & wheels, assembled, glued (2.8") (RXT satin chrome	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
077310	wheels, Talon Extreme tires, foam inserts) (4WD electric		includes premium handle (medium), travel pouch, hex drivers
.==.4	front/rear, 2WD electric front only) (2) (TSM rated)		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
3773	Tires & wheels, assembled, glued (All Star chrome wheels,		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
3776A	Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right) Tires & wheels, assembled, glued (All-Star black chrome wheels,	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
011071	Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1	8716X	drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
5576R	right)	0710X	3.0mm), 1/4" drive
337 GK	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
FF00	right)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
5569 5578	Tires, Alias 2.8" (rear) (2)/ foam inserts (2) Tires, Anaconda® 2.8" (2)/ foam inserts (2)		2.5mm, 3.0mm), 1/4" drive
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
4790R	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)		Turnbuckles & Threaded Rods
3654 5853X	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts,	3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,
3033A	splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle	00-1070	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
5353	pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4)	3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum,
5480X	Wheel wrench, splined, 17mm		stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
3772A 5576A	Wheels, All-Star 2.8" (black chrome) (2WD electric rear) Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)	3643R	wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum,
3770A 3772	Wheels, All-Star 2.8" (chrome) (2WD electric rear)		stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)	3644X	wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
3673	Wheels, chrome (2.2") (front) (2)	30447	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
3672 3675	Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2)	20440	wrench (1)
3674	Wheels, dyeable nylon 2.2 (rear) (2)	3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
3774 5572	Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)		wrench (1)
5572	Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)	3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
1552			wrench (1)
1552 4607	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Ball bearings (5x11x4mm) (8)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5525R	(2) Rod ends, heavy duty (Jato®/Slayer) (8)
2519 3702	Differential gear (60-tooth) (for optional ball differential only)	2742	Rod ends, long (6)/ hollow ball connectors (6)
3792 5478	Dust cover/rubber plug (w/ screws) (telemetry ready) Flat wrench, 8mm (blue-anodized aluminum)	5347	Rod ends, Revo® (large) with hollow balls (12)
3790	Gear adapter, fixed	2742X 2537	Rod ends, short (6)/ hollow balls (6) Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3691	Gearbox halves (I&r) (black) w/ idler gear shaft		

Page 6 Rustler®: TQ 2.4 GHz Radio (Model 37054-1) Parts List 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm 3738A (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set) 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm 3738 (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) 3139 Turnbuckles (62mm) (front tie rods) (2) 2336 Turnbuckles, 78mm (optional rear camber rods) (2) 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) 3644 (assembled with rod ends and hollow balls) (1 left, 1 right) 3643 Turnbuckles, camber link, 49mm (82mm center to center)

If you have questions or need technical assistance, call Traxxas at:

(assembled with rod ends and hollow balls)

3745

(assembled with rod ends and hollow balls) (1 left, 1 right)

Turnbuckles, toe link, 59mm (78mm center to center) (2)

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM