

## Slash VXL (Model 58076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	<b>Bearings &amp; Bushings</b>	3677 <b>3677X</b>	Wheelie bar mount (1)/ hardware (black)
4607 2728	Ball bearings (5x11x4mm) (8) Ball bearings (5x8x2.5mm) (2)	3677X 3678	Wheelie bar mount (1)/ hardware (blue) Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®,
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3678X	Stampede® series) Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)		Stampede® series)
2545 1985	Bellcrank bushings (plastic) (5x8x2.5mm) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3678A	Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)
	Body & Accessories	3678P	Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®,
1926	Antenna caps, vinyl (2)/ antenna spool	4976	Stampede® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
3935 <b>3935A</b>	Body clip (mounting clip), angled, 90-degrees (10)  Body clip (mounting clip), angled, 90-degrees (black) (10)	E400	axles (2)/ rubber tires (2)
3934	Body clips, heavy duty (12)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware		Differential Components
1815	Body washers (8)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
6716 5815	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)	2382	Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
5815A	Body, Ford Raptor® (first generation) (clear, requires painting) Body, Ford Raptor®, blue (first generation) (painted, decals	2302	shaft (1) all hardened steel
	applied)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
5815X	Body, Ford Raptor®, white (first generation) (painted, decals applied)	5169	Stampede®, Rustler®) Screws, 2.6x8mm countersunk machine (6)
6811	Body, Slash 4X4 (clear, requires painting)/ window masks/ decal	1647	Silicone grease
6817	sheet Body, Slash 4X4, Amsoil (painted, decals applied)		Driveline Components
6831	Body, Slash 4X4, Chad Hord (painted, decals applied)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6820	Body, Slash 4X4, Jeff Kincaid (painted, decals applied)	6828X 6852X	Differential output yokes, heavy duty (2)/ screw pin (2) Driveshaft assembly, rear, heavy duty (1) (left or right) (fully
6825X 6826R	Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied) Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals		assembled, ready to install)/ screw pin (1)
	applied)	6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
5850 6811X	Body, Slash 4X4, orange (painted, decals applied) Body, Slash 4X4, ProGraphix (Graphics are printed, requires	6750	Half shaft, external splined (steel-spline constant-velocity) (1)
00117	paint & final color application)/ decal sheet	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
6889	Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
6849	Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)	6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes
5847	Body, Slash 4X4/Slash, pink (painted, decals applied)	3752	pins, dustboots, lube, and hardware) Stub axle carriers (2) (requires 5x11x4mm bearings)
2514 5813	Decal sheet, racing sponsors Decal Sheet, Slash	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	3652G	aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	Chassis & Attachments		aluminum (green-anodized)/ 5x11mm ball bearings (4)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
<b>5526R</b> 1914R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/	2754	Stub axle pins (4)
5835	2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black)	6754	Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
5835P	Bumper, front/ bumper mount, front (pink)	6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft)
5836	Bumper, rear/ bumper mount, rear (black)	6853X	(1) Stub axles, rear, heavy duty (2)/pins (2)
5836P 5830	Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash)	000071	Front Suspension & Steering
5832	Chassis, low CG (black)	3637	Axles (front) (2)
5832A 5832G	Chassis, low CG (blue)	2728	Ball bearings (5x8x2.5mm) (2)
5822 5822	Chassis, low CG (grey) Chassis, Slash	5116 2545	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)
5822A	Chassis, Slash (black)	<b>2530</b>	Bulkhead (front) (black)
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip	2530A	Bulkhead (front) (grey)
5827X	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-	3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
5831	cell batteries) Lower chassis, low CG (black)	3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
5831A	Lower chassis, low CG (blue)		stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
5831G	Lower chassis, low CG (grey)	3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,
5823 <b>5833</b>	Nerf bars, chassis (black) Nerf bars, low CG (black)		stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
5833A	Nerf bars, low CG (blue)	3632	Caster blocks (l&r) (30-degree)
5833G	Nerf bars, low CG (grey)	3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5625 5837	Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplates, front & rear (black)	3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (lef
	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)		& right)/ suspension screw pin (2)
5185		26220	Contar blooks 20 degree pink and died coef Te alive-in //-Et
5185 4974 3677A	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (green)	3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)

## Page 2 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-4) Parts List

_			•
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &	2582	Screws, 3x30mm button-head machine (hex drive) (6)
	right)/ suspension screw pin (2)	2592	Screws, 3x40mm button-head machine (hex drive) (6)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls	2575	Screws, 3x6mm button-head machine (hex drive) (6)
50.45	(2)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
5347	Rod ends, Revo® (large) with hollow balls (12)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3744	Servo saver w/adapters	3937	Screws, 4x12mm button-head machine (hex drive) (6)
3639	Shock tower (front)	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3743	Steering bellcranks (l&r)/ draglink	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/	2743	Set (grub) screws, 3mm hardened (12)
	5x8mm ball bearings (4) hardware (assembled) (requires #3744	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
27420	servo saver w/adapters)		captured (4)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	3967	Shoulder screws 3x10 (6) (without threadlock)
27420	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/	2754	Stub axle pins (4)
3743X	5x8mm ball bearings (4)/ hardware (assembled)	2746	Washers, 3x6mm metal (12)
3/43/	Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744		<b>Motors &amp; Electronics</b>
	servo saver w/adapters)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring	2260	BEC assembly (complete)
001070	retainer/servo horn, steering		- · · · · · · · · · · · · · · · · · · ·
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)	<b>3340</b> 3790	Cooling fan, Velineon® VXL-3s ESC
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6		Gear adapter, fixed
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	2072A	Gear set (for 2070, 2075 servos)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2252	Gear set, metal (for 2250, 2255 servos)
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	3354R	Motor cover, endbell (Velineon® 3500)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3352R	and gold-plated bullet connectors)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	JJJZK	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
	aluminum (red-anodized)/ 5x11mm ball bearings (4)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3631	Suspension arms (front) (2)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
3631X	Suspension arms, black, front, heavy duty (2)	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
3631A	Suspension arms, blue, front, heavy duty (2)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
3631G	Suspension arms, green, front, heavy duty (2)	2251	2250, 2255 servos)
3631T	Suspension arms, orange, front, heavy duty (2)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
3631R	Suspension arms, red, front, heavy duty (2)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
3631L	Suspension arms, white, front, heavy duty (2)	2075	Servo, digital high-torque (ball bearing), waterproof
2640	Suspension pins, 44mm (2) w/ e-clips	<b>2250</b>	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	2230	waterproof
	complete suspension pin set) (Bandit, Rustler®, Stampede®)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
2532	Tie bar, fiberglass		bearing), waterproof
1935	Turnbuckles, 36mm (2)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	000011	VXL-3s waterproof ESC, Velineon 3500 motor, and speed control
	wrench #5477)		mounting plate (part #3725R))
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless)
	(assembled with rod ends & hollow balls) (requires 5mm		(fwd/rev/brake)
	aluminum wrench #5477)		Radio System, Batteries & Chargers
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	2054)	
	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
0745	Slash)	2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
		2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
	Hardware	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
1926	Antenna caps, vinyl (2)/ antenna spool	2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
3935	Body clip (mounting clip), angled, 90-degrees (10)	2878X	8400mAh 11.1v 3-Cell 25C LiPo Battery
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)	2976	AC to DC converter, 40W
3934	Body clips, heavy duty (12)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries
1589	Double-sided adhesive tape (25mm x 25mm) (2)	5526	to separate balance ports)
1633	E-clips/ C-rings	5526 5526D	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
2745	Nuts, 3mm nylon locking (12)	<b>2943</b>	Battery charge indicators (green (4), blue (4), grey (4))
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
1747	Nuts, 4mm nylon locking (10)	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	2923X 2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hat, 6.4V) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
5525	Rod ends (12)/ hollow balls (12)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hatt, 6.4V)
5347	Rod ends, Revo® (large) with hollow balls (12)	2950X	Battery, Series 3 Power Cell, 3300mAn (NIMH, 7-C nump, 6.4V) Battery, Series 4 Power Cell, 4200mAh (NIMH, 7-C flat, 8.4V)
2742X	Rod ends, short (6)/ hollow balls (6)	2950X 2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hat, 6.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
3965	Screws, 2.5x8mm cap-head machine (6)		
2577	Screws, 3x10mm button-head machine (hex drive) (6) (use with	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
	#3744)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
4859	Screws, 3x10mm flat-head machine (hex drive) (4)		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2992	battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	233 <u>2</u>	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2579	Screws, 3x15mm button-head machine (hex drive) (6)	2994	Battery/charger completer pack (includes #2970 iD® charger (1),
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	_554	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2583	Screws, 3x18mm button-head machine (hex drive) (6)	2995	Battery/charger completer pack (includes #2970 iD® charger (1),
2580	Screws, 3x20mm button-head machine (hex drive) (6)	•	#2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))
2591	Screws, 3x23mm button-head machine (hex drive) (6)	2260	BEC assembly (complete)

2260

BEC assembly (complete)

2591

Page 3 Slash VXL: TQi Traxxas Link Enabled 2.4GHz R	Radio & TSM (Model 58076-4) Parts List
---	--

rage 3	Siasii VAL. I WI ITAAAAS LIIIR LIIADIEU 2.70112 Kaui	0 & 1311	(Model 30070-4) Faits List
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery		aluminum (blue-anodized)/ 5x11mm ball bearings (4)
0070	Identification	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	3652P	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	30321	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
2371	Identification	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto		aluminum (red-anodized)/ 5x11mm ball bearings (4)
	Battery Identification	6853X	Stub axles, rear, heavy duty (2)/pins (2)
6525	Communication link, telemetry expander	2555	Suspension arms, (rear) (2)
6512	Cover plate, Traxxas Link™ Wireless Module	2555X	Suspension arms, black, rear, heavy duty (2)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	2555A	Suspension arms, blue, rear, heavy duty (2)
2072A	Gear set (for 2070, 2075 servos)	2555G	Suspension arms, green, rear, heavy duty (2)
2252	Gear set, metal (for 2250, 2255 servos)	2555T	Suspension arms, orange, rear, heavy duty (2)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	2555R	Suspension arms, red, rear, heavy duty (2)
	Traxxas® iD® batteries)	2555L	Suspension arms, white, rear, heavy duty (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a
6554	Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD)	3644	complete suspension pin set) (Bandit, Rustler®, Stampede®) Turnbuckles, camber link, 39mm (69mm center to center) (assembled
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	3044	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on
0000	pad		Slash)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)		Shocks (Pro-level Aluminum)
6552	Seal kit, expander box (includes o-ring, seals, and silicone		
	grease)	2664	Big Bore shock cylinder (long) (1)
6526	Sensor, auto-detectable, temperature	2666	Big Bore shock cylinder (XX-long) (1)
6527	Sensor, auto-detectable, voltage	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)		(assembled with TiN shafts and springs) (front & rear) (4)
6521	Sensor, temperature and voltage (long)	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)		aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
	2250, 2255 servos)	2009	& washers (2) (Big Bore Shocks)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2075	Servo, digital high-torque (ball bearing), waterproof	1342	(2)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	2742X	Rod ends, short (6)/ hollow balls (6)
	waterproof	2667	Shock caps, aluminum (Big Bore Shocks) (2)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	bearing), waterproof	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof		(2)
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	1664	Shock shafts, steel, chrome finish (long) (2)
6550X	Telemetry expander 2.0, TQi radio system (compatible only with	2656	Shock shafts, steel, chrome finish (xx-long) (2)
CEEO	#6551X GPS module)	1765	Silicone diaphragms (4)
6550 6551X	Telemetry expander, TQi radio system	1666	Silicone shock oil (30 wt)
05517	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
6540	Telemetry trigger magnet, 5X2mm (1)		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
2928	Temperature sensor, EZ-Peak Plus		Shocks)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™	5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum
000011	enabled, TSM (2-ch transmitter, 5-ch micro receiver)		Big Bore shocks)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro		
	receiver)		Shocks (Ultra Shocks)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	3765A	Body, Ultra Shock(s) (long) (grey) (2)
	channel (transmitter only)	3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	2362	Rebuild kit, Ultra shocks (for 2 shocks)
CEOO	channel (transmitter only)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-		(2)
6511	channel (transmitter only) Traxxas Link™ Wireless Module	2742X	Rod ends, short (6)/ hollow balls (6)
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless)	3767	Shock caps (2)/ shock bottoms (2)
3333K	(fwd/rev/brake)	8361	Shock caps (black) (4) (assembled with hollow balls)
		3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
	Ready-To-Race Model	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
58076-4	Slash VXL: 1/10 Scale 2WD Short Course Racing Truck with TQi	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
	Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
	Management (TSM)®	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	<b>Rear Suspension</b>	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	1664	(2) Shock shafts, steel, chrome finish (long) (2)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,	2656	Shock shafts, steel, chrome finish (xx-long) (2)
=	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum	2000 <b>3642X</b>	Shock sharts, steer, chrome linish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
	wrench (1)	1765	Silicone diaphragms (4)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,	1666	Silicone shock oil (30 wt)
	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
	wrench (1)	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,	0,00	(2)) (2))
	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum	2458	Springs, front (black) (2)
COEOV	wrench (1)  Half abotto, began duty (external aplined (2)) internal aplined (2))	2458P	Springs, front (pink) (2)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)	5857P	Springs, front (pink) (progressive rate) (2)
3638	Shock tower (rear)	2458A	Springs, front (white) (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)	5857	Springs, front (white) (progressive rate) (2)
3102	Stab and damers (2) (requires on the title bearings)	3757	Springs, rear (black) (2)

Page 4 Slash VXL: TQi Tra	raxxas Link Enabled 2.4GHz R	Radio & TSM (Model 580	76-4) Parts List
---------------------------	------------------------------	------------------------	------------------

Page 4	Siash VXL: I QI Traxxas Link Enabled 2.4GHz Radi	0 & 1 3 IV	(Model 56076-4) Parts List
3757T	Springs, rear (blue) (2)	5525	Rod ends (12)/ hollow balls (12)
3757A	Springs, rear (green) (2)	5347	Rod ends, Revo® (large) with hollow balls (12)
3757P	Springs, rear (pink) (2)	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
5858P	Springs, rear (pink) (progressive rate) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
3757X	Springs, rear (white) (2)	2242	captured (4)
5858	Springs, rear (white) (progressive rate) (2)	2640	Suspension pins, 44mm (2) w/ e-clips
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load	OIOIA	w/rod ends)/hollow balls (2) (fits front & rear on Slash)
0702	spacers & springs) (rear) (2)	3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &		w/rod ends)/hollow balls (2) (fits front & rear on Slash)
	springs) (2)	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
	springs) (rear) (2)	24204	wrench
	Slipper Clutch Components	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
3793	Input shaft (slipper shaft) / spring pin		wrench #5477)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
	4.0mm NL (1)/ 5.0mm NL (1))		39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
2554	Screws, 3x6mm cap-head machine (hex drive) (6)		balls)/wrench
5556	Slipper pressure plate & hub (aluminum alloy)	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
	Spur Gears & Pinion Gears		(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3790	Gear adapter, fixed	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled
2416	Gear, 16-T pinion (48-pitch) / set screw	3044	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on
1918	Gear, 18-T pinion (48-pitch) / set screw		Slash)
2419	Gear, 19-T pinion (48-pitch) / set screw	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled
2423	Gear, 23-T pinion (48-pitch) / set screw		with rod ends and hollow balls)
2426	Gear, 26-T pinion (48-pitch)/set screw		Team Traxxas Items
2431	Gear, 31-T pinion (48-pitch) / set screw	2514	Decal sheet, racing sponsors
<b>4725</b> 4728	Gear, pinion (25-tooth) (48-pitch) / set screw	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
4683	Gear, pinion (28-tooth) (48-pitch)/ set screw  Spur gear, 83-tooth (48-pitch) (for models with Torque-Control	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
4003	slipper clutch)	9909	Traxxas® racing banner, red & black (3x7 feet)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper		Tires & Wheels
	clutch)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
	slipper clutch)	0001	#6469)
	Steering Components	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
2728	Ball bearings (5x8x2.5mm) (2)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
	(2)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	1647 2754	Silicone grease Stub axle pins (4)
2742	Rod ends, long (6)/ hollow ball connectors (6)	5864	Tire & wheel assy, glued (SCT black, orange beadlock wheels, SCT
5347 <b>3744</b>	Rod ends, Revo® (large) with hollow balls (12)  Servo saver w/adapters	3004	off-road racing tires, foam inserts) (2) (2WD front)
37 <b>44</b> 3967	Shoulder screws 3x10 (6) (without threadlock)	5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock
3743	Steering bellcranks (I&r)/ draglink		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts)
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/		(2) (2WD Front)
	5x8mm ball bearings (4) hardware (assembled) (requires #3744	5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock
	servo saver w/adapters)		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock
07.400	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	OOOOX	style wheels, Kumho tires, foam inserts) (2) (4WD front/rear,
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		2WD rear only)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/	5880	Tires & wheels, assembled, glued (SCT satin chrome, black
01400	5x8mm ball bearings (4) hardware (assembled) (requires #3744		beadlock style wheels, Kumho tires, foam inserts) (2) (4WD
	servo saver w/adapters)	E000	front/rear, 2WD rear only)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring	5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts)
	retainer/servo horn, steering		(2) (2WD front)
1935	Turnbuckles, 36mm (2)	5887R	Tires & wheels, assembled, glued (S1 compound) (SCT chrome
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum		wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner),
	wrench #5477)		SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)		(TSM rated)
	(assembled with rod ends & hollow balls) (requires 5mm	5889R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-
	aluminum wrench #5477)		Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled		(2) (4WD f/r, 2WD rear) (TSM rated)
0740	with rod ends and hollow balls)	6891R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-
2746	Washers, 3x6mm metal (12)		Spoke chrome, red beadlock style wheels, dual profile (2.2"
	Suspension Linkage		outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,	60000	(4WD f/r, 2WD rear) (TSM rated)
	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum	6892R	Tires & wheels, assembled, glued (S1 compound) (SCT Split- Spoke satin chrome, black beadlock style wheels, dual profile
26440	wrench (1)		(2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum		(2) (4WD f/r, 2WD rear) (TSM rated)
	wrench (1)	5863R	Tires & wheels, assembled, glued (S1 compound) (SCT, black,
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,		orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT
	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum		off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
	wrench (1)		

## Page 5 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-4) Parts List

rage 3	Siasii VAL. I VI I I aaxas Liiik Liiabieu 2.40112 Kaul	0 & 1311	(Model 30070-4) Parts List
6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing	6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin
	compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear,		chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
	2WD rear only)	5885	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin
5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing		chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®
	compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5883	KM2 tires, foam inserts) (2) (2WD Front)
6874R	Tires & wheels, assembled, glued (\$1 ultra-soft off-road racing	3003	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®
••••	compound) (SCT Split-Spoke satin chrome, black beadlock style		KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
	wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear	5877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red
5877R	only) Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing		beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
007710	compound) (SCT Split-Spoke chrome, red beadlock style wheels,	5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin
	BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)		chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™
6873R	Tires & wheels, assembled, glued (\$1 ultra-soft, off-road racing	5005	T/A® KM2 tires, foam inserts) (2) (2WD front)
	compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)	5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts)
	(4WD f/r, 2WD rear)		(2) (2WD front only)
5863	Tires & wheels, assembled, glued (SCT black, orange beadlock	6876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock
	wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)		wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
5888	Tires & wheels, assembled, glued (SCT chrome wheels, red	6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-
	beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road		2.2/3.0") (2)/ foam inserts (2)
5887	racing tires, foam inserts) (2) (2wd front) Tires & wheels, assembled, glued (SCT chrome wheels, red	6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2, ultra-soft (S1 off-
3007	beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road		road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
	racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)	6870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock	6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual
	style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	5074	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock	5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
	style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam	5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual
5070D	inserts) (2)(4WD front/rear, 2WD rear only)		profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5873R	Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires,	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
	inserts) (2) (2WD rear, 4WD f/r)	3654	Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)
5881X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts,
E07E	style wheels, Kumho tires, foam inserts) (2) (2WD front)		splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle
5875	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	E2E2	pin (4)/wrench, 5mm
5873	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style	5353 5480X	Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm
	wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear,	5870X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer,
5878	2WD rear only) (TSM rated) Tires & wheels, assembled, glued (SCT satin chrome, black		3.0" inner) (2WD front) (2)
3070	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	5868X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer,
	tires, foam inserts) (2)(4WD front/rear, 2WD rear only)	5870	3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer,
5881	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD	••••	3.0" inner) (2WD front) (2)
	front)	5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer,
5875X	Tires & wheels, assembled, glued (SCT satin chrome, black	5874	3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer,
	beadlock style wheels, SCT off-road racing tires, foam inserts)	0014	3.0" inner) (2WD front)
5873X	(2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, black beadlock	5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer,
00.07	style wheels, SCT off-road racing tires, foam inserts) (2) (4WD	E072V	3.0" inner) (4WD front/rear, 2WD rear only)
	front/rear, 2WD rear only)	5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5873A	Tires & wheels, assembled, glued (SCT satin chrome, red- beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD	5874X	Wheels, SCT satin chrome, black beadlock style, dual profile
	front/rear, 2WD rear only)		(2.2" outer, 3.0" inner) (2WD front) (2)
5889	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin	5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2"
	chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear)	5872A	outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2"
	(TSM rated)		outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5890	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin	5886A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile
	chrome beadlock style wheels, dual profile (2.2" outer, 3.0"	5884A	(2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile
6873A	inner), SCT off-road racing tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red	0004A	(2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
0070A	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual
	tires, foam inserts) (2) (4WD f/r, 2WD rear)	5004	profile (2.2" outer, 3.0" inner) (2WD front) (2)
6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
	off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM	6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual
	rated)		profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin	5876A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
	chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)	6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin		profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
	chrome, black beadlock style wheels, BFGoodrich® Mud-	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style,
	Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)	6872	dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT Split-Spoke, satin chrome, black beadlock style,
6892	Tires & wheels, assembled, glued (SCT Split-Spoke satin	0012	dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear
	chrome, black beadlock style wheels, dual profile (2.2" outer,		only) (2)
		=0.00	NAME OF TAXABLE PARTY.
	3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r,	5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)
		5866 6875	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only) Wheels, SCT, chrome, green beadlock style, dual profile (2.2"

Page 6 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-4) Parts List

Page 6	Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radi	o & TS
	Transmission Company	3139A
4550	Transmission Components	
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	
<b>4607</b> 5116	Ball bearings (5x11x4mm) (8) Ball bearings, blue rubber sealed (5x11x4mm) (2)	3741X
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)	
3790	Gear adapter, fixed	3139X
3691	Gearbox halves (I&r) (black) w/ idler gear shaft	01007
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft	
5148	Grease, white lithium	3644
3696	Idler gear, steel (30-tooth)	
3793	Input shaft (slipper shaft) / spring pin	3745
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)	0140
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)	
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))	
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	
1647	Silicone grease	
5556 3195	Slipper pressure plate & hub (aluminum alloy) Top drive gear, steel (22-tooth)	
3193		
	Traxxas Tools	
3433X	Body reamer (aluminum handle)	
3433	Body reamer (plastic handle)	
3436 3432	Cap, body reamer Scissors, curved tip	
3431	Scissors, straight tip	
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes	
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive	
8721	Speed bit handle, medium (one piece)	
8720	Speed bit handle, premium, large (rubber overmold)	
8722	Speed bit handle, premium, medium (rubber overmold)	
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes	
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),	
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,	
8719	2.5mm, 3.0mm), 1/4" drive  Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,	
8716	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"	
8716X	drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,	
8715	3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,	
8715X	2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,	
3415	2.5mm, 3.0mm), 1/4" drive Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,	
	3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/	
	driver handle Turnbuckles & Threaded Rods	
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum	
3644G	wrench (1)  Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,	
	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	
5525	Rod ends (12)/ hollow balls (12)	
5347	Rod ends, Revo® (large) with hollow balls (12)	
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)	
3737	Wirod ends)/nollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled Wirod ends)/hollow balls (2) (fits front & rear on Slash)	
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	

Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2) roar 49mm (2) (assembled w/ rod ends & hollow

Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench

Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM