



# Slash 4X4 (Model 68054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4612 **Ball bearings (10x15x4mm) (2)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 3934 Body clips, heavy duty (12)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 6811 **Body, Slash 4X4 (clear, requires painting)/ window masks/ decal sheet**
- 6817 **Body, Slash 4X4, Amsoil (painted, decals applied)**
- 6831 **Body, Slash 4X4, Chad Hord (painted, decals applied)**
- 6816G Body, Slash 4X4, green (painted, decals applied)
- 6820 **Body, Slash 4X4, Jeff Kincaid (painted, decals applied)**
- 6825X **Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)**
- 6826R **Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals applied)**
- 6816 Body, Slash 4X4, orange (painted, decals applied)
- 6811X **Body, Slash 4X4, ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet**
- 6889 **Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)**
- 6849 **Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)**
- 2514 **Decal sheet, racing sponsors**
- 6813R Decal sheet, Slash 4X4
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**

## Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
- 6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
- 6841 Cover, center driveshaft (clear)
- 6877A **Cover, gear (clear)**
- 6877 Cover, gear/ motor wire hold-down clip
- 6814 **Differential kit, center (complete)**
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6855 **Driveshaft, center, 6061-T6 aluminum (blue-anodized)**
- 6855G **Driveshaft, center, 6061-T6 aluminum (green-anodized)**
- 6855R **Driveshaft, center, 6061-T6 aluminum (red-anodized)**
- 6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
- 5148 Grease, white lithium
- 6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 6890 Plate, motor
- 6890X **Plate, motor, 6061-T6 aluminum (blue-anodized)**
- 5352R **Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**

- 5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone grease
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 **Slipper pressure plate and hub (alloy)**

## Chassis & Attachments

- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 3924 Box, receiver (sealed)/ foam pad/ silicone grease/2.5x8mm BCS (2)/ 3x10mm CCS (2)/ 3x15mm CCS (2)
- 3628 **Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)**
- 6835 Bumper, front/ bumper mount, front (black)
- 6836 Bumper, rear/ bumper mount, rear (black)
- 7421 **Chassis conversion kit, low CG (Slash 4x4)**
- 6822 Chassis, Slash 4X4
- 6841 Cover, center driveshaft (clear)
- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X **Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
- 6840 **Mount, Go-pro camera, fiberglass**
- 3629 **Seal kit, receiver box (includes o-ring, seals, and silicone grease)**
- 3925 Seal kit, receiver box (includes o-ring, seals, and silicone grease)

## Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6780 **Differential kit, center (complete)**
- 6814 **Differential kit, center (complete)**
- 6783 **Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6781 **Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5mm PTFE-coated washers (2)/ 2.5x8 CCS (4)**
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 6782 **Output gears, center differential, hardened steel (2)**
- 5379X **Ring gear, differential/ pinion gear, differential**
- 6778 Ring gear, differential/ pinion gear, differential (12/47 ratio) (front)
- 6779 Ring gear, differential/ pinion gear, differential (12/47 ratio) (rear)
- 5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
- 6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 **Ring gear, differential/ pinion gear, differential (rear)**
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 1647 Silicone grease

## Driveline Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 6828A **Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6851X Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6855 **Driveshaft, center, 6061-T6 aluminum (blue-anodized)**
- 6855G **Driveshaft, center, 6061-T6 aluminum (green-anodized)**
- 6855R **Driveshaft, center, 6061-T6 aluminum (red-anodized)**
- 7455 Driveshaft, center, plastic (black)/ screw pin
- 6851R **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
- 6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**

**Page 2 Slash 4X4: TQ 2.4GHz Radio (Model 68054-1) Parts List**

- 6750 Half shaft, external splined (steel-spline constant-velocity) (1)
- 6751 Half shaft, internal splined (steel-spline constant-velocity) (1)
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2)/ metal u-joints (4))
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6754 Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
- 6753 Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
- 6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)

**Front Suspension & Steering**

- 2728 Ball bearings (5x8x2.5mm) (2)
- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
- 6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 6830X Bulkhead, front
- 3641A Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6832X Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
- 6832G Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
- 6832A Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right
- 6832R Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
- 6832 Caster blocks (c-hubs), left & right
- 6845A Drag link, machined 6061-T6 aluminum (blue-anodized)
- 6845G Drag link, machined 6061-T6 aluminum (green-anodized)
- 6845T Drag link, machined 6061-T6 aluminum (orange-anodized)
- 6845R Drag link, machined 6061-T6 aluminum (red-anodized)
- 6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 6839 Shock tower, front
- 6839X Shock tower, front, 7075-T6 aluminum (blue-anodized)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 6837X Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
- 6837G Steering blocks, 6061-T6 aluminum (green-anodized), left & right
- 6837A Steering blocks, 6061-T6 aluminum (orange-anodized), left & right
- 6837R Steering blocks, 6061-T6 aluminum (red-anodized), left & right
- 6837 Steering blocks, left & right
- 6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655X Suspension arms, left & right
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3655A Suspension arms, white, front/rear (left & right), heavy duty (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)

- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
- 6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

**Hardware**

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A Body clip (mounting clip), angled, 90-degrees (black) (10)
- 3934 Body clips, heavy duty (12)
- 1589 Double-sided adhesive tape (25mm x 25mm) (2)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18mm button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2534 Screws, 3x6mm countersunk machine (6) (hex drive)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2748X Tool Set (1.5mm & 2.5mm allen/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches)
- 2746 Washers, 3x6mm metal (12)

**Motors & Electronics**

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2260 BEC assembly (complete)
- 3340 Cooling fan, Velineon® VXL-3s ESC
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 3354R Motor cover, endbell (Velineon® 3500)
- 6860A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 6860R Motor mount, 6061-T6 aluminum (blue-anodized)
- 3785 Motor, Titan® 12T (12-Turn, 550 size)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2053 Servo gears (for 2055, 2056 servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)

**Page 3 Slash 4X4: TQ 2.4GHz Radio (Model 68054-1) Parts List**

- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
- 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

- 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
- 6550 Telemetry expander, TQi radio system
- 6551X Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
- 6539 Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link™ Wireless Module
- 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

**Radio System, Batteries & Chargers**

- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
- 2976 AC to DC converter, 40W
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
- 2943 Battery charge indicators (green (4), blue (4), grey (4))
- 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
- 2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
- 2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
- 2995 Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))
- 2260 BEC assembly (complete)
- 2927R Charger, AC, 500 mA (7 cell, NiMH) (US only)
- 2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas Link™ Wireless Module
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6555 Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2053 Servo gears (for 2055, 2056 servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)
- 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system

**Ready-To-Race Model**

- 68054-1 Slash 4X4: 1/10 Scale 4WD Electric Short Course Truck with TQ 2.4GHz Radio System

**Rear Suspension**

- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
- 6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 6829 Bulkhead, rear
- 3641A Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
- 1952G Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
- 1952 Carriers, stub axle (rear) (2)
- 1952A Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
- 6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6838 Shock tower, rear
- 6838X Shock tower, rear, 7075-T6 aluminum (blue-anodized)
- 6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655X Suspension arms, left & right
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3655A Suspension arms, white, front/rear (left & right), heavy duty (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)
- 6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

**Shocks (GTR)**

- 7466X Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
- 7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7466G Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7466A Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7467X Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)

**Page 4 Slash 4X4: TQ 2.4GHz Radio (Model 68054-1) Parts List**

7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)	2742X	Rod ends, short (6)/ hollow balls (6)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)	3767	Shock caps (2)/ shock bottoms (2)
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
5475	Multi-tool (plastic)	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
5158	Nuts, 2.5mm nylon locking (12)	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
5469	Rod ends (GTR shocks) (6)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
7464T	Shaft, GTR long, TiN-coated (2)	1664	Shock shafts, steel, chrome finish (long) (2)
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)	2656	Shock shafts, steel, chrome finish (xx-long) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)	1765	Silicone diaphragms (4)
7461X	Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)	1666	Silicone shock oil (30 wt)
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
7462X	Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)	6863	Springs, front (progressive, +10% rate, pink) (2)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)	6864	Springs, front (progressive, +20% rate, blue) (2)
7440	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)	6862	Springs, front (progressive, -10% rate, green) (2)
7441	Spring, shock, white (GTR long) (0.653 rate green) (1 pair)	6861	Springs, front (progressive, -20% rate, orange) (2)
7444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)	6857	Springs, front (white) (progressive rate) (2)
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)	6867	Springs, rear (progressive, +10% rate, pink) (2)
7448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)	6868	Springs, rear (progressive, +20% rate, blue) (2)
7442	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)	6866	Springs, rear (progressive, -10% rate, green) (2)
7443	Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)	6865	Springs, rear (progressive, -20% rate, orange) (2)
7446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)	6858	Springs, rear (white) (progressive rate) (2)
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Shocks (Pro-level Aluminum)**

2664	Big Bore shock cylinder (long) (1)
2666	Big Bore shock cylinder (XX-long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
6858	Springs, rear (white) (progressive rate) (2)

**Shocks (Ultra Shocks)**

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
6858	Springs, rear (white) (progressive rate) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893X	Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/ 10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
6814	Differential kit, center (complete)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6883	Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
6878	Slipper clutch, complete
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

**Spur Gears & Pinion Gears**

6747	Gear, 11-T pinion (32-p) (steel)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)

**Steering Components**

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench
2728	Ball bearings (5x8x2.5mm) (2)

**Page 5 Slash 4X4: TQ 2.4GHz Radio (Model 68054-1) Parts List**

6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)	6892R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)		
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)		
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)		
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)	5863R	Tires & wheels, assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
2742	Rod ends, long (6)/ hollow ball connectors (6)		
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)		
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)	6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)		
2746	Washers, 3x6mm metal (12)	6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)

**Suspension Linkage**

3641A	Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
6834	Suspension pin set, complete (front and rear)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

**Team Traxxas Items**

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)		
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)		
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)		
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)		
1647	Silicone grease		
2754	Stub axle pins (4)		
5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)	5892G	Tires & wheels, assembled, glued (SCT Split-Spoke green wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5892	Tires & wheels, assembled, glued (SCT Split-Spoke orange wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5887R	Tires & wheels, assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)	6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5889R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)	6892	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6891R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)	5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
		6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
		6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
		5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
		5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
		1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
		6856X	Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm

## Page 6 Slash 4X4: TQ 2.4GHz Radio (Model 68054-1) Parts List

5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
5480X	Wheel wrench, splined, 17mm		
5868X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)	5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)		
5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)		
5872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)		
5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)		
5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)		
6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)		
6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)		
6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)		

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

### Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
5525	Rod ends (12)/ hollow balls (12)
2335	Turnbuckles (72mm) (Tie rods or optional rear camber rods) (2)