



## Slash 4X4 Ultimate (Model 68077-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

|       |  |
|-------|--|
| 4607  | Ball bearings (5x11x4mm) (8)                                 |
| 4612  | Ball bearings (10x15x4mm) (2)                                |
| 2728  | Ball bearings (5x8x2.5mm) (2)                                |
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2)           |
| 5119  | Ball bearings, blue rubber sealed (10x15x4mm) (2)            |
| 5120  | Ball bearings, blue rubber sealed (12x18x4mm) (2)            |
| 5116  | Ball bearings, blue rubber sealed (5x11x4mm) (2)             |
| 5114  | Ball bearings, blue rubber sealed (5x8x2.5mm) (2)            |
| 5117  | Ball bearings, blue rubber sealed (6x12x4mm) (2)             |
| 5118  | Ball bearings, blue rubber sealed (8x16x5mm) (2)             |
| 1985  | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |

### Body & Accessories

|       |  |
|-------|--|
| 1926  | Antenna caps, vinyl (2)/ antenna spool   |
| 1726  | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  |
| 1726A | Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)   |
| 3935  | Body clip (mounting clip), angled, 90-degrees (10)   |
| 3935A | Body clip (mounting clip), angled, 90-degrees (black) (10)   |
| 3934  | Body clips, heavy duty (12)  |
| 6815R | Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)                              |
| 1815  | Body washers (8)   |
| 6716  | Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)  |
| 6811  | Body, Slash 4X4 (clear, requires painting)/ window masks/ decal sheet                                      |
| 6817  | Body, Slash 4X4, Amsoil (painted, decals applied)  |
| 6831  | Body, Slash 4X4, Chad Hord (painted, decals applied)   |
| 6844X | Body, Slash 4X4, green and blue (painted, decals applied)  |
| 5849  | Body, Slash 4X4, Hawaiian graphics (painted, decals applied)   |
| 6820  | Body, Slash 4X4, Jeff Kincaid (painted, decals applied)  |
| 5824  | Body, Slash 4X4, Keegan Kincaid (painted, decals applied)  |
| 6825X | Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)  |
| 6826R | Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals applied)                                   |
| 6844  | Body, Slash 4X4, orange and blue (painted, decals applied)   |
| 5812  | Body, Slash 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet |
| 5824R | Body, Slash 4X4, red (painted, decals applied)   |
| 5848  | Body, Slash 4X4, Rock n' Roll (painted, decals applied)  |
| 6889  | Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)   |
| 6849  | Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)   |
| 2514  | Decal sheet, racing sponsors   |
| 6813  | Decal sheet, Slash 4X4   |
| 9550  | Official Team Traxxas® racing decal set (flag logo/ 6-color)   |

### Center Driveline

|       |  |
|-------|--|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2)   |
| 5119  | Ball bearings, blue rubber sealed (10x15x4mm) (2)  |
| 5120  | Ball bearings, blue rubber sealed (12x18x4mm) (2)  |
| 5116  | Ball bearings, blue rubber sealed (5x11x4mm) (2)   |
| 5117  | Ball bearings, blue rubber sealed (6x12x4mm) (2)   |
| 6893G | Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6893X | Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)    |
| 7477  | Cover, gear/ wire retainer   |
| 6814  | Differential kit, center (complete)  |
| 6888  | Drive hub, center, rear (1)/ 4x3 GS (1)  |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1)  |
| 6883  | Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)  |
| 5148  | Grease, white lithium  |
| 6884  | Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)             |
| 6893  | Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)   |
| 7460A | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)   |
| 7460R | Motor mount, 6061-T6 aluminum (blue-anodized)  |
| 7490  | Plate, motor   |
| 7490G | Plate, motor, green  |
| 7490A | Plate, motor, orange   |
| 7490R | Plate, motor, red  |

|       |  |
|-------|--|
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))                       |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))   |
| 2575  | Screws, 3x6mm button-head machine (hex drive) (6)  |
| 2554  | Screws, 3x6mm cap-head machine (hex drive) (6)   |
| 3932  | Screws, 3x6mm flat-head machine (hex drive) (6)  |
| 1647  | Silicone grease  |
| 6878  | Slipper clutch, complete   |
| 5556  | Slipper pressure plate & hub (aluminum alloy)  |
| 5351  | Slipper pressure plate and hub (alloy)   |

### Chassis & Attachments

|       |  |
|-------|--|
| 7426  | Battery hold-down (1)/ hold-down retainer, front & rear (1 each)                       |
| 7426X | Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries) |
| 6815R | Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)          |
| 7424  | Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)       |
| 6835  | Bumper, front/ bumper mount, front (black)   |
| 6836  | Bumper, rear/ bumper mount, rear (black)   |
| 7422  | Chassis  |
| 7422A | Chassis, charcoal gray   |
| 7423  | Nerf bars, chassis (2)   |
| 7425  | Seal kit, receiver box (includes o-ring, seals, and silicone grease)                   |
| 7437  | Skidplate, front   |

### Differential Components

|       |  |
|-------|--|
| 5119  | Ball bearings, blue rubber sealed (10x15x4mm) (2)  |
| 5117  | Ball bearings, blue rubber sealed (6x12x4mm) (2)   |
| 5118  | Ball bearings, blue rubber sealed (8x16x5mm) (2)   |
| 5381  | Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW   |
| 6780  | Differential kit, center (complete)  |
| 6814  | Differential kit, center (complete)  |
| 5136X | Differential oil kit (1 each: 10K, 30K, 50K weights)   |
| 6783  | Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))  |
| 6882X | Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)  |
| 6781  | Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5mm PTFE-coated washers (2)/ 2.5x8 CCS (4) |
| 6881  | Housings, differential, front  |
| 6880  | Housings, differential, rear   |
| 6782  | Output gears, center differential, hardened steel (2)  |
| 5379X | Ring gear, differential/ pinion gear, differential   |
| 5379R | Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)  |
| 6879R | Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)   |
| 6879  | Ring gear, differential/ pinion gear, differential (rear)  |
| 3965  | Screws, 2.5x8mm cap-head machine (6)   |
| 1647  | Silicone grease  |

### Driveline Components

|       |   |
|-------|---|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2)  |
| 5119  | Ball bearings, blue rubber sealed (10x15x4mm) (2)   |
| 5116  | Ball bearings, blue rubber sealed (5x11x4mm) (2)  |
| 6758  | Differential output shaft (for steel constant-velocity driveshafts) (2)   |
| 6828A | Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) |
| 6851A | Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)                 |
| 6852A | Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)                  |
| 6855  | Driveshaft, center, 6061-T6 aluminum (blue-anodized)  |
| 6855G | Driveshaft, center, 6061-T6 aluminum (green-anodized)   |
| 6855R | Driveshaft, center, 6061-T6 aluminum (red-anodized)   |
| 6851R | Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)  |
| 6852R | Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)   |
| 6750  | Half shaft, external splined (steel-spline constant-velocity) (1)   |
| 6751  | Half shaft, internal splined (steel-spline constant-velocity) (1)   |

- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6754 Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
- 6753 Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)

**Front Suspension & Steering**

- 2728 Ball bearings (5x8x2.5mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
- 6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 7430X Bulkhead, front
- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6832X Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
- 6832G Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
- 6832A Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right
- 6832R Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
- 6832 Caster blocks (c-hubs), left & right
- 6845A Drag link, machined 6061-T6 aluminum (blue-anodized)
- 6845G Drag link, machined 6061-T6 aluminum (green-anodized)
- 6845T Drag link, machined 6061-T6 aluminum (orange-anodized)
- 6845R Drag link, machined 6061-T6 aluminum (red-anodized)
- 6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 7438 Linkage, steering
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 6839 Shock tower, front
- 6839X Shock tower, front, 7075-T6 aluminum (blue-anodized)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 6837X Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
- 6837G Steering blocks, 6061-T6 aluminum (green-anodized), left & right
- 6837A Steering blocks, 6061-T6 aluminum (orange-anodized), left & right
- 6837R Steering blocks, 6061-T6 aluminum (red-anodized), left & right
- 6837 Steering blocks, left & right
- 6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6754 Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3655A Suspension arms, white, front/rear (left & right), heavy duty (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
- 6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

**Hardware**

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A Body clip (mounting clip), angled, 90-degrees (black) (10)
- 3934 Body clips, heavy duty (12)
- 1589 Double-sided adhesive tape (25mm x 25mm) (2)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18mm button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2534 Screws, 3x6mm countersunk machine (6) (hex drive)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3936 Screws, 4x10mm button-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 3938 Screws, 4x14mm button-head machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2748X Tool Set (1.5mm & 2.5mm allens/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches)
- 2746 Washers, 3x6mm metal (12)

**Motors & Electronics**

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2260 BEC assembly (complete)
- 3340 Cooling fan, Velineon® VXL-3s ESC
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2072R Gear set, metal, high speed (for 2070, 2075 servos)
- 3354R Motor cover, endbell (Velineon® 3500)
- 7460A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7460R Motor mount, 6061-T6 aluminum (blue-anodized)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 7490 Plate, motor
- 7490G Plate, motor, green
- 7490A Plate, motor, orange
- 7490R Plate, motor, red
- 3352R Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof

### Page 3 Slash 4X4 Ultimate: TQi Radio, Traxxas Link Wireless Module, & TSM (Model 68077-4) Parts List

|                |   |       |   |
|----------------|---|-------|---|
| 2075X<br>3350R | Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R)) | 6551X | Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) |
| 3355R          | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)   | 6539  | Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)      |

#### Radio System, Batteries & Chargers

|       |   |
|-------|---|
| 2854X | 10000mAh 7.4v 2-Cell 25C LiPo Battery   |
| 2872X | 5000mAh 11.1v 3-Cell 25C LiPo Battery   |
| 2857X | 6400mAh 11.1v 3-Cell 25C LiPo Battery   |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery  |
| 2878X | 8400mAh 11.1v 3-Cell 25C LiPo Battery   |
| 2976  | AC to DC converter, 40W   |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)  |
| 2943  | Battery charge indicators (green (4), blue (4), grey (4))   |
| 6548  | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)  |
| 2914  | Battery, Power Cell AA Alkaline (4)   |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)   |
| 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)   |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)  |
| 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)  |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)  |
| 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)  |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  |
| 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)  |
| 2983  | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992  | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))                      |
| 2995  | Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))                      |
| 2260  | BEC assembly (complete)   |
| 2975  | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)   |
| 2972  | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification  |
| 2973  | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification   |
| 2971  | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification  |
| 2970  | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification   |
| 6525  | Communication link, telemetry expander  |
| 2978  | Fuse, charger, 5A (2) (for #2974, 2975, 2977)   |
| 2072X | Gear set, metal (for 2070, 2075 servos)   |
| 2252  | Gear set, metal (for 2250, 2255 servos)   |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos)   |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)   |
| 2968  | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)   |
| 6555  | Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)   |
| 6535  | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad  |
| 6533  | Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)  |
| 3932  | Screws, 3x6mm flat-head machine (hex drive) (6)   |
| 6552  | Seal kit, expander box (includes o-ring, seals, and silicone grease)  |
| 6526  | Sensor, auto-detectable, temperature  |
| 6527  | Sensor, auto-detectable, voltage  |
| 6520  | Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)   |
| 6521  | Sensor, temperature and voltage (long)  |
| 2254  | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)  |
| 2253  | Servo case, aluminum (red-anodized) (middle) (for 2255 servo)   |
| 2251  | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)  |
| 2074  | Servo case/gaskets (for 2056 and 2075 waterproof servos)  |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof  |
| 2250  | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof  |
| 2255  | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof   |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof   |
| 6544  | Spacers (4)/ grip pads (3)/connector dust cover (1) (for TQi docking base)  |
| 6553X | Telemetry expander 2.0 and GPS module 2.0, TQi radio system   |
| 6550X | Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)   |
| 6550  | Telemetry expander, TQi radio system  |

|       |   |
|-------|---|
| 6551X | Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)                                     |
| 6539  | Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)  |
| 6538  | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)                                   |
| 6540  | Telemetry trigger magnet, 5X2mm (1)   |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)             |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) |
| 6528  | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)  |
| 6529  | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)  |
| 6530  | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)  |
| 6511  | Traxxas Link™ Wireless Module   |
| 3355R | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)   |

#### Ready-To-Race Model

|         |  |
|---------|--|
| 68077-4 | Slash 4X4 Ultimate: 1/10 Scale 4WD Electric Short Course Truck with TQi Radio System, Traxxas Link™ Wireless Module, & Traxxas Stability Management (TSM)® |
|---------|--|

#### Rear Suspension

|       |   |
|-------|---|
| 6823  | Bulkhead tie bars, front & rear, aluminum (blue-anodized)   |
| 6823G | Bulkhead tie bars, front & rear, aluminum (green-anodized)  |
| 6823R | Bulkhead tie bars, front & rear, aluminum (red-anodized)  |
| 7429  | Bulkhead, rear  |
| 3644X | Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)                                    |
| 3644G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)                                   |
| 3644R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)                                     |
| 1952X | Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)   |
| 1952G | Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)  |
| 1952T | Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)   |
| 1952  | Carriers, stub axle (rear) (2)  |
| 1952A | Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)  |
| 6895  | Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)  |
| 6897  | Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)   |
| 6838  | Shock tower, rear   |
| 6838X | Shock tower, rear, 7075-T6 aluminum (blue-anodized)   |
| 6853A | Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)  |
| 3655P | Suspension arms, blue, front/rear (left & right), heavy duty (2)  |
| 3655R | Suspension arms, front/rear (left & right), heavy duty (2)  |
| 3655G | Suspension arms, green, front/rear (left & right), heavy duty (2)   |
| 3655T | Suspension arms, orange, front/rear (left & right), heavy duty (2)  |
| 3655L | Suspension arms, red, front/rear (left & right), heavy duty (2)   |
| 3655A | Suspension arms, white, front/rear (left & right), heavy duty (2)   |
| 6834  | Suspension pin set, complete (front and rear)   |
| 6898  | Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)  |
| 3644  | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4) |
| 6896  | Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)   |

#### Shocks (GTR)

|       |  |
|-------|--|
| 7466X | Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)                     |
| 7466  | Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)      |
| 7466G | Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)     |
| 7466A | Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)    |
| 7467X | Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)                  |
| 7467  | Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)   |
| 7467G | Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)  |
| 7467A | Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1) |

**Page 4 Slash 4X4 Ultimate: TQi Radio, Traxxas Link Wireless Module, & TSM (Model 68077-4) Parts List**

|       |   |       |   |
|-------|---|-------|---|
| 7468X | Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))                | 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)                         |
| 7468  | Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) | 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)                          |
| 5475  | Multi-tool (plastic)  | 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)                           |
| 5158  | Nuts, 2.5mm nylon locking (12)  | 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2)                          |
| 7463  | Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)              | 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)                       |
| 5469  | Rod ends (GTR shocks) (6)   | 1664  | Shock shafts, steel, chrome finish (long) (2)   |
| 7464T | Shaft, GTR long, TiN-coated (2)   | 2656  | Shock shafts, steel, chrome finish (xx-long) (2)  |
| 7465T | Shaft, GTR xx-long, TiN-coated (2)  | 1765  | Silicone diaphragms (4)   |
| 7461  | Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                                   | 1666  | Silicone shock oil (30 wt)  |
| 7461G | Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                                  | 3769  | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)                               |
| 7461X | Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)  | 3768  | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))             |
| 7462  | Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                                | 6863  | Springs, front (progressive, +10% rate, pink) (2)   |
| 7462G | Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)                               | 6864  | Springs, front (progressive, +20% rate, blue) (2)   |
| 7462X | Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)                                     | 6862  | Springs, front (progressive, -10% rate, green) (2)  |
| 8459  | Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)   | 6861  | Springs, front (progressive, -20% rate, orange) (2)                                       |
| 7440  | Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)  | 6857  | Springs, front (white) (progressive rate) (2)   |
| 7441  | Spring, shock, white (GTR long) (0.653 rate green) (1 pair)   | 6867  | Springs, rear (progressive, +10% rate, pink) (2)  |
| 7444  | Spring, shock, white (GTR long) (0.767 rate black) (1 pair)   | 6868  | Springs, rear (progressive, +20% rate, blue) (2)  |
| 7445  | Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)  | 6866  | Springs, rear (progressive, -10% rate, green) (2)   |
| 7448  | Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)  | 6865  | Springs, rear (progressive, -20% rate, orange) (2)  |
| 7442  | Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)   | 6858  | Springs, rear (white) (progressive rate) (2)  |
| 7443  | Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)  | 3760  | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)   |
| 7446  | Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)  | 3762  | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 7447  | Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)   | 3760A | Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)            |
| 7449  | Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)   | 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)  |

**Shocks (Pro-level Aluminum)**

|       |   |
|-------|---|
| 2664  | Big Bore shock cylinder (long) (1)  |
| 2666  | Big Bore shock cylinder (XX-long) (1)   |
| 5862  | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)          |
| 2660  | Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)          |
| 2662  | Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)        |
| 2669  | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)                             |
| 2362  | Rebuild kit, Ultra shocks (for 2 shocks)  |
| 1942  | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  |
| 2742X | Rod ends, short (6)/ hollow balls (6)   |
| 2667  | Shock caps, aluminum (Big Bore Shocks) (2)  |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2)  |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)   |
| 1664  | Shock shafts, steel, chrome finish (long) (2)   |
| 2656  | Shock shafts, steel, chrome finish (xx-long) (2)  |
| 1765  | Silicone diaphragms (4)   |
| 1666  | Silicone shock oil (30 wt)  |
| 2668  | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 6863  | Springs, front (progressive, +10% rate, pink) (2)   |
| 6864  | Springs, front (progressive, +20% rate, blue) (2)   |
| 6862  | Springs, front (progressive, -10% rate, green) (2)  |
| 6861  | Springs, front (progressive, -20% rate, orange) (2)   |
| 6857  | Springs, front (white) (progressive rate) (2)   |
| 6867  | Springs, rear (progressive, +10% rate, pink) (2)  |
| 6868  | Springs, rear (progressive, +20% rate, blue) (2)  |
| 6866  | Springs, rear (progressive, -10% rate, green) (2)   |
| 6865  | Springs, rear (progressive, -20% rate, orange) (2)  |
| 6858  | Springs, rear (white) (progressive rate) (2)  |

**Shocks (Ultra Shocks)**

|       |  |
|-------|--|
| 3642  | Attachment screws, shock (3x12mm shoulder screws) (6)                      |
| 3765A | Body, Ultra Shock(s) (long) (grey) (2)                                     |
| 3766A | Body, Ultra Shock(s) (XXL) (grey) (2)                                      |
| 2362  | Rebuild kit, Ultra shocks (for 2 shocks)                                   |
| 1942  | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6)                                      |
| 3767  | Shock caps (2)/ shock bottoms (2)  |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)           |

**Slipper Clutch Components**

|       |  |
|-------|--|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2)   |
| 6893G | Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)                     |
| 6893X | Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/ 10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)                       |
| 6814  | Differential kit, center (complete)  |
| 6888  | Drive hub, center, rear (1)/ 4x3 GS (1)  |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1)  |
| 6883  | Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)  |
| 6884  | Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)                                 |
| 6893  | Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)  |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))                       |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))   |
| 2554  | Screws, 3x6mm cap-head machine (hex drive) (6)   |
| 6878  | Slipper clutch, complete   |
| 5556  | Slipper pressure plate & hub (aluminum alloy)  |
| 5351  | Slipper pressure plate and hub (alloy)   |

**Spur Gears & Pinion Gears**

|       |  |
|-------|--|
| 7477  | Cover, gear/ wire retainer   |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3951X | Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |

**Page 5 Slash 4X4 Ultimate: TQi Radio, Traxxas Link Wireless Module, & TSM (Model 68077-4) Parts List**

|       |  |       |  |
|-------|--|-------|--|
| 3952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw                                   | 5880X | Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)  |
| 6842  | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)   | 5887R | Tires & wheels, assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)                     |
| 6842R | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)                   | 5889R | Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear)              |
| 6843  | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)   | 6891R | Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)         |
| 6843R | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)                   | 6892R | Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) |
| 3956  | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)   | 5863R | Tires & wheels, assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)                        |
| 3956R | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)        | 6873X | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)                 |
| 3956X | Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential) | 6874R | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)                           |

**Steering Components**

|       |  |       |   |
|-------|--|-------|---|
| 1552  | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench   | 6873R | Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)           |
| 2728  | Ball bearings (5x8x2.5mm) (2)  | 5887  | Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)                            |
| 5114  | Ball bearings, blue rubber sealed (5x8x2.5mm) (2)  | 5867  | Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)  |
| 6845A | Drag link, machined 6061-T6 aluminum (blue-anodized)   | 5873R | Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)  |
| 6845G | Drag link, machined 6061-T6 aluminum (green-anodized)  | 5878  | Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)  |
| 6845T | Drag link, machined 6061-T6 aluminum (orange-anodized)   | 5873X | Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)   |
| 6845R | Drag link, machined 6061-T6 aluminum (red-anodized)  | 6873T | Tires & wheels, assembled, glued (SCT Split-Spoke black chrome beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 ultra-soft S1 compound off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) |
| 7438  | Linkage, steering  | 5889  | Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)         |
| 2742  | Rod ends, long (6)/ hollow ball connectors (6)   | 6891  | Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)                |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering                         | 5891  | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)  |
| 6742X | Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)  | 6892  | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)        |
| 6742G | Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1) | 5883  | Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)   |
| 6742R | Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)   | 6871R | Tires, BFGoodrich® Mud-Terrain T/A® KM2, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)  |
| 2746  | Washers, 3x6mm metal (12)  | 5871R | Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)  |

**Suspension Linkage**

|       |  |       |   |
|-------|--|-------|---|
| 3643X | Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)                | 1654  | Wheel hubs, hex (rear) (2)/ stub axle pins (2)  |
| 3643G | Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)               | 6856X | Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm |
| 3643R | Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)                 | 5353  | Wheel nuts, splined, 17mm (blue-anodized) (4)   |
| 3644X | Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)                 | 5480X | Wheel wrench, splined, 17mm   |
| 3644G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)                |       |   |
| 3644R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)                  |       |   |
| 5525  | Rod ends (12)/ hollow balls (12)   |       |   |
| 3739  | Screw pin set (Rustler®/ Bandit/ Stampede®)  |       |   |
| 6834  | Suspension pin set, complete (front and rear)  |       |   |
| 2537  | Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw   |       |   |
| 3644  | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |       |   |
| 3643  | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                              |       |   |
| 5539  | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)   |       |   |

**Team Traxxas Items**

|       |  |
|-------|--|
| 2514  | Decal sheet, racing sponsors                                 |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve)              |
| 9950  | Official Team Traxxas® racing decal set (flag logo/ 6-color) |
| 9909  | Traxxas® racing banner, red & black (3x7 feet)               |

**Tires & Wheels**

|       |  |
|-------|--|
| 5116  | Ball bearings, blue rubber sealed (5x11x4mm) (2)                       |
| 5854  | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) |
| 3647  | Nuts, 4mm flanged nylon locking (steel, serrated) (8)                  |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)            |
| 1985  | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)           |
| 1647  | Silicone grease  |
| 2754  | Stub axle pins (4)   |

**Page 6 Slash 4X4 Ultimate: TQi Radio, Traxxas Link Wireless Module, & TSM (Model 68077-4) Parts List**

|       |  |      |  |
|-------|--|------|--|
| 5868  | Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)                      | 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 5872  | Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)                        | 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)                              |
| 5872X | Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)          | 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)   |
| 5872A | Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)                |      |  |
| 5884  | Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)             |      |  |
| 6872X | Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)            |      |  |
| 6872A | Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)              |      |  |
| 6872  | Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) |      |  |

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**

**Traxxas Tools**

|       |  |
|-------|--|
| 3433X | Body reamer (aluminum handle)  |
| 3433  | Body reamer (plastic handle)   |
| 3436  | Cap, body reamer   |
| 3432  | Scissors, curved tip   |
| 3431  | Scissors, straight tip   |
| 8712  | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive  |
| 8721  | Speed bit handle, medium (one piece)   |
| 8720  | Speed bit handle, premium, large (rubber overmold)   |
| 8722  | Speed bit handle, premium, medium (rubber overmold)  |
| 8710  | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), |
| 8711  | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive  |
| 8719  | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive  |
| 8716  | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive   |
| 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive  |
| 8715  | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive  |
| 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive   |
| 3415  | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle |

**Turnbuckles & Threaded Rods**

|       |  |
|-------|--|
| 3643X | Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)  |
| 3643G | Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) |
| 3643R | Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)   |
| 3644X | Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)   |
| 3644G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)  |
| 3644R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)    |
| 5525  | Rod ends (12)/ hollow balls (12)   |
| 6742X | Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)            |
| 6742G | Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)           |
| 6742R | Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)             |