



# Toyota® GR Supra GT4® (Model 93064-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5105 Ball bearings, blue rubber sealed (6x10x3mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

## Body & Accessories

- 9347 Body mount, rear/ 3x10 FCS (2) (for clipless body mounting) (attaches to #9340 body)
- 9340 Body, Toyota Supra GT4 (clear, trimmed, requires painting)/ decal sheet (includes side mirrors, wing, grilles, vents, hardware, & clipless mounting)**
- 9340X Body, Toyota Supra GT4, complete (white) (painted, decals applied) (includes side mirrors, wing, grilles, vents, & clipless mounting)
- 9344 Exhaust tips (2)/ exhaust tips mount (2)/ 2.6x8mm BCS (2)
- 9341 Grille, Toyota Supra GT4 (center, left, right)/ splitter/ 2.6x8mm BCS (6)
- 9348 Latch, body mount, front (for clipless body mounting) (attaches to #9340 body)
- 9343 Mirrors, side (left & right)/ mounts (left & right)/ hood vent/ mount/ 2.6x8mm BCS (4)
- 9342 Wing/ 2.6x8mm BCS (4)

## Brake Components

- 8367 Brake calipers (red), front (2)/ rear (2)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

## Center Driveline

- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)

## Chassis & Attachments

- 9346 Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin (fits #9345 chassis)
- 8324 Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
- 9350 Bumper, front/ bumper mount/ bumper foam
- 9345 Chassis (for 272mm wheelbase)
- 8321 Chassis brace (front)
- 8323 Gear cover (rear chassis brace)/ wire retainer

## Differential Components

- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 5136X Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)
- 8379 Housing, spool / spool shaft/ bushing**
- 6879R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)

## Driveline Components

- 8353X Drive cups, inner (2) (steel constant-velocity driveshafts) screw pins (2)**
- 8353 Drive cups, inner (2)/ screw pins (2)
- 9354 Driveshaft, center, steel (249mm)/ pin/ support, center driveshaft/ 5x11x4 bearing
- 8350 Driveshaft, front (2)
- 8351 Driveshaft, rear (2)
- 8350X Driveshafts, steel constant-velocity (assembled), front (2)**
- 8351X Driveshafts, steel constant-velocity (assembled), rear (2)**
- 8382 O-rings (12)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

## Front Suspension & Steering

- 8330 Bulkhead, front
- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8332 Caster blocks (c-hubs) (2)/ kingpin bushings (4)
- 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
- 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**

- 8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5347 Rod ends, Rev o® (large) with hollow balls (12)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 8338 Shock towers, front & rear
- 8343 Steering bellcranks/ hardware
- 8337 Steering block (2)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8333 Suspension arms, front (left & right)
- 8340 Suspension pin set, complete (front & rear)
- 8398 Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)**
- 8342 Toe links, steel (34mm) (2)**
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

## Hardware

- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5347 Rod ends, Rev o® (large) with hollow balls (12)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2587 Screws, 3x10mm cap-head machine (6) (no washer)
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2593 Screws, 3x14mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2553 Screws, 3x15mm countersunk machine (6) (hex drive)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

## Motors & Electronics

- 2260 BEC assembly (complete)**
- 2072A Gear set (for 2070, 2075 servos)
- 3785 Motor, Titan® 12T (12-Turn, 550 size)
- 8390 Plate, motor
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof**
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof**
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))**
- 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

## Radio System, Batteries & Chargers

- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery**
- 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery**
- 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery**
- 2976 AC to DC converter, 40W**
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**

**Page 2 Toyota® GR Supra GT4®: TQ 2.4GHz Radio (Model 93064-4) Parts List**

- 2943 Battery charge indicators (green (4), blue (4), gray (4))
- 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
- 2260 BEC assembly (complete)
- 2969 Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)
- 2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas Link™ Wireless Module
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6560 Mount, telemetry expander (fits 4-Tec® 2.0)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6521 Sensor, temperature and voltage (long)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link™ Wireless Module
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

- 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
- 8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
- 8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5347 Rod ends, Rev o® (large) with hollow balls (12)
- 8338 Shock towers, front & rear
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8331 Suspension arms, rear (left & right)
- 8340 Suspension pin set, complete (front & rear)
- 8398 Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 1667 Silicone shock oil (30 wt), 60cc
- 5038 Spinning carousel rack

**Shocks (Pro-level Aluminum)**

- 2658 Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 2667 Shock caps, aluminum (Big Bore Shocks) (2)
- 4261T Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2)
- 4262T Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
- 4261 Shock shafts, steel, chrome finish (29mm) (front) (2)
- 4262 Shock shafts, steel, chrome finish (32mm) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

**Shocks (Ultra Shocks)**

- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 8360 Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)

**Springs**

- 8362X Spring, shock (blue) (3.7 rate) (2)
- 8362G Spring, shock (green) (3.7 rate) (2)
- 8362P Spring, shock (pink) (3.7 rate) (2)
- 8366 Spring, shock (red) (2.8 rate, white stripe) (2)
- 8365 Spring, shock (red) (3.325 rate, orange stripe) (2)
- 8362 Spring, shock (red) (3.7 rate) (2)
- 8363 Spring, shock (red) (4.075 rate, green stripe) (2)
- 8364 Spring, shock (red) (4.4 rate, black stripe) (2)

**Spur Gears & Pinion Gears**

- 2728 Ball bearings (5x8x2.5mm) (2)
- 8323 Gear cover (rear chassis brace)/ wire retainer
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2421 Gear, 21-T pinion (48-pitch) / set screw

**Ready-To-Race Model**

- 93064-4 Toyota® GR Supra GT4®: 1/10 Scale AWD Supercar with TQ™ 2.4GHz Radio System

**Rear Suspension**

- 8329 Bulkhead, rear
- 8352 Carriers, stub axle (left & right)
- 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)

### Page 3 Toyota® GR Supra GT4®: TQ 2.4GHz Radio (Model 93064-4) Parts List

2422	Gear, 22-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2424	Gear, 24-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch)/set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch) / set screw
8359	Spur gear, 62-tooth
8357	Spur gear, 70-tooth
8368	Spur gear, 72-tooth (48 pitch)

#### Steering Components

8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
8343	Steering bellcranks/ hardware
8342	Toe links, steel (34mm) (2)

#### Suspension Linkage

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
5347	Rod ends, Rev o® (large) with hollow balls (12)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

#### Team Traxxas Items

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

#### Tires & Wheels

9375	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires foam inserts) (rear) (2)
9374	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2)

#### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

#### Turnbuckles & Threaded Rods

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**