

TRX-4M[™] 1/18 Land Rover® Defender® (Model 97054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	9711-RED	Body, Ford Bronco, complete, red (includes grille, side
9787-BLUE	Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)		mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear bumpers)
9787-GRAY	Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9794	Display stand (155mm wheelbase)
9787-GRN	Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm	9713 9718	Frame, body (fender flares)/ spare tire mount (fits #9711 body) LED lenses, body, front & rear (complete set) (fits #9711 body)
9787-ORNG	BCS (with threadlock) (8) Axle cover, 6061-T6 aluminum (orange-anodized) (2)/	9715 9716	Roof rack/ spare tire cover/ cowl/ grille (fits #9711 body) Roof, body (black) (fits #9711 body)
9787-RED	1.6x12mm BCS (with threadlock) (8) Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm	9717	Trail sights (left & right)/ door handles (left, right, & rear)/ front
9787	BCS (with threadlock) (8) Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with	9714	bumper covers (left & right) (fits #9711 body) Windows, body (fits #9711 body)
	threadlock) (8)	9714X	Windows, body (tinted) (fits #9711 body)
9738-BLKCR 9738	Axle cover, front or rear (black chrome) (2) Axle cover, front or rear (black) (2)	اللانــــــــــــــــــــــــــــــــــ	V & Accessories (Land Rover® Defender®) Body, Land Rover® Defender®, complete (unassembled)
9738-BLUE	Axle cover, front or rear (blue) (2)		(white, requires painting) (includes grille, side mirrors, door
9738-GRAY 9738-RED	Axle cover, front or rear (gray) (2) Axle cover, front or rear (red) (2)		handles, fender flares, fuel canisters, jack, spare tire mount, & clipless mounting) (requires #9734 front & rear bumpers)
9738-SATIN 9741	Axle cover, front or rear (satin chrome) (2) Axle housing, front & rear	9712-BLUE	Body, Land Rover® Defender®, complete, blue (includes grille, side mirrors, door handles, fender flares, fuel canisters, jack, spare tire
9729X	Axle shaft, front (hardened steel) (1)	0740 0811	mount, & clipless mounting) (requires #9734 front & rear bumpers)
9730X 9756	Axle shaft, rear (hardened steel) (1) Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened	9712-GRN	Body, Land Rover® Defender®, complete, green (includes grille, side mirrors, door handles, fender flares, fuel canisters, jack, spare
	steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2)		tire mount, & clipless mounting) (requires #9734 front & rear bumpers)
9729 9730	Axle shafts, front, outer (2) Axle shafts, rear, outer (2)	9712-RED	Body, Land Rover® Defender®, complete, red (includes grille, side
9743	Axle, front (assembled)/ M2.5x0.45 NL (2)		mirrors, door handles, fender flares, fuel canisters, jack, spare tire mount, & clipless mounting) (requires #9734 front & rear bumpers)
9744 9779	Axle, rear (assembled)/ M2.5x0.45 NL (2) Gears, axle (metal, front & rear)	9712-SLVR	Body, Land Rover® Defender®, complete, silver (includes grille, side mirrors, door handles, fender flares, fuel canisters, jack, spare
9777 9765	Ring gear, axle (2)/ pinion gear, axle (2)		tire mount, & clipless mounting) (requires #9734 front & rear
9753	Skidplate, axle, front or rear (stainless steel) (2) Stub axle, front (2)/ cross pins (2)/ drive pins (4)	9794	bumpers) Display stand (155mm wheelbase)
9753X	Stub axle, front (hardened steel) (1)	9731	Door handles (4)/ light mounts, front (left & right)/ light retainers,
9745X	Bearings & Bushings Ball bearing set, black rubber sealed, complete (3x6x2.5mm		front bumper (left & right)/ fuel cap/ snorkel/ spare tire mount (fits #9712 body)
3143X	(8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9728	ExoCage/ roof basket (top, bottom, & sides (left & right)) (fits #9712 body)
9745	Bushing set, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9724 9721	Frame, body (fender flares) (fits #9712 body) Fuel canisters (left & right)/ jack (red) (fits #9712 body)
	Body & Accessories (Ford® Bronco®)	9720	Grille/ mirrors, side (left & right)/ spare tire cover/ light retainers, body (front & rear, left & right)/ decal sheet (fits #9712 body)
9711-WHT	Body, Ford Bronco, complete (assembled) (white) (includes	9719	LED lenses, headlight (2), tail light (2) (fits #9712 body)
	grille, side mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735	9788 9725	Roof, body (black) (fits #9712 body) Windows, body (fits #9712 body)
9711	front & rear bumpers) Body, Ford Bronco, complete (unassembled) (white, requires	9725X	Windows, body (tinted) (fits #9712 body)
• • • • • • • • • • • • • • • • • • • •	painting) (includes grille, side mirrors, door handles, fender	9734	Bumpers & Skidplates
	flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	9734 9765	Bumper, front (1)/ rear (1) Skidplate, axle, front or rear (stainless steel) (2)
9711-ARE51	Body, Ford Bronco, complete, Area 51 (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare	9736 9766	Skidplate, center/ bumper mount, front/ bumper mount, rear Skidplate, chassis (stainless steel)
	tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	0100	Chassis & Attachments
9711-BLK	Body, Ford Bronco, complete, black (includes grille, side	9727	Battery strap
	mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear	9722 9794	Chassis rails, 202mm (steel) (left & right) Display stand (155mm wheelbase)
0744 DI UE	bumpers)	9739-BLUE	Servo mount, 6061-T6 aluminum (blue-anodized)
9711-BLUE	Body, Ford Bronco, complete, blue (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare	9739-GRAY 9739-GRN	Servo mount, 6061-T6 aluminum (dark titanium-anodized) Servo mount, 6061-T6 aluminum (green-anodized)
	tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	9739-ORNG 9739-RED	Servo mount, 6061-T6 aluminum (orange-anodized)
9711-GRAY	Body, Ford Bronco, complete, Cactus Gray (includes grille,	9739-RED 9739	Servo mount, 6061-T6 aluminum (red-anodized) Servo mount, steering/ servo horn
	side mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front &	9726 9736	Shock mounts (front & rear)/ battery tray Skidplate, center/ bumper mount, front/ bumper mount, rear
9711-CYBER	rear bumpers) Body, Ford Bronco, complete, Cyber Orange (includes grille,	9766	Skidplate, chassis (stainless steel)
	side mirrors, door handles, fender flares, windshield wipers,		Driveline Components
	spare tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	9755 9752-BLUE	Driveshafts, center, assembled (front & rear) Driveshafts, center, female, 6061-T6 aluminum (blue-anodized)
9723-DKGRY	Body, Ford Bronco, complete, dark gray (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	9752-GRAY	(front & rear) (for use with #9751 metal center driveshafts) Driveshafts, center, female, 6061-T6 aluminum (dark titanium- anodized) (front & rear) (for use with #9751 metal center
	r7		driveshafts)

Page 2	TRX-4M [™] 1/18 Land Rover® Defender® (Model 9)7054-1) Pai	rts List
9752-GRN	Driveshafts, center, female, 6061-T6 aluminum (green- anodized) (front & rear) (for use with #9751 metal center	5038X	Shock oil se & 80 wt prei
	driveshafts)	5038	Spinning ca

9752-GRN	Driveshafts, center, female, 6061-T6 aluminum (green- anodized) (front & rear) (for use with #9751 metal center driveshafts)	5038X 5038	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack
9752-ORNG	Driveshafts, center, female, 6061-T6 aluminum (orange-	5036	
3702-OINING	anodized) (front & rear) (for use with #9751 metal center		Shocks
	driveshafts)	9763-BLUE	Body, GTM shock, 6061-T6 aluminum (blue-anodized)
9752-RED	Driveshafts, center, female, 6061-T6 aluminum (red-anodized)		(includes spring pre-load spacers) (2)
	(front & rear) (for use with #9751 metal center driveshafts)	9763-GRAY	Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized
9751-BLUE	Driveshafts, center, male (steel) (4)/ driveshafts, center,	0762 CDN	(includes spring pre-load spacers) (2)
	female, 6061-T6 aluminum (blue-anodized) (front & rear)/	9763-GRN	Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2)
751-GRAY	1.6x7mm BCS (with threadlock) (4) Driveshafts, center, male (steel) (4)/ driveshafts, center,	9763-ORNG	Body, GTM shock, 6061-T6 aluminum (orange-anodized)
731-GRAT	female, 6061-T6 aluminum (dark titanium-anodized) (front &	0.00 00	(includes spring pre-load spacers) (2)
	rear)/ 1.6x7mm BCS (with threadlock) (4)	9763-RED	Body, GTM shock, 6061-T6 aluminum (red-anodized) (include
9754	Rebuild kit, constant-velocity driveshaft (includes pins for 2		spring pre-load spacers) (2)
	driveshaft assemblies) (for front driveshafts or #9751 metal	9761A	Lower retainer, shock, brass (1 gram each) (4)
	center driveshafts)	9762	Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps)
	Hardware	07604	(renews 2 shocks)
9746	Hardware kit, complete (contains all hardware used on 1/18-scale	9762A	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload space (4)
	TRX-4M™) (includes clear plastic storage container)	9764	Shocks, GTM (assembled w/o springs) (2)
9746X	Hardware kit, stainless steel, complete (contains all stainless	9764-BLUE	Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully
	steel hardware used on 1/18-scale TRX-4M™) (includes body		assembled w/o springs) (4)
	hardware and clear plastic storage container)	9764-GRAY	Shocks, GTM, 6061-T6 aluminum (dark titanium-anodized)
	LED Lights		(fully assembled w/o springs) (4)
9784	LED light set, front & rear, complete (includes light harness,	9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully
	1.6x5mm BCS (self-tapping) (4), zip ties (2)) (fits #9712 body)		assembled w/o springs) (4)
9786	Wire harness, LED lights (front)/ zip ties (2)	9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully
	Motors & Electronics	0704 DED	assembled w/o springs) (4)
9785	ECM-2.5 Electronic Control Module, waterproof (low voltage	9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assembled w/o springs) (4)
9700	detection, fwd/rev/brake)	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9793-BLUE	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-	9759	Spring, shock (GTM) (0.123 rate) (1 pair)
	anodized)	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
9793-GRAY	Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium-		Springs
	anodized)	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
9793-GRN	Heat sink, Titan® 87T motor (6061-T6 aluminum, green- anodized)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9793-ORNG	Heat sink, Titan® 87T motor (6061-T6 aluminum, orange-	9759	Spring, shock (GTM) (0.123 rate) (1 pair)
5750-OIM	anodized)	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
9793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)		Steering Components
9775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)	0700 DI UE	<u> </u>
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9733-BLUE 9733-GRAY	Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right
9740	Servo horn (metal)	9/33-GRA1	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (le & right)
2065T	Servo, sub-micro, waterproof	9733-GRN	Caster blocks, 6061-T6 aluminum (green-anodized) (left &
2065R	Servo, sub-micro, waterproof, metal gear		right)
	Radio System, Batteries & Chargers	9733-ORNG	Caster blocks, 6061-T6 aluminum (orange-anodized) (left &
2821	750mAh 7.4V 2-Cell 20C LiPo Battery		right)
2914	Battery, Power Cell AA Alkaline (4)	9733-RED	Caster blocks, 6061-T6 aluminum (red-anodized) (left & right)
9767	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector	9733	Caster blocks, brass (4 grams each) (left & right)
	only)	9737-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
9785	ECM-2.5 Electronic Control Module, waterproof (low voltage		threadlock) (4)
2064D	detection, fwd/rev/brake)	9737-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized)
2064R 2063A	Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo)		(left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS
2063A 9740	Servo horn (metal)		(with threadlock) (4)
2065T	Servo norn (metal) Servo, sub-micro, waterproof	9737-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left &
2065R	Servo, sub-micro, waterproof, metal gear		right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
	Ready-To-Race Model	0727 ODNO	threadlock) (4)
27054.4	_	9737-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
97054-1	TRX-4M™ Scale and Trail® Crawler with Land Rover® Defender® Rody: 1/18 Scale 4WD Flootric Truck with TO 2 4GHz Padio		threadlock) (4)
	Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System	9737-RED	Steering blocks, 6061-T6 aluminum (red-anodized) (left &
			right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
	Scale Accessories		threadlock) (4)
9796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load	9737	Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm
707	spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)	0722	BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9797 979 <i>5</i>	Trailer wheels (2)/ tires (2)/ mounting hardware	9732	Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)
9795	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)	9748-BLUE	Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mn
			SS (with threadlock) (1)
	Shock Oil	9748-GRAY	Steering link, 6061-T6 aluminum (dark titanium-anodized)/
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)		servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		(1)/ 2.5x7mm SS (with threadlock) (1)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	9748-GRN	Steering link, 6061-T6 aluminum (green-anodized)/ servo horr
5034	Oil, shock (50 wt. 600 cSt. 60cc) (silicone)		metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm

9748-ORNG

Oil, shock (50 wt, 600 cSt, 60cc) (silicone) 5034 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) 5035 5036 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) 5037 5029 Shock oil bottle (60cc) (for mixing shock oil)

Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)

Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/

Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/ pinion gear, 11-tooth

Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion

Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/ 2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/

Transmission, complete (high range (trail) gearing) (16.6:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T

pinion gear, 11-tooth

3x16mm pins (2)

motor)

Output shaft, transmission

9776

9776R

9776X

9747

9747X

9791

9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm	9791R	Transmission, complete (low range (crawl) gearing) (40.3:1 reduction ratio) (assembled with ball bearings) (includes
	SS (with threadlock) (1)		Titan® 87T motor)
9742R	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4))	9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio (assembled with ball bearings) (includes Titan® 87T motor)
	(assembled with hollow balls)		Traxxas Tools
	Suspension Linkage	3433X	Body reamer (aluminum handle)
028	Hollow balls (20)	3433	Body reamer (plastic handle)
028X	Hollow balls, steel (machined) (22)	3436	Cap, body reamer
851	Long arm lift kit, TRX-4M™, complete	3432	Scissors, curved tip
059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory	3431	Scissors, straight tip
749-BLUE	suspension links) Suspension link set, 6061-T6 aluminum (blue-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, include premium handle (medium), travel pouch, hex drivers (straigh 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm)
	links (2), 5x68mm rear lower or upper links (4))		and 8.0mm), 1/4" drive
749-GRAY	• • • • • • • • • • • • • • • • • • • •	8720	Speed bit handle, large (overmolded)
	anodized) (includes 5x53mm front lower links (2), 5x46mm	8721	Speed bit handle, medium (one piece)
740 ODN	front upper links (2), 5x68mm rear lower or upper links (4))	8722	Speed bit handle, premium (rubber overmold)
749-GRN	Suspension link set, 6061-T6 aluminum (green-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straigh 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
749-ORNG	(includes 5x53mm front lower links (2), 5x46mm front upper		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
749-RED	links (2), 5x68mm rear lower or upper links (4)) Suspension link set, 6061-T6 aluminum (red-anodized)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball en
	(includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))		includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
742R	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
749	Suspension link set, steel (includes 4x53mm front lower links (2), 4x46mm front upper links (2), 4x68mm rear lower or upper	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
	Team Traxxas Items	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
F4.4		8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
514 950	Decal sheet, racing sponsors Official Team Traxxas® racing decal set(flag logo/ 6-color)		2.5mm), 1/4" drive
909	Traxxas® racing banner, red & black (3x7 feet)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
774	Tires & Wheels Tires & wheels, assembled (black 1.0" wheels, BFGoodrich®	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
773	Mud-Terrain [™] T/A® KM3 2.2x1.0" tires) (2) Tires & wheels, assembled (black 1.0" wheels, Canyon Trail 2.2x1.0" tires) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
771	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
769	Tires, Canyon Trail 2.2x1.0" (2)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
782	Tires, Mickey Thompson® Baja Pro X® 2.2x1.0" (2)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00
750	Wheel hubs, 7mm hex (4)/ axle pins (8)		Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and
750A	Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)		8mm wrenches/ driver handle)
750X	Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8)		
780	Wheel weights, brass (31 grams each) (2) (requires #9781 series wheels)		
	Wheels, 1.0" (black chrome) (2)		
	Wheels, 1.0" (black chrome) (2)		
768	Wheels, 1.0" (black) (2)		If you have questions or need technical assistance, call Traxxas at:
770 770 CATIN	Wheels, 1.0" (black) (2)		
	Wheels, 1.0" (satin chrome) (2)		1-888-TRAXXAS
768-SATIN 781	Wheels, 1.0" (satin chrome) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (black, beadlock) (2)		(1-888-872-9927) (U.S. residents only)
781-BLKBL	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2)		For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
781-SATIN	chrome, beadlock) (2)		
9745R	Transmission Components Ball bearing set, transmission, black rubber sealed (contains		
7 45K 1776	3x6x2.5mm bearings (6)) Gear set transmission high range (trail) (16.6:1 reduction ratio)/		