

## TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™(Model 92086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axie Components	5180A 5103A	Ball bearings, black rubber sealed (6x13x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2)
3241	Axle housing, front	3103A	
242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		Body (1969 Chevrolet® Blazer)
227	Axle mount set (complete) (front & rear) (for suspension links)	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painti
228	Axle shaft, front (left)/ drive pin/ cross pin		(includes grille, side mirrors, door handles, windshield wi
229	Axle shaft, front (right)/ drive pin/ cross pin	9133	decals, window masks) Body, Chevrolet Blazer (1969) (clear, requires painting)/ de
060	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)	3155	window masks
062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,	9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/ de
	front (machined) (2) (assembled)		window masks (includes grille, side mirrors, door handles
230	Axle shaft, rear (left)		windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders)
231	Axle shaft, rear (right)	9131-BLK	Body, Chevrolet Blazer (1969), complete, black (painted)
063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)	STOT-BER	(includes grille, side mirrors, door handles, windshield wi
061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,		front & rear bumpers, clipless mounting) (requires #8072X
	rear (machined) (2) (assembled)		fenders)
147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	9112X	Body, Chevrolet Blazer (1969), complete, black (painted)
148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm		(includes grille, side mirrors, door handles, windshield wi front & rear bumpers, decals)
	Lift Kit)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2
233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		drill bit (fits #9126 or #9127 front bumpers)
256	Portal drive axle mount, rear (left & right)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
	anodized) (left and right)/ 2.5x16 CS (4)	6593	Distribution block, Pro Scale® Advanced Lighting Control
256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		System
	anodized) (left and right)/ 2.5x16 CS (4)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel c mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
	(left and right)/ 2.5x16 CS (4)	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	•	headlight housing (2)/ headlight lens (2)/ turn signal lens (
253	Portal drive housing, inner, rear (left or right) (2)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 I
251	Portal drive housing, outer (front or rear) (2)		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
064	Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)	8091	Installation kit, Pro Scale® Advanced Lighting Control Sys
257	Portal drive input gear, front/ drive pin/ cross pin		TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, r
259	Portal drive input gear, rear	8090	lights and turn signal harnesses, hardware) LED light set, complete with power supply (contains head
065	Portal drive input gear, rear (machined) (left or right) (requires	8090	tail lights, side marker lights, & distribution block) (fits #9
	#8063 rear axle)		9112 body)
258	Portal drive output gear, front or rear	9116	Marker light housing (4)/ marker light mount (4)/ marker light
252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 B
	(2)/ 3x12 BCS (2)		(self-tapping) (8)
252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (
252G	anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-	6502	#9112 body)
2520	anodized) (2)/ 3x12 BCS (2)	6592	Power module, Pro Scale® Advanced Lighting Control Sys (includes mount, communication cables, hardware)
252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	6591	Pro Scale® Advanced Lighting Control System (includes p
	(2)/ 3x12 BCS (2)		module & distribution block)
253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &
	(2)/ 2.5x10 CS (2)		1972), complete with power module (contains headlights,
253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-		lights, side marker lights, & distribution block) (fits #9111
2520	anodized) (2)/ 2.5x10 CS (2) Bortel bousings, inner (rear), 6061 T6 aluminum (green	6594	9112 body) Receiver communication cable, Pro Scale® Advanced Lig
253G	Portal housings, inner (rear), 6061-T6 aluminum (green- anodized) (2)/ 2.5x10 CS (2)	0394	Control System
253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right
	(2)/ 2.5x10 CS (2)		BCS (self-tapping) (4)
251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/		Body (1972 Chevrolet® Blazer)
	2.5x10 CS (12)	0129	Body cage/ body mounts (front & rear)/ body mount latch (2)/ 3
251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	9128	BCS (15) (fits #9111 or 9112 bodies)
	anodized) (2)/ 2.5x10 CS (12)	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (in
	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	••••	grille, side mirrors, side trim, door handles, windshield wi
251G			
	2.5x10 CS (12)		decals, window masks)
	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	9130	Body, Chevrolet Blazer (1972) (clear, requires painting)/ de
251R	2.5x10 CS (12)	9130	Body, Chevrolet Blazer (1972) (clear, requires painting)/ do window masks (includes grille, side mirrors, door handles
<b>251R</b> 255A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)	9130	Body, Chevrolet Blazer (1972) (clear, requires painting)/ du window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires
<b>251R</b> 255A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2)		Body, Chevrolet Blazer (1972) (clear, requires painting)/ du window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders)
2 <b>51R</b> 255A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	9130 9132	Body, Chevrolet Blazer (1972) (clear, requires painting)/ du window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders) Body, Chevrolet Blazer (1972) (clear, requires painting)/ du
251R 255A 267	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) BRATINGS & BUSINGS		Body, Chevrolet Blazer (1972) (clear, requires painting)/ do window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders) Body, Chevrolet Blazer (1972) (clear, requires painting)/ do window masks (requires #8072X inner fenders)
251R 255A 267 119A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) BCATINGS & BUSINUS Ball bearings, black rubber sealed (10x15x4mm) (2)	9132	Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders) Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (requires #8072X inner fenders) Body, Chevrolet Blazer (1972), complete, blue & white (pai
251R 255A 267 119A 120A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) BCATINUS & BUSINUS Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2)	9132 9130-	Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders) Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (requires #8072X inner fenders) Body, Chevrolet Blazer (1972), complete, blue & white (pai (includes grille, side mirrors, door handles, windshield wij
251R 255A 267 119A 120A 104A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Berarings & BIISTINGS Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2) Ball bearings, black rubber sealed (4x10x4mm) (2)	9132 9130- BLWT	Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders) Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (requires #8072X inner fenders) Body, Chevrolet Blazer (1972), complete, blue & white (pai (includes grille, side mirrors, door handles, windshield wi front & rear bumpers, clipless mounting) (requires #8072X fenders)
251R 255A 267 119A 120A 104A 115A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Bell bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2)	9132 9130- BLWT	Body, Chevrolet Blazer (1972) (clear, requires painting) de window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders) Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (requires #8072X inner fenders) Body, Chevrolet Blazer (1972), complete, blue & white (pai (includes grille, side mirrors, door handles, windshield wij front & rear bumpers, clipless mounting) (requires #8072X fenders) Body, Chevrolet Blazer (1972), complete, blue (painted) (inclu
251G 251R 255A 267 119A 120A 104A 115A 115A 115A 116A 114A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Berarings & BIISTINGS Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2) Ball bearings, black rubber sealed (4x10x4mm) (2)	9132 9130- BLWT	Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (includes grille, side mirrors, door handles windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders) Body, Chevrolet Blazer (1972) (clear, requires painting)/ de window masks (requires #8072X inner fenders) Body, Chevrolet Blazer (1972), complete, blue & white (pai (includes grille, side mirrors, door handles, windshield wij front & rear bumpers, clipless mounting) (requires #8072X

e arranged alp	habetically.
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)
	Body (1969 Chevrolet® Blazer)
9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
	(includes grille, side mirrors, door handles, windshield wipers,
9133	decals, window masks) Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/
5100	window masks
9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/
	window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires
	#8072X inner fenders)
9131-BLK	Body, Chevrolet Blazer (1969), complete, black (painted)
	(includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner
	fenders)
9112X	Body, Chevrolet Blazer (1969), complete, black (painted)
	(includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
	drill bit (fits #9126 or #9127 front bumpers)
9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
9124 9113	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
6593	Decal sheets, Chevrolet Blazer (1969 - 1972) Distribution block, Pro Scale® Advanced Lighting Control
	System
9115	Door handles, left, right, and rear/ retainers (3)/ windshield
	wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
	headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
	hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS (4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
8091	Installation kit, Pro Scale® Advanced Lighting Control System,
	TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
8090	lights and turn signal harnesses, hardware)
0090	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or
	9112 body)
9116	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
	(self-tapping) (8)
9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
6502	#9112 body) Power module, Pro Scale® Advanced Lighting Control System
6592	(includes mount, communication cables, hardware)
6591	Pro Scale® Advanced Lighting Control System (includes power
8090X	module & distribution block) Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &
00907	1972), complete with power module (contains headlights, tail
	lights, side marker lights, & distribution block) (fits #9111 or
6594	9112 body) Receiver communication cable, Pro Scale® Advanced Lighting
0334	Control System
9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
	BCS (self-tapping) (4)
	Body (1972 Chevrolet® Blazer)
9128	Body cage/ body mounts (front & rear)/ body mount latch (2)/ 3x8mm BCS (15) (fits #9111 or 9112 bodies)
9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
	grille, side mirrors, side trim, door handles, windshield wipers,
9130	decals, window masks) Body, Chevrolet Blazer (1972) (clear, requires painting)/ decals/
3130	window masks (includes grille, side mirrors, door handles,
	windshield wipers, clipless mounting, hardware) (requires
9132	#8072X inner fenders) Body, Chevrolet Blazer (1972) (clear, requires painting)/ decals/
3132	window masks (requires #8072X inner fenders)
9130-	Body, Chevrolet Blazer (1972), complete, blue & white (painted)
BLWT	(includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner
	fenders)
9130-BLUE	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes
	grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner fenders)
	$\pi$ $\sigma$ $\pi$ $\sigma$ $\sigma$ $\pi$ $\sigma$

## Page 2 TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92086-4) Parts List

Page 2	TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™
9111X	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear
9130-RED	<b>bumpers, decals)</b> Body, Chevrolet Blazer (1972), complete, red (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner fenders)
9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers)
9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
6593	Distribution block, Pro Scale® Advanced Lighting Control
	System
9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111 body)
8091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse lights and turn signal harnesses, hardware)
8090	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
9116	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-tapping) (8)
9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9111 body)
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System
9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body)
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)
	Body (1979 Chevrolet® Blazer)
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
8131 6593	Decal sheet, Chevrolet Blazer (1979) Distribution block, Pro Scale® Advanced Lighting Control
8132	System Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series
8134	bodies) Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits
8082	#8130 or 9212 series bodies) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount,
8039	reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires #8028
8038	power supply) LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies)
8133X 8133	Mirrors, side (folding) (fits #8130 series bodies) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 series bodies)
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or 9212 series bodies)

6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System		
8135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 series bodies)		
8010X	BOILY [1979] FOITI ( BIONCOR) Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders)		
8078R 6593	Decal sheet, Bronco, red (fits #8010 body) Distribution block, Pro Scale® Advanced Lighting Control System		
8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies)		
8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies)		
8032	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware)		
8036	LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 body, requires #8028 power		
8035	supply) LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 bodv)		
8037 8073	LED lights, high/low switch (for #8035 or #8036 LED light kits) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)		
8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)		
6592	Power module, Pro Scale® Advanced Lighting Control System		
6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block)		
8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F- 150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies)		
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System		
8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies)		
8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware		
8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 series bodies)		
8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series bodies)		
	Body (Mercedes-Benz® G 500®)		
8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/ window masks (includes rear body post, grille, side mirrors, door handles, windshield wipers)		
8812	Decals, Mercedes-Benz® G 500®		
6593	Distribution block, Pro Scale® Advanced Lighting Control System		
8813X	Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens, headlight (2 ea)/reflector (2)/bumperette & mounts, front (2 ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825 body)		
8893	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light, & fog light harnesses, hardware)		
8899	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power supply)		
8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 body)		
8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS		
6592	(self-tapping) (3) Power module, Pro Scale® Advanced Lighting Control System		
6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block)		
8898X	module & distribution block) Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body)		

Page 3	TRX-4® 1972 Chevrolet® Blazer® High	Trail Edition™: TQi™ Traxxas Link <sup>™</sup>	™ Enabled 2.4GHz Radio (Model 92086-4) Parts List
--------	-------------------------------------	--	---

Page 3	TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™	' Tra
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	80
8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)	80
8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)	92
8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)	99
	Body (Tactical Unit)	
8211X	Body, Tactical Unit, night camo (painted)/ decals	82
8019	Fender brace, inner, front & rear	82
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 series bodies)	80 80
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)	82
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	81
8021	#8011 series bodies) Spare tire mount/ mounting bracket/ screw pins (2)	<b>81</b> 91
	Body (TRX-4® Sport)	31
8112	Body with camper, TRX-4® Sport (clear, trimmed, requires	82
	painting)/window masks/ decal sheet	82 81
8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,	81
8111	requires painting)/ window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, requires painting)/ window	91
	masks/ decal sheet	<b>81</b> 82
8113 6593	Decal Sheet, TRX-4® Sport Distribution block Bro Scale® Advanced Lighting Control	02
0293	Distribution block, Pro Scale® Advanced Lighting Control System	0.0
8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits	83 82
8120	#8111 or #8111R body) Expedition rack/ mounting hardware (fits #8111 or #8111R body)	82
8422	Fire extinguisher, red (2)	80
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6)	00
8083	(fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System,	~~
	TRX-4® Sport (includes mount, rear lens, reverse lights and turn	80
0000	signal harnesses, hardware)	
8086	LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)	82
8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires	80
8088	#8028 power supply) LED light bar, front bumper (fits #8124 front bumper, requires	80
8087	#8028 power supply) LED light bar, roof lights (fits #8111 body, requires #8028 power	80
8085	supply) LED light set, complete with power supply (contains headlights,	
	tail lights, & distribution block) (fits #8111 or #8112 body)	80
8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)	
6592	Power module, Pro Scale® Advanced Lighting Control System	80
	(includes mount, communication cables, hardware)	82
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	82
8085X	Pro Scale® LED light set, TRX-4® Sport, complete with power	82
	module (contains headlights, tail lights, & distribution block) (fits	82
6594	#8111 or #8112 body) Receiver communication cable, Pro Scale® Advanced Lighting	~~
	Control System	82 82
8122 8118	Shovel/ axe/ accessory mount/ mounting hardware Spare tire mount/ mounting hardware	82
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens	82
	(2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	
8121X 8121G	Traction boards, blue/ mounting hardware Traction boards, green/ mounting hardware	82
8121G	Traction boards, yellow/ mounting hardware	<b>82</b> 82
8121	Traction boards/ mounting hardware	82
	Body Accessories	82
1926	Antenna caps, vinyl (2)/ antenna spool	81
1726 1834	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size)	82
1834A	Body clips, black (12) (standard size)	00
3934	Body clips, heavy duty (12)	82
3934A	Body clips, heavy duty (black) (12)	
8215 8115	Body mounts & posts, front & rear (complete set) Body posts, front & rear	82 82
4915	Body washers, foam adhesive (10)	82
2514	Decal sheet, racing sponsors	
8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)	82
		82

8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
8072	(10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery
0072	plate/ 3x8 flathead screws (4)
9288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock
	light covers (8)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
	Bumpers & Skidplates
8234	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)
8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
8067	Bumper mounts, front & rear
<b>8067X</b> 8237	Bumper mounts, front & rear/ bumper mount, rear (offset) Bumper mounts, front & rear/ screw pins (4)
8237 8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens
	mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
8235	Bumper, front/ winch/ 2.6x8 BCS (1)
8236	Bumper, rear
8125 8136	Bumper, rear (176mm wide) Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8138	Push bar, bumper, chrome (assembled) (fits #8137 bumper)
8238	Skidplate/ lower gear cover
	Chassis & Attachments
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm
	wheelbase)
8215	Body mounts & posts, front & rear (complete set)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
0050	BCS (5)/ 2.5x8 CS (2)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
	(includes rear upper & lower suspension links, front & rear
8220	shock towers, long female half shaft)
8081	Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080
	narrow inner fenders)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
8080X	(10) Fenders, inner (narrow), front & rear (2 each)/ rock light covers
000070	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
	(10) (for clipless body mounting)
8072X	Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/
8072	battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery
5012	plate/ 3x8 flathead screws (4)
8218	Floor pans, left & right
8224X	Receiver box cover (for use only with #8224 receiver box &
0010	#2260 BEC)/ foam pads/ seals/ silicone grease
8219 <b>8225</b>	Rock sliders, left & right Seal kit, receiver box (includes o-ring, seals, and silicone
5225	grease)
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8239	Servo mount, steering/ chassis crossmember
8216	Shock towers, front & rear (left & right)
8226	Tray, battery
	Differential Components
8281	Carrier, differential/ differential slider/ T-Lock fork
8280A	Differential cover, front or rear (black)
8280X	Differential cover, front or rear (chrome plated)
8280 8280R	Differential cover, front or rear (grey) Differential cover, front or rear (red)
8195	Differential, locking, front and rear (assembled) (includes T-Lock
2.00	cables and servos)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear
0005	shaft (2)) Outent drive terrenzierien en differentiel (ein esteinen (1)) drive eur
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
	(1) 3x6 BCS with threadlock (1))
8279	Ring gear, differential/ pinion gear, differential

8279 Ring gear, differential/ pinion gear, differential

- 8279R
   Ring gear, differential/pinion gear, differential (machined)

   8287
   Ring gear, differential/pinion gear, differential (overdrive, machined)
- 8288 Ring gear, differential/ pinion gear, differential (underdrive, machined)
- 8297 Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4)

I ugo 4	
	Driveline Components
8150	Driveshaft extension kit, center (includes internal splined, x-long (2),
	internal splined, long (1) and internal splined, medium (1)) (for use
8250	with TRX-4® Long Arm Lift Kit) Half shafts, center (internal splined, front (2) & internal splined, rear
0200	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8255A	Stub axle, extended thread (portal drive) (2)
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
	anodized) (4)/ 3x10 screw pin (4)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
8269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
020010	3x10 screw pin (4)
	Hardware
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
1834	Body Clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
3934	Body clips, heavy duty (12)
3934A	Body clips, heavy duty (black) (12)
4859 <b>8167X</b>	CS 3x10 flathead (hex drive) Hardware kit, stainless steel, beadlock rings (contains stainless
UIUIA	steel hardware for 4 wheels)
8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel
0454	hardware used on TRX-4®)
8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T 1747A	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8221	Screw pin, 3x10mm (6)
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)
2618 3215	Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)
2524	Screws, 2.5x8 countersunk machine (hex drive) (6)
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)
2577 2578	Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6)
2578	Screws, 3x15mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2616	Screws, 3x27mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
	LED Light Accessories
8031	3-in-1 wire harness, LED light kit
8089	4-in-2 wire harness, LED light kit
6589	Distribution block, LED light set
6593	Distribution block, Pro Scale® Advanced Lighting Control
0004	System
8091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
	lights and turn signal harnesses, hardware)
8082	Installation kit, Pro Scale® Advanced Lighting Control System,
	TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount,
	reverse lights harness, hardware)
8090	LED light set, complete with power supply (contains headlights,
	tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire
	harness

026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)
592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or
594	9112 body) Receiver communication cable, Pro Scale® Advanced Lighting Control System
	Long Arm Lift Kit
162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit)
162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)
162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)
147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)
150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)
140 <b>140X</b>	Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder
	coated links, blue-anodized shocks)
140R	Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)
149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)
141 161	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with
160X	Shocks, GTS, aluminum (blue-anodized) (assembled without
	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
160R	Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)
154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)
155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-48 Long Arm Lift Kit)
156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)
157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
146X	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow
146R	balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
144X	Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
144R	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
144	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with
143	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower (2) (5x104mm, steel) (assembled with
143X	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
143R	Long Arm Lift Kit) Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
145R	Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
142	Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)

Page 5	TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™
8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)
8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle)
8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)
8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
8180	Wheels, TRX-4® Sport 2.2 (2)
	Motors & Electronics
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
2064A	Gear set (for 2065A waterproof sub-micro servo)
<b>2064R</b> 2072X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)
2072A 2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8290G 8290R	Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)
3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
8290	Plate, motor/ upper spur gear cover
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
2271	2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
2063X	servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
5669	<b>servo)</b> Servo horn (with built-in spring and hardware) (for Summit locking differential)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn
2255	recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball
2200	bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2065A	Servo, sub-micro, waterproof
2065R 3025	Servo, sub-micro, waterproof, metal gear XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
	detection, fwd/rev/brake)
2261	Y-harness, BEC Pro Scale® Winch & Accessories
9967	Bumper, front, winch, medium (includes bumper mount, D-
8867	Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979 Blazer with 8855 winch) (217mm wide)
8859	Fairlead, winch
8870X	Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8870G	Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8870T	Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front
0000	bumpers #8865, 8866, 8867, 8869, or 9224)
8862 8863	Gearmotor, winch Hook, winch (steel)/ line retainer/ washer
8858	Housings (front & rear), winch/ decal
8864X	Line, winch (blue)

8864X	Line,	winch	(blue)

8864	Line, winch (gray)		
8864R	Line, winch (red)		
8860	Spool shaft assembly, winch		
8861	Spool, winch		
8855	Winch kit with wireless controller, TRX-4® and TRX-6®		
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)		
8857	Wireless remote, winch, TRX-4® and TRX-6®		
	Radio System, Batteries & Chargers		
2823X	1400mah 11.1v 3-Cell 25C LiPo Battery		
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery		
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery		
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery		
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery		
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery		
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery		
2914	AA 4PK		
2976	AC to DC adapter		
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®		
	batteries to separate balance ports)		
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		
2943	Battery charge indicators, green (4), grey (4), blue (4)		
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517		
0010	transmitter)		
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell		
	LiPo batteries)		
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)		
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)		
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)		
2983	Battery/charger completer pack (includes #2969 2-amp NiMH		
2000	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH		
	iD® battery (1))		
2992	Battery/charger completer pack (includes #2970 iD® charger (1),		
2002	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))		
2994	Battery/charger completer pack (includes #2970 iD® charger (1),		
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))		
2991	Battery/charger completer pack (includes #2972 Dual iD charger		
	(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))		
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)		
	(includes receiver box cover and seals)		
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)		
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery		
	Identification		
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto		
	Battery Identification		
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery		
	Identification		
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery		
	Identification		
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto		
	Battery Identification		
6525	Communication link, telemetry expander		
6512	Cover plate, Traxxas® Link Bluetooth® module		
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)		
2064A	Gear set (for 2065A waterproof sub-micro servo)		
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)		
2072X	Gear set, metal (for 2070, 2075 servos)		
2252	Gear set, metal (for 2250, 2255 servos)		
2272	Gear set, metal (for 2270 waterproof servo)		
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)		
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for		
	Traxxas® iD® batteries)		
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for		
	Traxxas® iD® batteries)		
6561	Mount, telemetry expander		
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal		
	pad		
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)		
6552	Seal kit, expander box (includes o-ring, seals, and silicone		
	grease)		
6526	Sensor, auto-detectable, temperature		
6527	Sensor, auto-detectable, voltage		
6521	Sensor, temperature and voltage (long)		
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)		
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)		
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for		
	2250, 2255 servos)		
2271	Servo case/ gaskets (for 2270 waterproof servo)		
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)		
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro		
	servo)		

Page 6 TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92086-4) Parts List

Page 6	TRX-4® 1972 Chevrolet® Blazer® High Trail Edition'": TQI'	" Traxxa
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)	8260R 8260
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	
	waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)	8292
2255	Servo, digital high-torque 400 brushless, metal gear (ball	8286
1100	bearing), waterproof (#2262 external BEC and #8247X metal	8254
	servo horn recommended for optimal performance)	
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8249
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	
2065A	Servo, sub-micro, waterproof	8040
2065R 6553X	Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	8042
6550X	Telemetry expander 2.0, TQi radio system (for use only with	8043
00007	#6551X GPS module)	8044
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)	8045
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	6746
05070	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	6747
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro	3942X
	receiver)	20422
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-	3943X
0544	channel (transmitter only)	3944X
6511 2261	Traxxas® Link Bluetooth® module Y-harness, BEC	
2201		3945X
	Ready-To-Race Model	3946X
92086-4		33407
	Scale Details	3947X
8120X	Expedition rack, complete (includes traction boards, shovel, axe,	
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits	3948X
8022T	#8111 or #8111R body) Fuel canisters (black) (2)/ screw pin	3949X
8022R	Fuel canisters (blue) (2)/ screw pin	
8022	Fuel canisters (red) (2)/ screw pin	3950X
8022X	Fuel canisters (white) (2)/ screw pin	
8022A	Fuel canisters (yellow) (2)/ screw pin	3951X
8023	Jack (1)/ 2x8 BCS (1)	3952X
8023T	Jack (black) (1)/ 2x8 BCS (1)	3952A
8122 8121X	Shovel/ axe/ accessory mount/ mounting hardware	6745
8121A 8121G	Traction boards, blue/ mounting hardware Traction boards, green/ mounting hardware	8052
81210 8121A	Traction boards, green mounting hardware	8053
8121	Traction boards/ mounting hardware	
	Shock Oil	8232
5024		8232X
5031 5032	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	8232A
5032	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	8232G
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	8232R
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	2072X
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	2072R 8274
5029	Shock oil bottle (60cc) (for mixing shock oil)	5355
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	0000
5038	80 wt premium shock oils with spinning carousel rack) Spinning carousel rack	8275
5036		
	Shocks (GTS)	8276
8266A	Body, GTS shock (aluminum, blue-anodized) (1)	8277
8266G	Body, GTS shock (aluminum, green-anodized) (1)	2742
8266R	Body, GTS shock (aluminum, red-anodized) (1)	8278 8247X
8266 8266X	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)	2075R
8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/	2250
0204	bottom cap (2)/ upper retainer (2)/ lower retainer (2))	
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	2255
5475	Multi-tool (plastic)	00751
8261	Piston, damper (red) (4)/ e-clips (8)	2075X
8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e	5529
8262	clips, rod ends, and travel limiters)	8246
8263 8263T	Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8243
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8244
	TiN shafts (assembled with spring retainers) (2)	8245
	The sharts (assembled with spring retainers) (2)	
8260A	Shocks, GTS, blue-anodized (assembled with spring retainers)	
8260A 8260G		8058

8260R	Shocks, GTS, red-anodized (assembled with spring retainers) (2)
8260	Shocks, GTS, silver aluminum (assembled with spring retainers)
	(2)
	Slipper Clutch Components
8292	Input shaft/ output shaft (transmission)
8286	Output shafts (transfer case), front & rear
8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL
	(1)/ spring washers (2))
8249	Slipper eliminator plate
	Springs
8040	Springs, shock (GTS) (rear) (0.54 rate) (2)
8042	
	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
	Spur Gears & Pinion Gears
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)
55427	(fits 3mm shaft)/ set screw
3943X	
33437	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3944X	
3344A	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)
33437	
20467	(fits 3mm shaft)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)
2047	(fits 3mm shaft)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)
00407	(fits 3mm shaft)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)
0040¥	(fits 3mm shaft)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)
0050V	(fits 3mm shaft)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)
	(fits 3mm shaft)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)
0050V	(fits 3mm shaft)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)
	(fits 3mm shaft)/ set screw
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
8052	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch)
	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch)
8052	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch)
<b>8052</b> 8053	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) SIGATING COMMONTANTS
8052 8053 8232	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Sigering Commonwealth Caster blocks (portal drive), left & right
8052 8053 8232 8232	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signating Commonstant Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
8052 8053 8232	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signating Common Signation Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left
8052 8053 8232 8232X 8232X 8232A	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Steer blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right
8052 8053 8232 8232X 8232X 8232A 8232G	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) <b>Steer Pining Common Pinis</b> Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right
8052 8053 8232 8232X 8232A 8232A 8232G 8232R	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) <b>Steer Pining Commonstant</b> Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right
8052 8053 8232 8232X 8232A 8232A 8232G 8232R 2072X	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gaster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos)
8052 8053 8232 8232X 8232A 8232A 8232G 8232R 2072X 2072R	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Set and the set of the state
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Step 2010 (Step 2010) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
8052 8053 8232 8232X 8232A 8232A 8232G 8232R 2072X 2072R	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signature (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
8052 8053 8232 8232X 8232A 8232G 8232R 2072R 8274 5355	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signal Sector (S2-pitch) Sector (S2-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Siteating Constraints Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset
8052 8053 8232 8232X 8232A 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 82325 8275	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Siter blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8052 8053 8232 8232X 8232A 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232 8275 8276	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Stear blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10)
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8275 8276 8277	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Step 2010 (Step 2010) Step 2010 (Step 2010) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8)
8052 8053 8232 8232X 8232A 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232 8275 8276	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Stear blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8275 8276 8277	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Step 2010 (Step 2010) Step 2010 (Step 2010) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8)
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072X 2072R 8274 5355 8275 8276 8277 2742 8278	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Steel 100 (32-pitch) Steel 100 (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072X 2072R 8274 5355 8275 8275 8276 8277 2742	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Stear blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)
8052 8053 8232 8232X 8232A 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232 8274 5355 8275 8276 8277 8274 8278 8278 8278 8278	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Siter blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTF-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof
8052 8053 8232 8232X 8232A 8232G 8232R 2072R 8274 5355 8275 8275 8275 8276 8277 2742 8278 8247X	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) SiteATIIL9 Configuration Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing),
8052 8053 8232 8232X 8232A 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232G 8232 8274 5355 8275 8276 8277 8274 8278 8278 8278 8278	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Siter blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTF-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8275 8275 8276 8277 2742 8278 8247X 2075R 22075R 2250	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Stear blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo hom, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8275 8275 8276 8277 2742 8278 8247X 2075R 22075R 2250	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Steel 100 (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8276 8277 2742 8278 8277 8274 8278 8277 8276 8277 8276 8277 8276 8277 8276 8277 8276 8275 8276 8275 8276 8275 8275 8275 8275 8275 8275 8275 8275	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) SiteATILL Common Com
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8276 8277 2742 8278 8277 8274 8278 8277 8276 8277 8276 8277 8276 8277 8276 8277 8276 8275 8276 8275 8276 8275 8275 8275 8275 8275 8275 8275 8275	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Siter blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8275 8275 8275 8275 8277 2742 2075R 2275 8247X 2075R 2250 2255 2075X 5529	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Stear blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
8052 8053 8232 8232X 8232A 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8275 8275 8275 8275 8277 2742 8278 8247X 2075R 2255 2075X 5529 8246	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Stear blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
8052 8053 8232 8232X 8232A 8232A 8232A 8232R 2072X 2072R 8274 5355 8275 8275 8275 8275 8276 8277 2742 8278 8247X 2075R 2250 2255 2075X 5529 8246 8243	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Steer blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)
8052 8053 8232 8232X 8232A 8232A 8232R 2072X 2072R 8274 5355 8275 8275 8275 8276 8277 2742 8278 8247X 2075R 2250 2255 2075X 5529 8246 8243 8244	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Siger blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)
8052 8053 8232 8232X 8232A 8232A 8232R 2072X 2072R 8274 5355 8275 8275 8275 8276 8277 2742 8278 8247X 2075R 2250 2255 2075X 5529 8246 8243 8244	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) SiteATILL9 CONTINICIALS Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2)
8052 8053 8232 8232X 8232A 8232A 8232R 2072X 2072R 8274 5355 8275 8275 8275 8276 8277 2742 8278 8247X 2075R 2250 2255 2075X 5529 8246 8243 8244	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) SIGATILL Common C
8052 8053 8232 8232X 8232A 8232G 8232R 2072X 2072R 8274 5355 8275 8275 8276 8277 2742 8278 8247X 2075R 2275 8247X 2075R 2255	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) SIGATILL Common C
8052 8053 8232 8232X 8232A 8232A 8232A 8232A 8232R 2072X 2072R 8274 5355 8275 8275 8275 8275 8276 8277 2742 8278 8247 2075R 2250 2075R 2255 2075X 5529 8246 8243 8244 8243 8244 8245	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) SiteATILL9 CONTINICIALS Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2)
8052 8053 8232 8232X 8232A 8232A 8232A 8232A 8232R 2072X 2072R 8274 5355 8275 8275 8275 8275 8276 8277 2742 8278 8247 2075R 2250 2075R 2255 2075X 5529 8246 8243 8244 8243 8244 8245	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) SiteAffill Colling Colling Colling Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTE-coated) Hollow ball set, complete, TRX-4@ (aluminum, PTE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3X7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, trax-4@ (long to short wheelbase)

Shocks, GTS, red-anodized (assembled with spring retainers) (2)

Page 7	TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™	™ Traxxas	Link™ Enabled 2.4GHz Radio (Model 92086-4) Parts List
8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
	shock towers, long female half shaft)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		anodized) (4)/ 3x10 screw pin (4)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)
8276	Rod ends (10)	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)	8165	#8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8278	Rod ends, offset (4)	0100	#8255A extended thread stub axle)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black
	captured (4)	8173A	chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal
8243 8244	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2)	01/JA	gray, beadlock) (beadlock rings sold separately)
8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	04744	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
	<b>Team Traxxas Items</b>	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
2514	Decal sheet, racing sponsors	8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)		Kit)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	8271	Wheels, TRX-4® 1.9 (2)
9909	Traxxas® racing banner, red & black (3x7 feet)	8271X 8178	Wheels, TRX-4® 1.9 (satin beadlock) (2) Wheels, TRX-4® Sport 1.9 (2)
	Tires & Wheels	8268	Wheels, TRX-4® Tactical 1.9 (2)
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)		Transmission Components
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	0000	
8169X 8168X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	8283 8284	Cable, T-lock (front) Cable, T-lock (rear)
8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (40) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)	8195	Differential, locking, front and rear (assembled) (includes T-Lock
8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)		cables and servos)
8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)	8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	8291	output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover)
8168 8164	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	8285	Gears, transfer case (3)
0104	extended thread stub axle)	5041	Grease, premium high performance (20cc)
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	8292	Input shaft/ output shaft (transmission)
	extended thread stub axle)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8164X	Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A	8290A 8290G	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)
1747P	extended stub axle) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	8290G 8290R	Motor mount plate, 6061-16 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)		(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	0004	(1) 3x6 BCS with threadlock (1))
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8294 8286	Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear
8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,	8290	Plate, motor/ upper spur gear cover
	foam inserts) (1 left, 1 right)	8249	Slipper eliminator plate
8182	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	8296	Transmission gears, single speed, metal
	1.9" satin black chrome, blue beadlock style wheels, Canyon	8196	Two speed conversion kit
8166	Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon		Traxxas Tools
	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	3433X	Body reamer (aluminum handle)
	#8255A extended thread stub axle)	3433	Body reamer (plastic handle)
8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	3436	Cap, body reamer
	#8255A extended thread stub axle)	3432 3431	Scissors, curved tip Scissors, straight tip
8166X	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires		premium handle (medium), travel pouch, hex drivers (straight:
0402V	#8255A extended thread stub axle)		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
8183X	Tires & wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet	8720	and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
	(requires #8255A extended thread stub axle)	8721	Speed bit handle, medium (one piece)
8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels,	8722	Speed bit handle, premium (rubber overmold)
	Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2),	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
8273	rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon		premium handle (medium), travel pouch, hex drivers (straight:
02.0	Trail 4.6x1.9" tires) (2)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock		8.0mm), 1/4" drive
0070	wheels, Canyon Trail 4.6x1.9" tires) (2)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)		includes premium handle (medium), travel pouch, hex drivers
8179	Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels,		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
	Canyon Trail 4.6x1.9" tires) (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
8172	Tires and wheels, assembled (Method 105 2.2™ black chrome		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
	beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)	9746	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2 piece ball and (2.0mm, 2.5mm), 1/4"
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels,	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
	Canyon Trail 5.3x2.2 <sup>™</sup> tires) (2) (for use with TRX-4 Long Arm	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
0470			3.0mm) 1/4" drive
8170 8269	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
0203	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)		

8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)

8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
8269A	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
8269G	anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
8269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
8175	3x10 screw pin (4) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8165	#8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8173	#8255A extended thread stub axle) Wheels, 1.9", Method Race Wheels® 105 Beadlock (black
8173A	chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal
8171	gray, beadlock) (beadlock rings sold separately) Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
8171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock) (beadlock
8180	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit)
8271	Wheels, TRX-4® 1.9 (2)
8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8178	Wheels, TRX-4® Sport 1.9 (2)
8268	Wheels, TRX-4® Tactical 1.9 (2)
	Transmission Components
8283	Cable, T-lock (front)
8284	Cable, T-lock (rear)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)
8290G	
8200D	Motor mount plate 6061 T6 aluminum (red apodized)
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
<b>8290R</b> 8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8295 8294	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear
8295 8294 8286	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal)
8295 8294 8286 8290	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover
8295 8294 8286 8290 <b>8249</b>	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate
8295 8294 8286 8290 8249 8296	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit
8295 8294 8286 8290 8249 8249 8296 8196	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit
8295 8294 8286 8290 8249 8296	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit
8295 8294 8286 8290 8299 8296 8196 3433X	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit Transfer Stools Body reamer (aluminum handle)
8295 8294 8286 8290 8249 8296 8196 3433X 3433 3436 3432	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit TRAXXAS TOOLS Body reamer (aluminum handle) Body reamer (plastic handle)
8295 8294 8286 8290 8249 8296 8196 3433X 3433 3436 3433 3436 3432 3431	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit Transmission gears, single speed, metal Two speed conversion kit Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip
8295 8294 8286 8290 8249 8296 8196 3433X 3433 3436 3432	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>If(a):(AS TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
8295 8294 8286 8290 8249 8296 8196 3433X 3433 3436 3433 3436 3432 3431	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Transtitute</b> <b>Slipper</b> <b>e</b> <b>solissors</b> , curved tip <b>solissors</b> , straight tip <b>Speed</b> Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
8295 8294 8286 8290 8249 8296 8196 3433X 3433 3436 3433 3436 3432 3431	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>ITAXKAS TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
8295 8294 8286 8290 8299 8296 8196 3433X 3433 3436 3432 3431 8712	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>ITEXXES TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8295 8294 8286 8290 8249 8296 8196 3433X 3433 3436 3432 3431 8712 8720	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>TraNWAS TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
8295 8294 8286 8290 8296 8196 3433X 3433 3433 3436 3432 3431 8712	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>If(a):(AS TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)
8295 8294 8286 8290 8249 8296 8196 3433X 3433 3436 3432 3431 8712 8720	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>TraNWAS TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
8295 8294 8286 8290 8296 8196 3433X 3433 3436 3432 3431 8712 8720 8721 8722	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>Transmission gears, single speed, metal</b> Two speed conversion kit <b>Transmission gears, single speed, metal</b> Two speed conversion kit <b>Transmission gears, single speed, metal</b> Sody reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold)
8295 8294 8286 8290 8296 8196 3433X 3433 3436 3432 3431 8712 8720 8721 8722	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>Tranwission gears</b> , single speed, metal Two speed conversion kit <b>Solution</b> Solution (plastic handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes
8295 8294 8286 8290 8296 8196 3433X 3433 3436 3432 3431 8712 8720 8721 8722	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>IT20X/28 TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
8295 8294 8286 8290 8296 8196 3433X 3433 3436 3432 3431 8712 8720 8721 8722	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>Tranwission gears</b> , single speed, metal Two speed conversion kit Soldy reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8295 8294 8286 8290 8296 8196 3433X 3433 3436 3432 3431 8712 8720 8721 8722 8720	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>ITAXMAS TODIS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit handle, large (overmolded) Speed Bit handle, neetium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, a.0mm), 1/4" drive
8295 8294 8286 8290 8296 8196 3433X 3433 3436 3432 3431 8712 8720 8721 8722 8720	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>IFAWAS TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, arge (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
8295 8294 8286 8290 8296 8196 3433X 3433 3433 3433 3433 3433 3433 34	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>If (1): (1): (1): (1): (1): (1): (1): (1):</b>
8295 8294 8286 8290 8296 8196 3433X 3433 3436 3432 3431 8712 8720 8721 8722 8720	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>Transmission gears, single speed, metal</b> Two speed conversion kit Soldy reamer (plastic handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium
8295 8294 8286 8290 8296 8196 3433X 3433 3433 3433 3433 3433 3433 34	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>Transtitute for the set of </b>
8295 8294 8286 8290 8296 8196 3433X 3433 3433 3431 8712 8720 8721 8722 8710 8721 8722 8710	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>ITAXKAS TOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, a.0mm), 1/4" drive Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8295 8294 8286 8290 8296 8196 3433X 3433 3433 3433 3433 3433 3433 34	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>Transtitute for the set of </b>
8295 8294 8286 8290 8296 8196 3433X 3433 3433 3431 8712 8720 8721 8722 8710 8721 8722 8710	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>If (2).V(AS DOOLS</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, arge (overmolded) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, a.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 8.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 3.0mm), 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
8295 8294 8286 8290 8296 8196 3433X 3433 3433 3433 3433 3433 8712 8720 8721 8722 8710 8721 8722 8710 8711 8719 8716 8716 8716X	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>Transtitute for the set of the state s</b>
8295 8294 8286 8290 8296 8196 3433X 3433 3433 3433 3432 3431 8712 8720 8721 8722 8710 8711 8719 8716	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit <b>If(2):(15) F001S</b> Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

## Page 8 TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92086-4) Parts List

8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
	<b>TRX-4® Traxx®</b>
8889	Bearing retainers, inner (2)/ outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)
8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8880	Traxx®, TRX-4® (4) (complete set, front & rear)

- 8895 Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
- 8896 Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM