



## Grower Feed



### DECLARATION

	<b>3 mm</b>	<b>4.5 mm</b>	<b>6 mm</b>
Crude protein (%)	37	37	37
Crude fat (%)	12	12	12
NFE (%)	32,5	32,5	32,5
Ash (%)	7	7	7
Fibre (%)	3,5	3,5	3,5
P (%)	1	1	1
Gross energy (MJ)	19,6	19,6	19,6
Digestible energy (MJ)	16	16	16

### RECOMMENDED USE

ALLER PRIMO has been developed for medium- to high intensive farming of fish in warm water, where the feed is widely applicable. Easily accessible nutrients ensure the feeds performance and the growth of the fish. ALLER PRIMO is available both as floating and sinking feed.

### COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, corn gluten, DDGS, feather meal, fish meal, poultry meal, rapeseed, rapeseed oil, soya, soya protein concentrate, sunflower protein conc., triticale, vitamins, minerals and premix, wheat.

### RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

Fish (g)	MM	Water temperature (°C)								
		12	14	16	18	20	22	24	26	28
50-100	3	0,78	1,3	2,08	3,12	3,9	4,68	5,2	4,68	4,16
100-300	4,5	0,62	1,04	1,66	2,5	3,12	3,75	4,16	3,75	3,33
300-750	6	0,5	0,83	1,33	2	2,5	3	3,33	3	2,66
750-1500	6	0,4	0,67	1,07	1,6	2	2,4	2,66	2,4	2,13
>1500	6	0,32	0,53	0,85	1,28	1,6	1,92	2,13	1,92	1,7

### ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

	<b>3 mm</b>			<b>4.5 mm</b>			<b>6 mm</b>		
Feed conversion	1	1,1	1,2	1,1	1,2	1,3	1,2	1,3	1,4
N in faeces (kg)	0,47	0,52	0,57	0,52	0,57	0,62	0,57	0,62	0,66
N in water (kg)	2,7	3,24	3,79	3,24	3,79	4,33	3,79	4,33	4,87
P in faeces (kg)	0,3	0,33	0,36	0,33	0,36	0,39	0,36	0,39	0,42
P in water (kg)	0,27	0,34	0,41	0,34	0,41	0,48	0,41	0,48	0,55