

SEADEC

SEADEC DOORS bring warmth, style and prestige to your home and have been the chosen brand for designers, architects and homeowners for many years. Our bespoke range of doors and finishes have been specially selected for the Irish market covering modern, contemporary and traditional styles. Our large selection of doors are available in eight standard sizes which makes choosing a door that's right for your project easy. We also stock an extended range of metric sizes for Fire Doors. Our range of door frames, skirting and architrave are designed to complement each collection for a flawless designer look.

We are committed to sourcing all our doors and mouldings from well managed and sustainable sources. Our company has achieved both FSC® and PEFC Chain of Custody certification and all doors are made to the highest industry standards using quality materials that stand the test of time. We are an Irish owned company and our products are available nationwide from all leading builders providers, DIY, and door specialists.










05	WHITE PRIMED DOORS
17	WHITE PRIMED GLASS OPTIONS
19	WHITE PRIMED DESIGN
21	WHITE PRIMED DESIGN GLASS
23	EXCLUSIVE GREY RANGE
27	OAK DOORS
35	OAK GLASS OPTIONS
37	WALNUT DOORS
41	WALNUT GLASS OPTIONS
43	RED PINE DOORS
47	RED PINE GLASS OPTIONS
49	REGENCY DOORS
53	SEADEC FIRE DOORS
59	IRAMDE FIRE DOORS
63	WHITE PRIMED MOULDINGS
67	OAK & WALNUT MOULDINGS
71	DOOR SIZES & SPECIFICATIONS
72	CARE AND INSTALLATION GUIDE
73	HOW TO FINISH A WHITE PRIMED DOOR

WHITE PRIMED DORS

WHITE PRIMED DOORS allow you create a relaxing and classical finish to your home. These doors have laminated solid timber stiles for stability and MDF cover panels for a smooth consistent finish. The white primed finish provides a good base for finishing coats. White primed engineered doors achieve a smoother finish than traditional timber doors and eliminate the transfer of wood grain.








ARIZONA WHITE 9 PANEL PRE-GLAZED FLAT CLEAR GLASS




CAMBRIDGE WHITE 4 PANEL



OXFORD WHITE TOP 2 PANEL UNGLAZED




NEVADA WHITESHEETED



NEVADA WHITE FROSTED PRINTED GLASS WITH VERTICAL CLEAR LINES











KINGSCOURT WHITE 4 PANEL



WATERFORD WHITE TOP 2 PANEL UNGLAZED



SOMERSET
PRINTED FROSTED GLASS
WITH ROMM CLEAR



SUSSEX 5 PLANK COTTAGE








The **Bollection Raised Mould** adds
a touch of **class**and **elegance...**



KINGSTON BOLECTION 2 PANEL RAISED



ALBANY BOLECTION 2 PANEL GLAZED



ASHFORD4P RAISED BOLECTION



AVOCA
4P RAISED BOLECTION
UNGLAZED









TRENTON WHITE 1 PANEL SHAKER STEPPED



MADISON WHITE1 PANEL SHAKER STEPPED



HAMPTON WHITE
1 PANEL SHAKER



CHESHIRE WHITE

1 PANEL SHAKER PRE-GLAZED



1 PANEL SHAKER PRE-GLAZED FROSTED WITH 30MM CLEAR BORDER









AUGUSTA WHITE 4 PANEL SHAKER

COLUMBUS WHITE 4 PANEL GLAZED



42 MM



1P SHAKER DOUBLE HIP

1P SHAKER DOUBLE HIP GROOVED CURVED
GLAZED

LISMOREGROOVED CURVED
GLAZED



WHITE PRIMED GLASS OPTIONS

Our glass doors can be supplied in clear glass or flemish glass in all the designs shown on this page. Flemish glass offers a higher level of privacy as it reduces the glass visibility.



WATERFORD 2 PANEL - GLASS TYPE 3



WATERFORD 2 PANEL - GLASS TYPE 4



WATERFORD 2 PANEL - GLASS TYPE 5



Flemish Glass



Clear Glass



AVOCA 2 PANEL - GLASS TYPE 3



WATERFORD <u>2 PANEL</u> - GLASS TYPE 6



WATERFORD 2 PANEL - GLASS TYPE 1



WATERFORD 2 PANEL - GLASS TYPE 2



OXFORD WHITE 2 PANEL - GLASS TYPE 3



















MARYLAND (DFG20) 4 SQUARE PANELS



ALASKA (DFG75) 4 DIAMOND PANELS









EXCLUSIVE GREY RANGE


EXCLUSIVE GRE RANGE In the world of interior design, there's no hotter colour than grey. Although it might sound dull, styling your home with grey tones instantly adds a classy and chic finish to any room, and even though it's been used for a few years now, grey is a trend that isn't going away.

We cannot guarantee the brochure colours will be an exact match to the actual product. Selection prior to fitting is the sole responsibility of the installer ahnd end user.









MILANO GREY GRAINED

TORINO GREY CLEAR OR FROSTED GLASS









FLORENCE

TUSCANYCLEAR OR OPAQUE GLASS

GENOA

CLEAR OR OPAQUE GLASS






EXCLUSIVE GREY RANGE The Milano and Torino Oak Grained Grey internal door is guaranteed to add character to your room and complement your existing interior decor. The intricate pattern of the Oak Grain creates a truly unique design, adding to the quality appearance of the door and creating a striking central feature. The raised inset feature of the Genona and Florence doors will add a designer look and style to any surroundings creating a look that is unique in todays market.

OAK DOORS

WHITE OAK DOORS remain very popular both in traditional and contemporary ranges due to their rich finish. White primed skirting and architrave finished to contrast with oak door is becoming a bespoke finish. The beauty of oak is that it can be finished with complementary oak mouldings or contrasted.



All Seadec oak doors come prefinished with high performance Crystal Shield
*Seadec doors are natural products and we cannot guarantee the brochure colours will be an exact match to
the actual product. Selection prior to fitting is the sole responsibility of the installer and end user.







ARIZONA OAK9P CLEAR BEVEL GLASS







HAMPTON OAK
1 PANEL SHAKER



1 PANEL SHAKER PRE-GLAZED



AUGUSTA OAK 4 PANEL SHAKER



COLUMBUS OAK 4 PANEL SHAKER PRE-GLAZED







WHITE OAK provides a richness that is hard to beat for your home. Our white oak doors are made to highest standards using American white oak veneers. All our Seadec oak doors come with crystal shield lacquer which provides a superior finish that can be easily appreciated when you touch our doors.









KINGSCOURT OAK
4 PANEL



BELFAST OAK
4 PANEL CURVED



WATERFORD OAK 2 TOP PANEL UNGLAZED




2 TOP PANEL CURVED UNGLAZED







WHITE OAK provides a richness that is hard to beat for your home. Our white oak doors are made to highest standards using American white oak veneers. All our Seadec oak doors come with crystal shield lacquer which provides a superior finish that can be easily appreciated when you touch our doors.









ALBANY OAK 2 PANEL PRE-GLAZED



OAK BOLECTION 4 PANEL CURVED



OAK BOLECTION2 PANEL CURVED UNGLAZED



OAK BOLECTION 2 PANEL CURVED - GLASS TYPE 3







OAK BOLECTION DOORS provide added elegance with raised mould features. Our white oak doors are made to highest standards using American white oak veneers. All our Seadec oak doors come with crystal shield lacquer which provides a superior finish that can be easily appreciated when you touch our doors.





OAK BOLECTION 2 PANEL CURVED - GLASS 5

OAK BOLECTION 2 PANEL CURVED - GLASS 6

OAK **GLASS** OPTIONS

Our glass doors can be supplied in clear glass or flemish glass in all the designs shown on this page. Flemish glass offers a higher level of privacy as it reduces the glass visibility.



WATERFORD OAK
2 PANEL - GLASS TYPE 1



WATERFORD OAK 2 PANEL - GLASS TYPE 2



LONGFORD OAK 2 PANEL - GLASS TYPE 3



WATERFORD OAK 2 PANEL - GLASS TYPE 3



LONGFORD OAK 2 PANEL - GLASS TYPE 4



WATERFORD OAK 2 PANEL - GLASS TYPE 4



LONGFORD OAK 2 PANEL - GLASS TYPE 5



WATERFORD OAK 2 PANEL - GLASS TYPE 5



LONGFORD OAK 2 PANEL - GLASS TYPE 6




WATERFORD OAK
2 PANEL BEVELLED - GLASS TYPE 6

WALNUT DORS

WALNUT DOORS Our walnut doors are constructed with a real wood veneer over solid wood stiles and rails. A solid 15mm slip on each side gives a rebating option. Pre-finished to a high standard, Seadec's walnut doors have the look and feel of pure quality. White primed skirting and architrave can be used to contrast with walnut doors and is becoming a popular bespoke finish. Alternatively it can be finished with matching complementary walnut mouldings.



All Seadec walnut doors come prefinished with high performance Crystal Shield
*Seadec doors are natural products and we cannot guarantee the brochure colours will be an exact match to
the actual product. Selection prior to fitting is the sole responsibility of the installer and end user.











COLUMBUS WALNUT 4 PANEL SHAKER PRE-GLAZED



KINGSCOURT WALNUT
4 PANEL



WATERFORD WALNUT 2 TOP PANELS UNGLAZED



ARIZONA WALNUT9P CLEAR BEVEL GLASS



HAMPTON WALNUT 1 PANEL SHAKER



CHESHIRE WALNUT

1 PANEL SHAKER PRE-GLAZED







SEADEC WALNUT DOORS provide a deep richness that is hard to beat, our doors are made using only the finest American walnut veneers. Our walnut doors also come with solid American walnut lippings, many competing walnut doors use tropical hardwood with stain cover. All our Seadec walnut doors also come with our crystal shield lacquer which provides a superior finish that can be easily appreciated when you touch our doors.

WALNUT GLASS OPTIONS

Our glass doors can be supplied in **clear glass or flemish glass** in all the designs shown on these page. Flemish glass offers a higher level of privacy as it reduces the glass visibility.





WATERFORD WALNUT 2 PANEL GLASS TYPE 1



WATERFORD WALNUT 2 PANEL GLASS TYPE 2



WATERFORD WALNUT 2 PANEL GLASS TYPE 3



WATERFORD WALNUT 2 PANEL GLASS TYPE 5



WATERFORD WALNUT 2 PANEL GLASS TYPE 6








SEADEC WALNUT DOORS provide a deep richness that is hard to beat, our doors are made using only the finest American walnut veneers. Our walnut doors also come with solid American walnut lippings, many competing walnut doors use tropical hardwood with stain cover. All our Seadec walnut doors also come with our crystal shield lacquer which provides a superior finish that can be easily appreciated when you touch our doors.

RED PINE DOORS

RED PINE DOORS Tradition always stands the test of time. Our pine door range brings the warmth of tradition into your home. They come prefinished with clear lacquer and have a high quality construction. The range is complimented by several pre glazed options allowing you to create a relaxing and classical finish to your home.











KINGSCOURT RED PINE 4 PANEL



WATERFORD RED PINE 2 PANEL - UNGLAZED





RED PINE DOORS provide a traditional finish for your home that is timeless and allows the character of wood to shine through, red pine doors also come with an elegant V-groove design on the joints.

RED PINE GLASS OPTIONS

Our glass doors can be supplied in clear glass or flemish glass in all the designs shown on these pages. Flemish glass offers a higher level of privacy as it reduces the glass visibility. We can also supply Waterford in plain clear glass.







Clear Glass

Flemish Glass



WATERFORD PINE 2 PANEL - GLASS TYPE 1



WATERFORD PINE 2 PANEL - GLASS TYPE 2



WATERFORD PINE 2 PANEL - GLASS TYPE 3



WATERFORD PINE 2 PANEL - GLASS TYPE 4




WATERFORD PINE 2 PANEL - GLASS TYPE 5



WATERFORD PINE

REGENCY DOORS


REGENCY DOORS are made with a wood fibre press panel, which provides an elegant range of designs to choose from. Regency doors are unfinished and must be finished on site. It is very important that the doors are sealed immediately after they are brought to site for installation. It is important to also to seal the top and the bottom of the door.











6 PANEL WOOD GRAIN



4 PANEL WOOD GRAIN



6 PANEL SMOOTH



2 PANEL SMOOTH








Regency doors are made with a wood fibre press panel, which provides an elegant range of designs to choose from. Regency doors are unfinished and must be finished on site. It is very important that the doors are sealed immediately after they are brought to site for installation. It is important to also to seal the top and the bottom of the door.

FIRE DOORS

FIRE DOORS Seadec offer a select range of doors in FD30 to complement our existing door range. All of our fire doors are fully accredited by Fire Test Assessment reports, which are available on request and provide detailed information on the door's scope of use. It is essential that fire doors are fitted in accordance with the certification which will also explain specification of door frame, intumescent materials and ironmongery. All Seadec white primed and oak fire doors are FSC® certified.









FD30 HAMPTON WHITE

FD30 NEVADA WHITE SHEETED

1 PANEL SHAKER









ASTRA 4003 door closers have been designed specifically for fire doors that require a continuous, controlled action into the latch. With easy speed adjustment this ultra efficient, easy-to-install compact door control is ideal for both the refurbishment and new build projects.





We now offer a select range of white primed and oak doors in FD30 (30 minute rating) to complement our existing door range. All of our fire doors are fully accredited by Fire Test Assessment reports, which are available on request and provide detailed information on the door's scope of use. It is essential that fire doors are fitted in accordance with the certification which will also explain specification of door frame, intumescent materials and ironmongery.





The mark of responsible forestry















FD30 UTAH

LADDER EFFECT

OAK

FD30 CHESHIRE OAK

1 PANEL SHAKER PRE-GLAZED

FD30 KINGSCOURT OAK

4 PANEL

FD30 HAMPTON OAK

1 PANEL SHAKER

FD30 HAMPTON WALNUT

1 PANEL SHAKER

We now offer a select range oak and walnut doors in FD30 (30 minute rating) to complement our existing door range. All of our fire doors are fully accredited by Fire Test Assessment reports, which are available on request and provide detailed information on the door's scope of use. It is essential that fire doors are fitted in accordance with the certification which will also explain specification of door frame, intumescent materials and ironmongery.



FIRE DOORS



FD30 FIRE FRAME



FD60 FIRE FRAME

Irmade are European leaders in fire doors and their reputation has been built on quality of product. All Irmade doors are backed up by certification from BWF Certifire and Ensatec. All fire doors are supported by fully accredited Fire Test Assessment reports, It is essential that fire doors are fitted in accordance with the certification which will also explain the specification of door frame, intumescent materials and ironmongery.

All Irmade doors are FSC® certified as standard. Veneered and print finished doors have 2 coats of high quality UV clear acrylic satin finish - this finish provides a quality surface, enhancing the doors natural beauty. Glazing options - we can offer clear glass in FD30 or FD60 and GWPP safety glass in FD30.

Stay Safe with Irmade Fire Door Solutions

- Tests as per EN and BS Standards
- Fire doors certified by accredited laboratories
- Factory approved glazing
- Bespoke design and dimensions
- Acoustic and Security Options
- Tested with Astra and Rutland concealed door closers







THERMAL TRANSMISSION



HIGHDURABILITY



ANTI SMOKE SEAL



MOBILITY SUITABLE













WHITE PRIMED FLUSH



EI30 / EI60 FIRE DOOR GREY DESIGN PREFINISHED FLUSH



EI30 / EI60 FIRE DOOR **OAK VENEERED** PREFINISHED FLUSH

THESE GLASS DOORS ARE AVAILABLE IN

- White Primed
- Grey Design Prefinished
- Oak Veneered Prefinished


EI 30 / EI 60 GLASS FIRE DOORS

MODEL	G/WIRE El30	CLEAR EI30	G/WIRE EI60	CLEAR EI60
DFG56	×	X	Х	Х
DFG34	Х	Х	Х	Х
DFG01	Х	Х	Х	Х
DFG41		X		

















IRMADE are European leaders in fire doors and their reputation has been built on quality of product. All Irmade doors are backed up by certification from BWF Certifire and by fully accredited Fire Test Assessment reports. Uniquely, Irmade fire doors can be cut for vision panels as they have a solid chipboard core, unlike many competitors which have semi-solid cores. All Irmade doors are FSC® certified as standard. El30 Doors with glass are 44mm with 7mm glass and the El60 doors are 54mm with 11mm glass.

IRMADE FIRE DOOR OPAL RANGE

M.T.O

Irmade are European leaders in fire doors and their reputation has been built on quality of product. Through the Opal range we offer a large selection of high quality prefinished printed design colours to choose from. These prints create unbelievable colours with depth and character which also deliver consistency between every door which is vital for high quality finish on large projects.

We would be happy to meet with you to help create a finish and specification for your project, please note that the minimum order from the Opal range is 200 doors per colour.

M.T.O - Made to Order. Available for large projects only. Large selection of colours available. Minimum order 200 doors. Available only in flush El30 & El60 Firedoors.






















HG HORIZONTAL GRAIN VG VERTICAL GRAIN

SD601VG


WHITE PRIMED SKIRTING & ARCHITRAVE



WHITE PRIMED SKIRTING & ARCHITRAVE

White primed skirting and architrave continue to grow in popularity, allowing for customised finishes. This range can be used to match our white primed doors or will also complement our oak and walnut door range. Our profiles are made from moisture-resistant mdf. All our white primed mdf profiles are FSC® certified.







144MM PRE-FINISHED CONTEMPORARY PAINTED GREY SKIRTING

144 X 18 X 4200MM



94MM PRE-FINISHED CONTEMPORARY PAINTED GREY ARCHITRAVE


94 X 18 2200MM




WHITE PRIMED FRAME WITH STOP 108/133 X 30MM



WHITE PRIMED T-LIPPING 22 X 55MM





104 X 25MM PLINTH BLOCKS



104 X 30MM PLINTH BLOCKS 104 X 190 X 30MM



WHITE PRIMED HOCKEY STICK 32 X 18 X 2195MM




WINDOW BOARD 25 X 244/294 X 3660MM

ENGINEERED DOOR FRAME, STOP & LINER BY WHITERIVER

Door frame is an essential component in the installation of doors. Our door frames come prefinished in both oak and walnut engineered mixed hardwood core to match your range of Whiteriver or Seadec Doors. Each door frame set includes matching door stop.







105/133/144MM OAK DOOR FRAME Varnished (Whiteriver)

133MM WALNUT DOOR FRAME Varnished (Whiteriver)

105mm/133mm/144mm x 30mm







44MM OAK DOOR STOP Varnished

44MM OAK DOOR LINER Varnished

94MM OAK **DOOR LINER** Varnished

44mm

DOOR STOP 12 x 44mm (included in door frame set)

ENGINEERED DOOR FRAME & STOP BY SEADEC

Seadec oak door frame is manufactured using choice real wood veneers combined with an engineered core. The oak frame is factory finished with a high quality PU finish.



133MM OAK DOOR FRAME WITH STOP Varnished (Seadec)

T-LIPPINGS







SOLID WALUT T-LIPPING 22 X 55MM

SKIRTING & ARCHITRAVE

Oak mouldings specially designed with a mixed core to ensure a perfect style match with oak doors. Pre-finished to a very high standard, providing a quality and durable closed pore finish. Walnut mouldings are designed with a mixed core to ensure a perfect match with walnut doors.

BY WHITERIVER



119mm Oak MOULDED Skirting Varnished



144mm Oak MOULDED Skirting Varnished




144mm Oak CONTEMPORARY Skirting Varnished




144mm Oak CHAMFERED Skirting Varnished



144mm Walnut CONTEMPORARY Skirting Varnished



MOULDED SKIRTING 119/144 x 18 x 3600mm



CONTEMPORARY CHAMFERED **SKIRTING SKIRTING** 144 x 18 x 3600mm 144 x 18 x 3600mm



69mm Oak MOULDED Architrave Varnished



94mm Oak MOULDED Architrave Varnished



78mm Oak CONTEMPORARY Architrave Varnished Architrave Varnished




78mm Oak CHAMFERED



78mm Walnut CONTEMPORARY Architrave Varnished



MOULDED **ARCHITRAVE** 69/94 x 18mm



CONTEMPORARY **ARCHITRAVE** 78 x 18mm



18mm

CHAMFERED ARCHITRAVE 78 x 18mm



WHITERIVER OAK MOULDED (119/69mm)



WHITERIVER OAK MOULDED (144/94mm)




WHITERIVER OAK CHAMFERED



WHITERIVER OAK OAK CONTEMPORARY



WHITERIVER WALNUT CONTEMPORARY



OAK HOCKEY STICK 20mm x 31mm



MDH VENEERED MOULDINGS



140MM OAK Moulded skirting Varnished



140MM OAK **CHAMFERED SKIRTING** VARNISHED



140MM OAK **SHAKER SKIRTING** VARNISHED



140MM WALNUT MOULDED SKIRTING VARNISHED



140MM WALNUT **CHAMFERED SKIRTING** VARNISHED



80MM OAK MOULDED ARCHITRAVE VARNISHED



80MM OAK
CHAMFERED
ARCHITRAVE
VARNISHED



80MM OAK
SHAKER STYLE
ARCHITRAVE
VARNISHED



80MM WALNUT
MOULDED
ARCHITRAVE
VARNISHED



80MM WALNUT CHAMFERED ARCHITRAVE VARNISHED



If you are buying replacement doors, DO NOT measure the existing door. You must always base your measurements on the door frame.

Door width: Take three measurements inside the door frame - at the top, middle and bottom. The widest measurement determines the width of the door. Door height: Measure the inside of each vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

MOULDED SKIN	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
	2032 x 864	2032 x 813	1981 x 762	1981 x 711	1981 x 660	1981 x 610	1981 x 838	1981 x 686
6P Woodgrain	Х	Х	Х	Х	Х	Х		
4P Woodgrain	Х	X	X	X	×	Х		
2P/2P Glazed Woodgrain	Х	Х	Х					
2P Smooth	Х	Х	Х	Х	Х	Х		
6P Smooth	Х	Х	Х	Х	Х	Х		
RED PINE	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
Westport 6P	Х	Х	Х	Х	Х	Х		
Kingscourt 4P	Х	Х	Х	Х	Х	Х		
Waterford 2P/2G Unglazed	Х	Х	Х	Х				
Waterford Glass 1-6	Х	Х	Х	Х				
Waterford Clear Glass	Х	Х	Х	Х				
EXCLUSIVE GREY RANGE	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
Genoa	Х	Х	Х	Х	Х	Х	Х	Х
Milano	Х	Х	Х	Х	Х	Х	Х	Х
Torino	Х	Х	Х				Х	
Napoli Clear & Frosted	Х	Х	Х				Х	
Florence	Х	Х	Х	Х	Х	Х	Х	Х
Tuscany Clear or Opaque	Х	Х	Х				Х	
AMERICAN WALNUT	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
Hampton 1P	х	х	х	х	х	х	х	х
Cheshire 1P Glazed	х	х	х	х			х	
Augusta 4P	х	х	х	х	х	Х	Х	
Columbus 4P Glazed	х	х	х				х	
Arizona 9P Glazed	х	х	х				х	
Kingscourt 4P	х	х	х	х	х	х	х	х
Waterford 2P/2G Unglazed	х	х	х				х	
Waterford 2P/2G Glazed 1-6	х	х	х				х	
Waterford 2P/2G Clear Glass	х	х	х				х	

WHITE PRIMED	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
	2032 x 864	2032 x 813	1981 x 762	1981 x 711	1981 x 660	1981 x 610	1981 x 838	1981 x 686
Kingscourt 4P	Х	Х	Х	Х	Х	Х	Х	Х
Waterford 2P/2G Unglazed	Х	Х	Х	Х			Х	
Waterford Glass 1-6	Х	Х	Х	Х			Х	
Cambridge 4P	Х	Х	Х	Х	Х	Х	Х	Х
Oxford 2P/2G Unglazed	Х	Х	Х	Х			Х	
Oxford 2P/2G Glass 3	×	Х	Х	Х			Х	
Nevada Sheeted	×	Х	Х	Х	Х	Х	Х	Х
Arizona 9P Glazed	×	Х	Х	Х			Х	
Hampton 1P	Х	Х	Х	Х	Х	Х	Х	Х
Cheshire 1P Glazed	Х	Х	Х	Х	Х	Х	Х	
Augusta 4P	Х	Х	Х	Х	Х	Х	Х	Х
Columbus 4P Glazed	Х	Х	Х	Х			Х	
Kingston Bolection 2P	Х	Х	Х	Х	Х	Х	Х	Х
Albany Bolection 2P Glazed	Х	Х	Х				Х	
Trenton 1P Stepped	Х	Х	Х	Х	Х	Х	Х	Х
Madison 1P Stepped Glazed	Х	Х	Х				Х	
Nevada Half Glass	Х	Х	Х				Х	
Cheshire Frosted Clear Border	Х	Х	Х	Х	Х	Х	Х	
Sussex Plank	Х	Х	Х	Х	Х	Х	Х	Х
Somerset Plank Glazed	Х	Х	Х				Х	
Ashford Bolection	Х	Х	Х	Х	Х	Х	Х	Х
Avoca Unglazed Bolection	Х	Х	Х	Х			Х	
Woodford	Х	Х	Х	Х	Х	Х	Х	Х
Carrick Glazed	Х	Х	Х	Х			Х	
Portroe	Х	Х	Х	Х	Х	Х	Х	Х
Lismore Glazed	Х	Х	Х	Х			Х	
OAK BOLECTION	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
Belfast 4P Curved	Х	Х	Х	Х	Х	Х		
Longford 2P/2G Unglazed	Х	Х	Х					
Longford 2P/2G Glazed 3-6	Х	Х	Х					

SEADEC PANEL FD30	80X34	80X32	78X30	78X28	78X26	78X24	78X33
Kingscourt Oak 4P	Х	Х	Х	Х	Х	Х	Х
Hampton Oak 1P	Х	Х	Х	Х	Х	Х	Х
Kingscourt Primed 4P	Х	Х	Х	Х	Х	Х	X
Hampton Primed 1P	Х	Х	Х	Х	Х	Х	Х
Kingston Bolection Primed 2P	Х	Х	Х	Х	X	X	X
Trenton Primed 1P Stepped	Х	Х	Х	Х	Х	Х	X
Hampton Walnut 1P	Х	Х	Х	Х	Х	Х	X
Cheshire Oak	Х	X	Х				X
Cheshire White	Х	X	Х				X
Nevada White	Х	X	Х	Х	Х	Х	X
York White	Х	X	X	X	Х	Х	X
Newbury White	Х	X	X	X	X	X	X
Utah Oak Ladder Effect	X	X	X	X		X	X
SEADEC GROOVED FD30	80X34	80X32	78X30	78X28	78X26	78X24	78X33
Colorado	X	X	X	X	X	X	X
Utah	X	X	X	X	X	X	X
Ohio	X	X	X	X	X	X	X
Idaho	X	X	X	X	X	X	X
Dakota	X	X	X	X	Х	Х	Х
SEADEC GLAZED CLEAR FD30	80X34	80X32	78X30	78X28	78X26	78X24	78X33
DFG01	Х	Х	X	Х			Х
DFG34	Х	X	X	X			Х
DFG41	Х	X	X	X			Х
DFG56	X	X	X	X			X
SEADEC GLAZED G/WIRE FD30	80X34	80X32	78X30	78X28	78X26	78X24	78X33
DFG01	Х	X	X	X			Х
DFG34	X	X	X	X			X
DFG56	Х	X	X	X			X
SEADEC FLUSH FD30	80X34	80X32	78X30	78X28	78X26	78X24	78X33
White Primed	X	X	X	X	X	X	X
Oak Prefinished	X	X	X	X	X	X	Х
Printed Grey	X	X	X	X	X	X	Х
SEADEC GLAZED FD60 CLEAR & G/WIRE	80X34	80X32	78X30	78X28	78X26	78X24	78X33
White Primed	X	X	X				
Oak Prefinished	X	X	X				
							1

2040X926	2040X826	2040X726	2040X626
Х	Х		
Х	Х		
X	X		
Х			
Х			
X			
Х			
Х			
X			
Х			
X			
Х			
Х	Х		
Х	Х		
Х	Х		
Х	Х	Х	Х
Х	Х	Х	Х
X	Х	Х	Х
X	Х		
Х	Х		
Х	Х		

PREMIUM OAK	80X34	80X32	78X30	78X28	78X26	78X24	78X33	78X27
	2032 x 864	2032 x 813	1981 x 762	1981 x 711	1981 x 660	1981 x 610		1981 x 686
Kingscourt 4P	х	Х	Х	Х	Х	Х	Х	х
Waterford 2P/2G Unglazed	х	х	Х	х			Х	
Belfast 4P Curved	х	х	Х	х	х	х	Х	Х
Longford 2P/2G Unglazed	х	х	Х	х			Х	
Kingston 2P	х	х	Х	х	х	х	Х	
Albany 2P Glazed	х	х	Х				Х	
Nevada Sheeted	х	Х	Х	Х	Х	Х	Х	х
Arizona 9P Glazed	х	х	Х	х			Х	
Hampton 1P	х	х	Х	х	х	х	Х	Х
Cheshire 1P Glazed	х	х	Х	х			Х	
Augusta 4P	х	х	Х	х	х	х	Х	х
Colombus 4P Glazed	х	х	Х				Х	
Waterford 2P/2G Glazed 1-6	х	х	Х	х			Х	
Longford 2P/2G Glazed 3-6	х	х	Х	х			Х	
Waterford 2P/2G Clear Glass	х	Х	х	Х			Х	
Longford 2P/2G Clear Glass	х	х	Х	Х			Х	
Waterford 2P/2G Frosted Glass	х	х	х	х			х	

Seadec doors are available in a choice of eight standard sizes listed below. We also stock an extended range of metric sizes in Fire Doors.

FEET	METRIC	INCHES
6ft 8ins x 2ft 10ins	2032mm x 864mm	80ins x 34ins
6ft 8ins x 2ft 8ins	2032mm x 813mm	80ins x 32ins
6ft 6ins x 2ft 6ins	1981mm x 762mm	78ins x 30ins
6ft 6ins x 2ft 4ins	1981mm x 711mm	78ins x 28ins
6ft 6ins x 2ft 2ins	1981mm x 660mm	78ins x 26ins
6ft 6ins x 2ft	1981mm x 610mm	78ins x 24ins
Additional Northern Ireland Sizes		
6ft 6ins x 2ft 9ins	1981mm x 838mm	78ins x 33ins
6ft 6ins x 2ft 3ins	1981mm x 686mm	78ins x 27ins

CAREAND INSTALLATION GUIDE

For fire doors please refer to their certification for fitting instructions.

BEFORE YOU START

Your Seadec door and accessories (frames, skirting & architrave) must be stored flat on a clean, dry and level surface, with level battens to allow the air to circulate. To allow your door and accessories to acclimatise to their environment, they should be left in the house, for at least 7 days, with the heating and environment regulated per installation guidelines below. Doors should be stored flat. Environmental and door moisture readings should be taken prior to hanging and recorded, to ensure that the doors and the environment are in correct. Failure to allow the doors to acclimatise may cause excessive expansion and contraction leading to splitting and warping and will void the guarantee.

Unfinished or primed doors must be sealed and painted immediately after hanging with at least three coats applied.

Seadec doors and accessories must not be installed into a house that is freshly plastered, tiled or painted, it is crucial that building is properly dried out and that heating and humidity in building are stable before doors or accessories are brought on site or fitted, please ensure the building meets with the moisture and temperature guidelines below. Should a door require alteration, cutting or planing, it must be immediately varnished with three coats, otherwise it will absorb moisture which can lead to problems such as warping or splitting. Seadec doors may be altered by up to 10mm off the top and bottom and up to 7mm on each side only. However, any alteration of a Seadec door will void the warranty. For Fire Door alterations, please consult the relevant fire certificate.

Where doors are manufactured with solid timber, there has to be a consideration that timber will adjust itself to the environment. Therefore, please note that there is a BS standard of +/- 4mm of a bow tolerance on the length of a door.

PACKAGING

Prior to removing the packaging, ensure that the doors, frames, skirting and architrave are the correct size and colour. Prior to removing from packaging, inspect each door, frame and piece of skirting and architrave in daylight for any visible faults or defects, also check the colour structure and finish. Once any Seadec product is removed from its packaging, it is deemed to be acceptable and cannot be returned for any visible faults or defects. Please note: Timber is a natural product and may show variations in colour or graining.

FRAMES

Ensure that the frames where the doors are being fitted into are plumb, and that the doors are not strained to fit into uneven framing. Fit 3 hinges on all doors at all times.

INSTALLATION AREA MOISTURE

The area of installation (the concrete floor and walls) must not be over 4% moisture content. This can be tested with an appropriate moisture meter. The temperature be between 18° - 22° and the relative humidity between 40% – 60%, while the doors are being stored, before, during and afterthe installation. Do not bring doors, skirting or architrave into a house or site which does not meet the above conditions.

LOCKS AND HANDLES

When fitting a lock or a handle, it is best not to fit the lock where the stile (uprights) meets the rail (horizontals) as this will weaken the structure of the door.

ROOM CONDITIONS

Timber likes pleasant room conditions, just like us, a room temperature of approx 20°C and humidity of about 50% – 60%.

CLEANING

- · Use a clean dry cloth to clean the doors.
- Furniture polish may also be used.
- Never use wax or aggressive detergents or products containing ammonia or silicates on Seadec products.
- · Our frosted medical glass should be cleaned with a dry, soft cotton cloth. Do not use damp cloths.

PROTECTING YOUR SEADEC PRODUCTS

Ensure that rooms are well ventilated, particularly in rooms where there are large changes in temperature and moisture. In the event of a proven manufacturing defect, Seadec or the Seadec retailer's total liability shall under no circumstances exceed the value of the defective product. Seadec or the Seadec retailer's shall not in any way be responsible for any additional consequential costs or losses. If you are unclear of any of the above instructions, contact your local Seadec supplier.



HOW TO FINISH SEADEC WHITE PRIMED PRODUCTS

Preparation is key to any project no matter how big or small. Firstly select a good, dry, clean space to lay the product down flat prior to finishing with sufficient room to work around and where the product can be left to to dry. As with all painting projects adequate ventilation during painting and drying is essential.

The next step is to spend a few minutes checking for any imperfections that may require filling and fine sanding - this is key to achieving a flawless finish and a vital step in the process. The top and bottom of door must be painted the same way to ensure they are fully sealed.

Once the surface is clean and dust free, apply a water based undercoat which will allow better adhesion for your chosen finish.

When the undercoat is dry, give the surface a light sanding before applying your chosen oil or water based finishing coat.

Paint manufacturer's drying guidelines will vary therefore it is important follow them. While "touch dry" may allow you to handle the product it may not be sufficiently dry to begin fitting hinges and handles until full recommended drying time is completed.



Seadec Doors add a touch of warmth to your home...

