

Version number: GHS 1.0

SECTION 1: Identification

1.1 Product identifier Trade name

Adam's Microfiber & Pad Revitalizer HD

Date of compilation: 2020-02-13

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Microfiber and pad cleaning detergent

1.3 Details of the supplier of the safety data sheet

Adam's Polishes Inc. 8225 North Valley Hwy. Thornton CO 80221 720-484-5059

tips@adamspolishes.com www.adamspolishes.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05, GHS07



- Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.



Version number: GHS 1.0

_

Date of compilation: 2020-02-13

- Precautionary state	ements
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

d-limonene, sodium metasilicate, anhydrous

2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Г

Description of the mixture

Hazardous ingredients acc. to GHS								
Name of substance	Identifier	Wt%	Classification acc. to GHS					
tetrasodium N,N-bis(carboxylato- methyl)-L-glutamate	CAS No 51981-21-6	3-<12	Acute Tox. 4 / H332					
2-(2-butoxyethoxy)ethanol	CAS No 112-34-5	3-<12	Eye Irrit. 2 / H319					
sodium metasilicate, anhydrous	CAS No 6834-92-0	3-<12	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335					
d-limonene	CAS No 5989-27-5	1-<3	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226					
disodium cocoamphodipropionate	CAS No 68604-71-7	1-<3	Eye Irrit. 2B / H320 Flam. Liq. 4 / H227					
methanol	CAS No 67-56-1	0.1-<1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 Flam. Liq. 2 / H225					

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.



Version number: GHS 1.0

Date of compilation: 2020-02-13

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.



Version number: GHS 1.0

Date of compilation: 2020-02-13

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m ³]	Nota tion	Sourc e
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	AC- GIH® 2019



Version number: GHS 1.0

Date of compilation: 2020-02-13

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m ³]	Nota tion	Sourc e
US	methanol	67-56-1	TLV®	200		250					AC- GIH® 2019
US	methyl alcohol	67-56-1	REL	200 (10 h)	260 (10 h)	250	325				NIOS H REL
US	methyl alcohol	67-56-1	PEL	200	260						29 CFR 1910.1 000
US	methyl alcohol (methanol)	67-56-1	PEL (CA)	200	260	250	325	1,000			Cal/ OSHA PEL

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur inhalable fraction and vapor short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) iv STEL

TWA

Biological limit values										
Country	Name of agent	Parameter	Nota- tion	Identifier	Value	Source				
US	methanol	methanol		BEI®	15 mg/l	ACGIH® 2019				

Relevant DNELs of components of the mixture									
Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
tetrasodium N,N- bis(carboxylatomethyl) -L-glutamate	51981-21-6	DNEL	15,000 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects			
tetrasodium N,N- bis(carboxylatomethyl) -L-glutamate	51981-21-6	DNEL	7.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects			
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	101.2 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects			
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
sodium metasilicate, anhydrous	6834-92-0	DNEL	6.22 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			



Version number: GHS 1.0

Г

Date of compilation: 2020-02-13

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sodium metasilicate, anhydrous	6834-92-0	DNEL	1.49 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
d-limonene	5989-27-5	DNEL	33.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemi effects
methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	chronic - systemi effects
methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef fects
methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects
methanol	67-56-1	DNEL	40 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects
methanol	67-56-1	DNEL	40 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components of the mixture								
Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time		
tetrasodium N,N- bis(carboxylatomethyl) -L-glutamate	51981-21-6	PNEC	67 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	200 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	4 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	56 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	3.9 ^{mg} / _l	aquatic organisms	water	intermittent re- lease		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.4 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	1.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.11 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	200 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	4.4 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		



Version number: GHS 1.0

Date of compilation: 2020-02-13

Relevant PNECs of components of the mixture								
Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.32 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		
d-limonene	5989-27-5	PNEC	5.4 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)		
d-limonene	5989-27-5	PNEC	0.54 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)		
d-limonene	5989-27-5	PNEC	1.8 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)		
d-limonene	5989-27-5	PNEC	1.32 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)		
d-limonene	5989-27-5	PNEC	0.13 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)		
d-limonene	5989-27-5	PNEC	0.262 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		
d-limonene	5989-27-5	PNEC	3.33 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)		
methanol	67-56-1	PNEC	100 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)		
methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)		
methanol	67-56-1	PNEC	7.7 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)		
methanol	67-56-1	PNEC	1,540 ^{mg} / _l	aquatic organisms	water	intermittent re- lease		
methanol	67-56-1	PNEC	20.8 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)		
methanol	67-56-1	PNEC	2.08 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)		
methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)		
methanol	67-56-1	PNEC	7.7 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



Version number: GHS 1.0

Date of compilation: 2020-02-13

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	colorless to pale yellow; transparent
Odor	citrus

Other safety parameters

12.2 – 12.4 (25 °C) (base)
not determined
90 °C
>100 °C at 1 atm
not determined
not relevant, (fluid)
not determined
31.69 hPa at 25 °C
8.66 ^{lb} / _{gal} at 25 °C 1.03 – 1.04 ^g / _{cm³} at 25 °C
this information is not available
not determined
this information is not available



Version number: GHS 1.0

Date of compilation: 2020-02-13

Auto-ignition temperature	210 $^{\circ}C$ (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	$T3$ (maximum permissible surface temperature on the equipment: 200 $^\circ \text{C})$

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.



Version number: GHS 1.0

Date of compilation: 2020-02-13

Acute toxicity estimate (ATE) of components of the mixture								
Name of substance CAS No Exposure route ATE								
tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate	51981-21-6	inhalation: dust/mist	4.2 ^{mg} / _l /4h					
sodium metasilicate, anhydrous	6834-92-0	oral	1,349 ^{mg} / _{kg}					
sodium metasilicate, anhydrous	6834-92-0	inhalation: vapor	2.06 ^{mg} / _l /4h					
sodium metasilicate, anhydrous	6834-92-0	inhalation: dust/mist	0.5 ^{mg} / _l /4h					
methanol	67-56-1	oral	100 ^{mg} / _{kg}					
methanol	67-56-1	dermal	300 ^{mg} / _{kg}					
methanol	67-56-1	inhalation: vapor	3 ^{mg} /ı/4h					

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans							
Name of substance CAS No Classification Number							
d-limonene 5989-27-5 3							

Legend 3

ſ

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



Version number: GHS 1.0

Date of compilation: 2020-02-13

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
tetrasodium N,N- bis(carboxylatomethyl)- L-glutamate	51981-21-6	LC50	>100 ^{mg} / _l	fish	96 h	
tetrasodium N,N- bis(carboxylatomethyl)- L-glutamate	51981-21-6	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h	
2-(2-butoxyethoxy)eth- anol	112-34-5	LC50	1,300 ^{mg} / _l	fish	96 h	
2-(2-butoxyethoxy)eth- anol	112-34-5	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h	
2-(2-butoxyethoxy)eth- anol	112-34-5	ErC50	>100 ^{mg} / _l	algae	96 h	
sodium metasilicate, an- hydrous	6834-92-0	LC50	310 ^{mg} / _l	fish	96 h	
sodium metasilicate, an- hydrous	6834-92-0	EC50	1,700 ^{mg} / _l	aquatic invertebrates	48 h	
d-limonene	5989-27-5	LC50	720 ^{µg} / _l	fish	96 h	
d-limonene	5989-27-5	EC50	688 ^{µg} / _l	fish	96 h	
disodium cocoamphodi- propionate	68604-71-7	LC50	1 – 100 ^{mg} / _l	fish	72 h	
disodium cocoamphodi- propionate	68604-71-7	EC50	0.55 – 48 ^{mg} / _l	algae	72 h	
disodium cocoamphodi- propionate	68604-71-7	EC50	6.5 ^{mg} / _l	daphnia	48 h	
methanol	67-56-1	LC50	15,400 ^{mg} / _l	fish	96 h	
methanol	67-56-1	EC50	12,700 ^{mg} / _l	fish	96 h	
methanol	67-56-1	ErC50	22,000 ^{mg} / _l	algae	96 h	

Aquatic toxicity (chronic) of components of the mixture								
Name of substance CAS No Endpoint Value Species Exposure time								
sodium metasilicate, an- hydrous	6834-92-0	EC50	>100 ^{mg} / _l	microorganisms	3 h			
d-limonene	5989-27-5	EC50	0.85 ^{mg} / _l	aquatic invertebrates	24 h			

12.2 Persistence and degradability

Data are not available.



Version number: GHS 1.0

Date of compilation: 2020-02-13

12.3 Bioaccumulative potential Data are not available.

12.4 Mobility in soil Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

- not subject to transport regulations not assigned not assigned not assigned
- non-environmentally hazardous acc. to the dangerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) Not subject to ICAO-IATA.



Version number: GHS 1.0

Date of compilation: 2020-02-13

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in guestion 15.1 **National regulations (United States)**

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings							
Name acc. to inventory CAS No Remarks Effective date							
methanol 67-56-1 1986-12-31							

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Wt%	Remarks	Statutory code	Final RQ pounds (Kg)
methanol	67-56-1	0.1271		3 4	5000 (2270)

Legend

"3" indicates that the source is section 112 of the Clean Air Act

3 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	carrier fluid / dis- solver	
tetrasodium N,N-bis(carboxylatomethyl)-L- glutamate	51981-21-6	chelate / se- questrant	
2-(2-butoxyethoxy)ethanol		co-solvent	CA TACs
sodium metasilicate, anhydrous	6834-92-0	cleaning agent	
alcohols, C11-15 secondary, ethoxylated	84133-50-6	surfactant	
d-limonene	5989-27-5	fragrance	EU Fragrance Allergens
disodium cocoamphodipropionate	68604-71-7	surfactant	
methanol	67-56-1	alcohols	CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
propylene glycol	57-55-6	humectant	



Version number: GHS 1.0

Date of compilation: 2020-02-13

Name of substance	CAS No	Functionality	Authoritative Lists
cocoyl hydroxyethylimidazoline	61791-38-6	non-functional con- stituent	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
methanol	67-56-1				1.0 %
2-(2-butoxyethoxy)ethanol		1022			1.0 %

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
methanol	67-56-1		TE F3
2-(2-butoxyethoxy)ethanol			
d-limonene	138-86-3		F2

Legend

F2 F3 Flammable - Second Degree Flammable - Third Degree Teratogenic

TĒ

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	CAS No	Classification
methanol	67-56-1	E
2-(2-butoxyethoxy)ethanol		E

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
methanol	67-56-1	T, F

Legend

Flammability (NFPA®) Toxicity (ACGIH®) F

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and **Toxic Enforcement Act of 1987**

Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Wt%	Remarks	Type of the toxicity
methanol	67-56-1	0.1271		developmental
1,4-dioxane	123-91-1	0.0001733		cancer



Version number: GHS 1.0

Date of compilation: 2020-02-13

VOC content

Regulated Volatile Organic Compounds (VOC-EPA): 1.423 % Regulated Volatile Organic Compounds (VOC-Cal ARB): 1.423 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	
Chronic: chronic hazard Flammability: flammability hazard Health: health hazard Personal protection: personal protective equipment (PPE) for normal use Physical hazard: reactivity		

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed

Legend

 DSL
 Domestic Substances List (DSL)

 REACH Reg.
 REACH registered substances

 TSCA
 Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Version number: GHS 1.0

Date of compilation: 2020-02-13

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect- ing human health and the environment
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)



Version number: GHS 1.0

Date of compilation: 2020-02-13

Abbr.	Descriptions of used abbreviations
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.



Version number: GHS 1.0

Date of compilation: 2020-02-13

Code	Text
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.