



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

SECTION 1: Identification

1.1 Product identifier

Trade name **Adam's Rubber Mat & Liner Protectant**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Rubber mat and liner protectant
Professional use
Industrial use

HS code 3404.90.00.

1.3 Details of the supplier of the safety data sheet

Adam's Polishes Inc.
8225 North Valley Hwy.
Thornton CO 80221
720-484-5059

tips@adamspolishes.com
www.adamspolishes.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class | Hazard class and category | Hazard statement |
|---------|--------------------|---------------------------|------------------|
| A.4S | skin sensitization | Skin Sens. 1 | H317 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

Additional information

Contains a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

- Precautionary statements

| | |
|-----------|---|
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray. |
| P272 | Contaminated work clothing must not be allowed out of the workplace. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | If on skin: Wash with plenty of water. |
| P321 | Specific treatment (see on this label). |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P363 | Wash contaminated clothing before reuse. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |

- Hazardous ingredients for labelling 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone

2.3 Other hazards

Results of PBT and vPvB assessment

Contains a PBT-substance in a concentration of $\geq 0.1\%$. Contains a vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Hazardous ingredients acc. to GHS | | | |
|---|----------------------|-----------|--|
| Name of substance | Identifier | Wt% | Classification acc. to GHS |
| dipropylene glycol monomethyl ether | CAS No 34590-94-8 | 1 - < 3 | Flam. Liq. 4 / H227 |
| 2-(2H-benzotriazol-2-yl)-4,6-ditert-pentylphenol | CAS No 25973-55-1 | 0.1 - < 1 | Acute Tox. 4 / H312 Acute Tox. 2 / H330 STOT RE 2 / H373 |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone | CAS No 54464-57-2 | 0.1 - < 1 | Skin Irrit. 2 / H315 Skin Sens. 1 / H317 |

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingsuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|----------------------------------|------------|------------|------------|--------------------------|------------|---------------------------|-----------------|--------------------------------|--------------|------------------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
| US | (2-methoxy-methylethoxy)propanol | 34590-94-8 | TLV® | 100 | | 150 | | | | | ACGIH® 2019 |
| US | dipropylene glycol methyl ether | 34590-94-8 | PEL (CA) | 100 | 600 | 150 | 900 | | | | Cal/OSHA PEL |
| US | dipropylene glycol methyl ether | 34590-94-8 | REL | 100 (10 h) | 600 (10 h) | 150 | 900 | | | | NIOSH REL |
| US | dipropylene glycol methyl ether | 34590-94-8 | PEL | 100 | 600 | | | | | | 29 CFR 1910.1000 |
| US | glycerine | 56-81-5 | REL | | | | | | | mist, appx-D | NIOSH REL |
| US | glycerol | 56-81-5 | PEL | | 15 | | | | | mist, i | 29 CFR 1910.1000 |
| US | glycerol | 56-81-5 | PEL | | 5 | | | | | mist, r | 29 CFR 1910.1000 |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

Notation

| | |
|-----------|--|
| appx-D | see Appendix D - Substances with No Established RELs |
| Ceiling-C | ceiling value is a limit value above which exposure should not occur |
| i | inhalable fraction |
| mist | as mists |
| r | respirable fraction |
| STEL | short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|---|------------|-----------|-----------------------|------------------------------------|-------------------|----------------------------|
| dipropylene glycol monomethyl ether | 34590-94-8 | DNEL | 950 mg/kg | human, dermal | worker (industry) | chronic - systemic effects |
| dipropylene glycol monomethyl ether | 34590-94-8 | DNEL | 404 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | DNEL | 0.7 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | DNEL | 0.3 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|---|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| dipropylene glycol monomethyl ether | 34590-94-8 | PNEC | 4,168 mg/l | microorganisms | sewage treatment plant (STP) | short-term (single instance) |
| dipropylene glycol monomethyl ether | 34590-94-8 | PNEC | 19 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| dipropylene glycol monomethyl ether | 34590-94-8 | PNEC | 1.9 mg/l | aquatic organisms | marine water | short-term (single instance) |
| dipropylene glycol monomethyl ether | 34590-94-8 | PNEC | 4,168 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| dipropylene glycol monomethyl ether | 34590-94-8 | PNEC | 2.2 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| dipropylene glycol monomethyl ether | 34590-94-8 | PNEC | 192 mg/l | aquatic organisms | water | intermittent release |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | PNEC | 0.01 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | PNEC | 0.001 mg/l | aquatic organisms | marine water | short-term (single instance) |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | PNEC | 1 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

| Relevant PNECs of components of the mixture | | | | | | |
|---|------------|-----------|-----------------|-----------------------|---------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | PNEC | 451 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | PNEC | 45 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | PNEC | 90 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|----------------|-----------------------|
| Physical state | liquid |
| Color | beige |
| Particle | not relevant (liquid) |
| Odor | spicy - floral |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

Other safety parameters

| | |
|---|-----------------------|
| pH (value) | 6 – 7.5 (25 °C) |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | >65 °C at 1 atm |
| Flash point | will not flash |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | not relevant, (fluid) |

Explosive limits

| | |
|-------------------------------|-----------------------------------|
| - Lower explosion limit (LEL) | 1.1 vol% |
| - Upper explosion limit (UEL) | 19 vol% |
| Vapor pressure | 32 hPa at 25 °C |
| Density | 1 g/ml |
| Vapor density | this information is not available |

Solubility(ies)

| | |
|--------------------|----------------------------|
| - Water solubility | miscible in any proportion |
|--------------------|----------------------------|

Partition coefficient

| | |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature | 270 °C |
| Viscosity | not determined |
| Explosive properties | none |
| Oxidizing properties | none |

| | |
|--|--|
| Temperature class (USA, acc. to NEC 500) | T2B (maximum permissible surface temperature on the equipment: 260 °C) |
|--|--|



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|------------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | dermal | >1,100 mg/kg |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | inhalation: dust/mist | >0.4 mg/4h |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

| Aquatic toxicity (acute) of components of the mixture | | | | | |
|---|------------|----------|-----------|---------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| dipropylene glycol monomethyl ether | 34590-94-8 | LC50 | >150 mg/l | fish | 72 h |
| dipropylene glycol monomethyl ether | 34590-94-8 | ErC50 | >969 mg/l | algae | 72 h |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | LC50 | >100 mg/l | fish | 24 h |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone | 54464-57-2 | EC50 | >2.6 mg/l | algae | 72 h |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone | 54464-57-2 | EC50 | 1.4 mg/l | daphnia magna | 48 h |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone | 54464-57-2 | LC50 | 1.3 mg/l | bluegill | 96 h |

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

The substance fulfills the very bioaccumulative criterion.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Contains a PBT-substance in a concentration of $\geq 0.1\%$. Contains a vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | | |
|------|---|---|
| 14.1 | UN number | not subject to transport regulations |
| 14.2 | UN proper shipping name | not relevant |
| 14.3 | Transport hazard class(es) | none |
| 14.4 | Packing group | not assigned |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | There is no additional information. |
| 14.7 | Transport in bulk according to IMO instruments | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 **Safety, health and environmental regulations specific for the product in question**
- National regulations (United States)**
- Toxic Substance Control Act (TSCA)** all ingredients are listed
- Superfund Amendment and Reauthorization Act (SARA TITLE III)**



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

| Cleaning Product Right to Know Act Substance List (CA-RTK) | | | |
|---|---------------|------------------|---------------------|
| Name of substance | CAS No | Functionality | Authoritative Lists |
| water | 7732-18-5 | solvent | |
| polydimethylsiloxane | 63148-62-9 | surface modifier | |
| acrylic copolymer | not available | polymer | |
| dipropylene glycol monomethyl ether | 34590-94-8 | surfactant | |
| Glycerine | 56-81-5 | humectant | |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | surfactant | |
| hydroxypropylheptamethyltrisiloxane, ethoxylated, hydroxy-terminated | 67674-67-3 | surface modifier | |
| dipropylene glycol | 110-98-5 | alcohols | |
| 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol | 25973-55-1 | | EC PBTs |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone | 54464-57-2 | fragrance | |
| Polyethylene glycol | 25322-68-3 | surfactant | |
| ethyl vanillin | 121-32-4 | fragrance | |
| Linalyl acetate | 115-95-7 | fragrance | |
| Dihydromyrcenol | 18479-58-8 | fragrance | |

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------------------------|------------|------------|---------|
| dipropylene glycol monomethyl ether | 34590-94-8 | A, O | |

Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|-------------------------------------|------------|---------|-----------------|
| dipropylene glycol monomethyl ether | 34590-94-8 | | F2 |

Legend

F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|-------------------------------------|------------|----------------|
| PROPANOL, (2-METHOXYMETHYLETH-OXY)- | 34590-94-8 | |

- Hazardous Substance List (RI-RTK)

| Name of substance | CAS No | References |
|-------------------------------------|------------|------------|
| dipropylene glycol monomethyl ether | 34590-94-8 | T |

Legend

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 1.8 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB) 1.8 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | / | none |
| Health | 2 | temporary or minor injury may occur |
| Flammability | 1 | material that must be preheated before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

Chronic: chronic hazard
 Flammability: flammability hazards
 Health: health hazard
 Personal protection: personal protective equipment (PPE) for normal use
 Physical hazard: reactivity

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

| Category | Degree of hazard | Description |
|----------------|------------------|--|
| Flammability | 1 | material that must be preheated before ignition can occur |
| Health | 2 | material that, under emergency conditions, can cause temporary incapacitation or residual injury |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|-------------------------------------|
| AU | AIIC | not all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | not all ingredients are listed |
| EU | ECSI | not all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |
| JP | CSCL-ENCS | not all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | not all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | not all ingredients are listed |
| PH | PICCS | not all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | not all ingredients are listed |
| VN | NCI | not all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").
Restructuring: section 9, section 14

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------------|--|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits) |
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® | American Conference of Governmental Industrial Hygienists |
| ACGIH® 2019 | From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement |
| Acute Tox. | Acute toxicity |
| ATE | Acute Toxicity Estimate |
| Cal/OSHA PEL | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs) |
| Cal ARB | California Air Resources Board |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EPA | Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| HS | Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation) |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| NIOSH REL | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Adam's Rubber Mat & Liner Protectant

Version number: GHS 1.0

Date of compilation: 2023-09-26

| Abbr. | Descriptions of used abbreviations |
|----------------|---|
| NLP | No-Longer Polymer |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| PEL | Permissible exposure limit |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitization |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H227 | Combustible liquid. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H330 | Fatal if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.