

# 12-GALLON EXTRACTOR

**Innovative, powerful, clever.** “Simply the most innovative extractor ever designed.”

Is this quote possible? Yes, it’s not only possible, it’s true! No extractor design has ever incorporated so many advanced features and patented innovations in a single design. Mosquito urges you to compare our Mosquito 12-Gallon Extractor side-by-side to any competitor. The conclusion is self-evident. We are designed, manufactured and assembled in the **USA**.



## Specifications

**Vac Motors      Pumps      Model**

### 120psi Extractor

5.7" Dual 2-Stage*	Aquatec	12G-1202
2C HT 5.7" Dual 2-Stage*	Aquatec	12G-1202H

### 220psi Extractor

5.7" Dual 2-Stage*	Aquatec	12G-2202
2C HT 5.7" Dual 2-Stage*	Aquatec	12G-2202H

### 500psi Extractor

Single 6.6 High Output	Adj Cat Pump	12G-6500
2C HT Single 6.6 High Output	Adj Cat Pump	12G-6500H

### 1200psi Extractor

2C Single 6.6 High Output	Adj Pumptec	12G-1200
---------------------------	-------------	----------

\*Models Have Dual Motors In Parallel

HT 2000 Watt heater    2C 2-Power cords

Power cord: 25' 12/3



Patents pending

(Model 12-6500H pictured)

Wand & hose sold separately

WET DRY

12 GALLON

**Warranty: Lifetime on body, 1-Year on motor and pump**

Stainless Steel Tool w/ Clear View Head & Brass Valve & Jet

(Optional)



For heated & non-heated units  
900-0041

Stainless Steel hand Tool w/ Brass Valve & Jet

(Optional)



For heated & non-heated units  
900-0040

Complete hose & wand kit (25ft. vac & solution hoses and wand)

(Optional)



12" stainless steel 2-bend dual jet wand (.01 x 2) with brass valve and jets  
900-0073

25ft. Solution hose assembly  
201-0004

1 1/2" x 25ft. Vacuum hose w/cuffs  
201-0006

Complete hose & wand kit (25ft. vac & solution hoses)  
901-0010

# 12-GALLON EXTRACTOR


(500 PSI unit pictured)



## Industry First

"Noise Diffusing Exhaust Manifold"  
Patents Pending

- 1** Red arrows show heated / high-pitch air exiting motor into the exhaust manifold.
- 2** Orange arrows show air moving through exiting motor into the exhaust manifold. High frequency noise is deflected against sound absorbing material, as air is gradually released.
- 3** Blue arrows show air exiting the exhaust without the high pitch noise of the fan blades.



Mosquito's exclusive "Noise Diffusing Exhaust Manifold" suppresses high-frequency sound with its noise-canceling technology. Motor exhaust is directed through exhaust grates which redirects sound waves while gradually releasing exhaust. No back pressure is generated from the device as it scrubs 8dB and 11dB sones from the final exhaust. This is an industry first and the beginning of a new generation of extractors from Mosquito.

**MOST POPULAR**

## 120 PSI 12-GALLON EXTRACTORS



### 120psi - 12G-1202



Lift	90
Air Watts	489
CFM	160
Amps	15

1-Cord	
2 Stage	
Tangential Motor	

### 220psi - 12G-2202



Lift	90
Air Watts	489
CFM	160
Amps	15

1-Cord	
2 Stage	
Tangential Motor	



Our finest extractor design with 120psi (220 upgrade see above) pressure pump and dual high-performance vacuum motors. Motors mounted in parallel with molded in vacuum tubes eliminate any vacuum loss. Motors automatically shut down when liquids are 9" from the vacuum inlet with our exclusive magnetic motor shut-off. Unit includes noise-diffusing exhaust manifold, top-mounted controls just to name a few of the unique features that are standard on all our extractors.

## 120 PSI HEAT 12-GALLON EXTRACTORS



### 120psi Heat - 12G-1202H



Lift	90
Air Watts	489
CFM	160
Heater Watts	1750
Amp Draw	14/14

2-Cord	
2 Stage	
Tangential Motor	

### 220psi Heat - 12G-2202H



Lift	90
Air Watts	489
CFM	160
Heater Watts	1750
Amp Draw	14/14

2-Cord	
2 Stage	
Tangential Motor	



Our finest extractor with stainless steel heat exchanger only adds to performance you expect in our extractors. 120psi pressure pump (220 upgrade see above) and dual high-performance vacuum motors mounted in parallel give you the power necessary with this dependable performance with molded in vacuum tubes eliminate any vacuum loss. Motors automatically shut down when liquids are 9" from the vacuum inlet with our exclusive magnetic motor shut-off. Unit includes noise-diffusing exhaust manifold, top-mounted controls just to name a few of the unique features that are standard on all our extractors.

## 500 PSI 12-GALLON EXTRACTORS



### 500psi - 12G-6500



Lift	145
Air Watts	659
CFM	135
Amps	15

1-Cord	
Single	
6.6 High	
Power Motor	

Our finest extractor design with 500psi Cat Pump, single oversized 6.6" high performance vacuum motor with molded in vacuum tube to eliminate any vacuum loss. Motors automatically shut down when liquids are 9" from the vacuum inlet with our exclusive magnetic motor shut-off. Unit includes noise-diffusing exhaust manifold, top-mounted controls just to name a few of the unique features that are standard on all our extractors.



12 GALLON

**MOST POPULAR**

## 500 PSI HEAT 12-GALLON EXTRACTORS



### 500psi Heat - 12G-6500H



Lift	145
Air Watts	659
CFM	135
Heater Watts	1750
Amp Draw	15/15

2-Cord	
Single	
6.6 High	
Power Motor	

Our finest extractor with stainless steel heat exchanger only adds to performance you expect in our extractors. Industry's finest 500psi Cat Pump, single oversized 6.6" high performance vacuum motor with molded in vacuum tube to eliminate any vacuum loss. Motors automatically shut down when liquids are 9" from the vacuum inlet with our exclusive magnetic motor shut-off. Unit includes noise-diffusing exhaust manifold, top-mounted controls just to name a few of the unique features that are standard on all our extractors.



# 12-GALLON EXTRACTOR

## MOSQUITO 12-GALLON EXTRACTOR TOOLS



Stainless steel tool  
w/ clear view head  
& brass valve and jet  
900-0041



Stainless steel hand tool  
w/ brass valve and Jet  
900-0040



3" Wide  
Crevice tool  
w/ brass valve and jet  
900-0042



4" Auto detailer tool  
900-0081



6" Detail tool, w/vacuum release  
900-0082



10" Stair-detail tool, 18" long  
900-0083



25' Solution hose assembly  
201-0004



25' Vacuum hose w/ cuffs  
201-0006

## MOSQUITO 12-GALLON EXTRACTOR PARTS AND ACCESSORIES



In-line clear view filter  
500-0031



6" Access Port  
800-0017




1/4" Brass quick disconnect  
w/ viton seal  
Female 300-0019  
Male 300-0020



Retractable wand and  
hose holder kit  
901-0011

(Optional, not  
included with  
extractor)



Heater kit  
stainless steel heater  
351-0002



Nylon Hose Bag  
900-0085

## MOSQUITO 12-GALLON EXTRACTOR MOTORS



2 Stage Tangential Motor  
500-0005



3 Stage Motor  
500-0010



6.6 High Power Motor  
500-0041

## MOSQUITO 12-GALLON EXTRACTOR WANDS



Complete hose and wand kit  
(25ft. vac & solution hoses and wand)  
901-0010



*Most popular*

12' Stainless steel 2 bend dual jet  
wand with brass valve and jets  
900-0073



10" stair tool short, 29" long  
900-0080