

TETON SERIES



Cleaning versatility and durability.

Corrosion-resistant and light-weight, Kärcher's direct or belt drive, Teton Series aluminum pressure washers can be utilized as a cart or a skid for maximum cleaning versatility and durability. These reliable Kärcher powered pressure washers offer a 4-year engine warranty for a limited time, bypass loop for additional pump protection, 7-year pump warranty and flat-free tires.























1 Mobile and durable

- Choose between direct or belt drive.
- Low profile handle is easy to push and pull.
- Flat free tires are puncture proof.
- Weld free, corrosion resistant aluminum frame.
- Reliable Kärcher commercial-duty gasoline engine with a 4-year warranty.
- Durable VRT3 unloader with bypass loop diverts water flow when trigger gun is not activated.

2 Modular design

Can transition from cart to skid (with skid feet accessory) design for versatile cold water cleaning applications.

3 Adaptable

Can be fitted to the HD Pallet Skid with a 50 gallon water tank and 100' hose reel or the HD Pallet Skid with two 100' hose reels. Mild steel skid fits within a standard UTV / ATV bed. See optional accessories for more information.

Technical data and equipment.

TECHNICAL DATA										
Model	Part No.	GРM	PSI	Drive	сс	Engine	Pump	CARB*	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD 3.0/27 G Teton	1.107-398.0	3.0	2700	Direct	212	Kärcher	Crankcase	Yes	112	45 x 28 x 29
HD 4.0/40 G Teton	1.107-399.0	4.0	4000	Direct	420	Kärcher	Crankcase	Yes	130	45 x 28 x 29
HD 4.0/40 Ge Teton†	1.107-400.0	4.0	4000	Direct	420	Kärcher	Crankcase	Yes	158	45 x 28 x 29
HD 3.5/35 G Teton	1.107-440.0	3.5	3500	Direct	302	Karcher	Crankcase	Yes	132	45 x 28 x 29
HD 3.0/27 GB Teton	1.107-441.0	3.0	2700	Belt	212	Karcher	Crankcase	Yes	123	45 x 28 x 29
HD 3.5/35 GB Teton	1.107-442.0	3.5	3500	Belt	302	Karcher	Crankcase	Yes	158	45 x 28 x 29
HD 4.0/40 GB Teton	1.107-443.0	4.0	4000	Belt	420	Karcher	Crankcase	Yes	169	45 x 28 x 29
HD 4.0/40 GeB Teton	1.107-444.0	4.0	4000	Belt	420	Karcher	Crankcase	Yes	205	45 x 28 x 29
HD 5.0/30 GB Teton	1.107-445.0	5.0	3000	Belt	420	Karcher	Crankcase	Yes	169	45 x 28 x 29

Α				

	Order No.	Description
	8.750-247.0	Trigger Gun, model M407
	8.925-129.0	Hose, 50' x 3/8", 1w, 4,000 PSI SWXSO
-	8.783-039.0	Lance 30" Zinc plated, handle & coupler (for HD 3.0/27 G Classic)
-	8.783-040.0	Lance 44" Zinc plated, handle & coupler (for HD 4.0/40 G Classic and HD 4.0/40 Ge Classic)
-	9.802-216.0	Injector, Chem, NON ADJ, 0.083
	8.712-429.0	Nozzle
	8.925-229.0	Legacy, 100' x 3/8" ID, 6000 PSI, 2-wire, smooth cover, black high pressure hose
	8.753-572.0	A+ Surface Cleaner SC21
	8.753-573.0	A+ Surface Cleaner SC24
	9.302-243.0	Legacy Turbo Nozzle, 4.0, 4350 PSI
	8.710-620.0	Legacy Superlite stainless steel wand, 72" - 56.0 oz
	9.807-754.0	Skid mount feet
	9.807-750.0	37.5" long handle
	9.807-753.0	Lance holder
	9.807-752.0	Hose storage hook
	9.807-751.0	Handle with hose reel (mild steel anthracite handle)





Features

- 50 gallon water tank (HD Pallet Skid with Tank only)
- Forklift holes
- Includes skid feet
- 1 to 2, 100' hose reels
- Fits within standard UTV/ATV bed
- Assembly required

TECHNICAL DATA

Model	Part No.	Frame Material	Description	Compatible Pressure Washer (sold separately)	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD Pallet Skid with Tank	9.807-833.0	Mild Steel	50 gal water tank and 1 hose reel	HD 3.0/27 G Teton (1.107-398.0) HD 4.0/40 G Teton (1.107-399.0)	185	40 x 48 x 35
HD Pallet Skid with 2 Hose Reels	9.807-838.0	Mild Steel	2 hose reels	HD 4.0/40 Ge Teton (1.107-400.0) HD 3.5/35 G Teton (1.107-440.0)	172	47 x 40 x 35

OPTIONS (FACTORY INSTALLED)

_		•
	Order No.	Description
	8.923-105.0	Rubber feet kit
	8.923-107.0	Inlet filter kit
	8.923-106.0	Lifting eye bolts kit
	8.923-108.0	Three-way valve kit

■ Included □ Optional †Electric start available on select models. *CARB compliance required for sale in California

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Tel. 888-805-9852 Fax 800-248-8409











