

# KÄRCHER

makes a difference



## UNLIMITED MOBILITY FOR DEMANDING APPLICATIONS.

The first cordless wet and dry vacuum cleaner in the professional market.

# Full performance and mobility at a new level.

The NT 22/1 Ap Bp is the first wet/dry vac in the market that offers professional suction performance in a battery machine. It has the same air flow as the equivalent corded machine - unprecedented in the cleaning and power tool industry. Its compact design and low weight make it the ideal wet and dry vac for all mobile applications. Whether for BSC customers, in hotels, retail outlets, in the car cleaning business or for craftsmen: this machine offers unlimited mobility since users can now do their work independent of power socket availability. With a running time of 31 min at full power the user has enough time to get the job done in time without making any compromise on suction power. With one additional battery continuous working is possible.



## 1 Compact, light and versatile

- First truly professional battery-powered wet and dry vacuum cleaner
- Powerful 36V Battery Power+ battery with 7.5 Ah and fast recharge time (58-81 min)
- Long running time of 31 min with full suction power
- Ideal for mobile applications thanks to low weight and compact dimensions

## 2 Powerful and practical

- Significantly better suction performance than any other competitor machine
- Semi-automatic filter cleaning system for uninterrupted working when working without filter bag
- Flat pleated filter guarantees high usable container volume
- Equipped with a space-saving flat pleated filter and electronic water shut-off, makes it suitable for vacuuming liquids, coarse dirt, and fine dust.
- 99.0% filtration efficiency
- Easy and comfortable handling of all accessory parts even in dusty environments

# Technical data and equipment.



**NT 22/1 AP BP**

## TECHNICAL SPECIFICATIONS

Vacuum width, floor tool	in	12
Vacuum hose length	m / ft	1.9 / 6.2
Battery running time	Min	31
Waste container capacity	gal	5.8
Operating noise level	dB(A)	71
Air flow rate	cfm	121
Waterlift	in of water	61
Max. power rating	watts	575
Weight	lbs	19.4
Dimensions (L x W x H)	in	15.9" x 14.6" x 19.7"

## EQUIPMENT

Order No.	Description
1.528-128.0	NT 22/1 Ap Bp L

## ACCESSORIES

Order No.	Description
■ 2.445-075.0	Battery Power+ 36/75 battery
■ 2.445-053.0	Fast charger Battery Power+ 36/60
■ 2.889-199.0	Ergonomic bend
■ 2.889-218.0	Set suction tubes plastic
■ 2.889-263.0	Universal floor nozzle with parking position
■ 6.904-156.0	Flat pleated filter paper
■ 2.889-159.0	Crevice nozzle
■ 6.907-469.0	Fleece filter bag - 22 Liter
□ 2.889-175.0	Set suction tubes, 2 x 0,55m / 1.8 ft, stainless steel
□ 2.889-135.0	Suction hose 4.0 m / 13.1 ft
□ 2.889-134.0	Suction hose 2.5 m / 8.2 ft
□ 2.889-170.0	Ergonomic bend with soft grip
□ 2.889-152.0	Wide wet and dry floor nozzle with easily changeable inserts for wet/dry applications
□ 2.889-151.0	Connection adaptor for power tools
□ 2.889-136.0	Suction hose, 2.5 m / 8.2 ft electrically conductive
□ 2.889-168.0	Ergonomic bend, with soft grip electrically conductive
□ 2.679-000.0	Drilling dust nozzle
□ 6.907-649.0	Flat pleated filter PES
□ 6.906-108.0	Car cleaning nozzle

■ Included □ Optional

Please contact us for more information:

**Kärcher U.S.A.**

4555 Airport Way  
Denver, CO 80239  
U.S.A.

Phone 888-805-9852  
Fax 800-248-8409

[www.karcher.com/us](http://www.karcher.com/us)

**Kärcher Canada**

275 Pendant Drive  
Mississauga, ON L5T 2W9  
Canada

Phone 888-705-9444  
Fax 905-672-3155

[www.karcher.ca](http://www.karcher.ca)