


T380AMR



COMMON PARTS & CONSUMABLES

Only **genuine Tennant parts** can ensure peak performance for the life of your equipment.

Serial # _____

Brushes

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines.
- Easy installation helps reduce machine downtime and service calls.
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass.

PART DESCRIPTION	INSTA-CLICK™ BRUSH PART NUMBER
Nylon Scrub Brush	1210386
Polypropylene Scrub Brush	1213032
Abrasive Scrub Brush	1213033

Pads / Pad Drivers

- Available for a variety of cleaning needs and floor types.
 - Polishing
 - Scrubbing
 - Stripping

PART DESCRIPTION	PART NUMBER
3M White Polishing Pad	17260
3M Red Cleaning Pad	17261
3M Blue Scrubbing Pad	17262
3M Brown Stripping Pad	17263
3M Black HiPro Stripping Pad	370094
3M Maroon Surface Prep Pad	1051030
Scotch-Brite™ Purple Diamond Pad	1073751
Insta-Click™ Pad Driver	1209197

Squeegees

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines.
- Less rework and low labor costs.
- Ideal for use in a variety of applications.
 - Premium Linatex® and Linard® rubber exhibits outstanding strength and resistance to cutting and tearing.
 - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based oils.
 - Economy Gum Rubber is cost-effective option for smooth, indoor floors, made of a combination of natural material and fillers.

SQUEEGEE MATERIAL DESCRIPTION	PART NUMBERS	
	FRONT	REAR
Linatex®	1223124	1223125
Urethane	1227124	1227125
Gum Rubber	1227126	1227127

Pricing & Ordering

Contact Tennant Customer Service at **1-800-553-8033** or **www.tennantco.com**

Prices and programs subject to change without notice. ©2022 The Tennant Company. All rights reserved. Rev 2/2022

Battery & Charger

PART DESCRIPTION	PART NUMBER
Battery, Wet 12VDC 225AH	1070591
Battery, Lithium-ion, 24V, 90AH	9052002
24 VDC, 650W, 85-265VAC, Off-board Charger for Wet Battery	1245931
24V, 650W, Off-board Charger for Lithium-Ion Battery	9021961

General Maintenance

- Optimized equipment cleaning performance.
- Reduced maintenance costs and machine wear.

PART DESCRIPTION	PART NUMBER
Squeegee Assembly Kit, with Linatex blades.	9016742
Filter, In-line, 080 Mesh	1211537
Recovery Tank Debris Tray	1207357
Ignition Key	1240918
500 mm Head Splash Skirt	1055025
Drain Hose Assembly, with Drain Cap [PVC]	1249557
Solution Hose Assembly [PVC]	1249426
Battery, Wet 12VDC 225AH	1070591
24VDC, 650W, 100-240VAC, Off-Board Charger	1217495
ec-H2O NanoClean® WCM 270 ML Cartridge	9013646
Front Guard Bristle Kit	9021042
Rear guard Bristle Kit	9021043

Pricing & Ordering

Contact Tennant Customer Service at **1-800-553-8033** or **www.tennantco.com**

Prices and programs subject to change without notice. ©2022 The Tennant Company. All rights reserved. Rev 2/2022

Tennant True® Cleaning Solutions

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives
- Color coded for easy identification, training, and safety
- Low-foam formulas allows for easy rinsing and may help extend some equipment components

PART DESCRIPTION	SIZE	PART #
Neutral pH Daily Cleaner (Clear): For light-duty cleaning. Safe for all floor types. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1/4 oz per gal; Moderate cleaning – 1/2 oz per gal.	2.5 gal	9015248
	5 gal	9006758
	15 gal w/pump*	9006759
	15 gal	9006760
	55 gal w/pump*	9006761
	55 gal	9006762
Neutral Purpose Cleaner (Purple): For medium-duty cleaning. Safe for most floor types. Low foam. Contains environmentally safer surfactants, Green Seal Certified. NSF approved. pH: 10-11. Dilution: Light cleaning – 1/2 oz per gal; Moderate cleaning – 2 oz per gal.	275 gal*	9006763
	2.5 gal	9015246
	5 gal	9006764
	15 gal w/pump*	9006765
	15 gal	9006766
	55 gal w/pump*	9006767
Neutral pH Solvent Degreaser (Yellow): For aggressive cleaning in heavy manufacturing & industrial environments. Good for grease removal. Low foam. Contains low volatile solvents & environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1 oz per gal; Heavy cleaning – 4 oz per gal.	55 gal	9006768
	275 gal*	9006769
	2.5 gal	9015247
	5 gal	9006770
	15 gal w/pump*	9006771
	15 gal	9006772
High Alkaline Degreaser (Red): For heavy-duty cleaning in manufacturing & industrial environments with petroleum & grease. Low foam. Contains low volatile solvents. NSF approved. pH: 12.5-13.5. Dilution: Light cleaning – 1 oz per gal; Heavy cleaning – 4 oz per gal.	55 gal w/pump*	9006773
	55 gal	9006774
	275 gal*	9006775
	2.5 gal	9015249
	5 gal	9006776
	15 gal w/pump*	9006777
	15 gal	9006778
	55 gal w/pump*	9006779
	55 gal	9006780
	275 gal*	9006781
Super Strength Solvent Degreaser (Orange): For extremely aggressive cleaning in heavy manufacturing & industrial environments. Good for grease & mark removal. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: General cleaning – 1/2-3 oz per gal; Heavy cleaning – 4-8 oz per gal; Severe cleaning – up to 15 oz per gal.	22 Lb box	9006782
	granular drum	9006783
	2.5 gal	9015250
	5 gal	9008791
	55 gal	9008795
	9 15- gal	9008796
High Alkaline Degreaser (White Granular): Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning – one 2.2 lb bag / 4 cups per 30 gal warm water; Heavy cleaning – one 2.2 lb bag / 4 cups per 15 gal warm water.	4 55- gal	9008797
	275 gal*	9008798
	Granular Drum	9006783