

# SAFETY DATA SHEET

# **Pigment Dispersion Liquid Gel**

Date Prepared : 04/12/2015 MSDS No: WB-CHBO1OZ Made in USA



# PRODUCT AND COMPANY IDENTIFICATION

1. PRODUCT AND COMPANY IDENTIFICATION PRODUCT NAME: Pigment Dispersion, Cherry Bomb PRODUCT IDENTIFIER: UCD-7945SF ARYLIDE RED RECOMMENDED USE: Not available. RECOMMENDED RESTRICTIONS: None known. PRODUCT FORM: Liquid OTHER MEANS OF IDENTIFICATION SAP SPECIFICATION: 00000042763

# DISTRIBUTOR

DeckWise<sup>®</sup>, The Ipe Clip<sup>®</sup> Fastener Co. LLC. 2111 58th Ave. East, Bradenton, FL 34203 Customer Service: 1-866-427-2547 E-Mail: info@deckwise.com

Emergency Contact: CHEMTEL CHEMTEL: 800-255-3924 Emergency Phone: 813-248-0573

# 2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS: Not Classified. Physical hazards: Not classified. Health hazards: Specific target organ toxicity, repeated exposure OSHA defined hazards: Not classified.

Category 1

GHS LABEL



Signal word: Danger Hazard statement: Causes damage to organs through prolonged or repeated exposure.

## **PRECAUTIONARY STATEMENT(S)**

### Prevention:

Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection. P264: Wash thoroughly after handling.

### **RESPONSE:**

Get medical advice/attention if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing.

# STORAGE:

# DISPOSAL:

P501: Store separately. Dispose of contents/ container in accordance with local/ regional/national /international regulations.

Hazard(s) not otherwise classified (HNOC): None known.HMIS RATING:HFRPPE

Supplemental information: If product is in liquid or paste form, hazards related to dust are not considered significant. But product may contain substances that could be potential hazards if caused to become airborne due to abrasive processes.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight Percent	CAS No.
Talc	1 - 2.5	14807-96-6
Other components below reportable levels	90 - 100	

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

PRIMARY ROUTES OF EXPOSURE: Skin contact.

# DESCRIPTION OF FIRST AID MEASURES:

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist. Skin contact: Wash off with soap and water. Get medical attention if irritation develops and persists. Eye contact: Rinse with water. Get medical attention if irritation develops and persists. Ingestion: Rinse mouth. Get medical attention if symptoms occur. Most important symptoms/effects, acute and delayed: Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed: Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information: If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sup>2</sup>).
 Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.
 Specific hazards arising from the chemical: During fire, gases hazardous to health may be formed.
 Special protective equipment and precautions for firefighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
 Fire fighting equipment/instructions: Move containers from fire area if you can do so without risk.

**Specific methods:** Use standard firefighting procedures and consider the hazards of other involved materials. **General fire hazards:** No unusual fire or explosion hazards noted.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up: Large Spills: Stop the flow of material, if this is without risk.

Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

# 7. HANDLING AND STORAGE

Precautions for safe handling: Do not breathe mist or vapor. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities:** Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		20 mppcf	
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Values Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chemical			
Hazards Components	Туре	Value	Form
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.

Biological limit values: No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection:** Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection: Wear appropriate chemical resistant gloves.

Other: Use of an impervious apron is recommended.

Respiratory protection: Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards: Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Explosive limit - upper (%): Not available.	
Physical state: Liquid.	Vapor pressure: Not available.	
Form: Liquid. Viscous Liquid	Vapor density: Not available.	
Color: Red	Relative density: 1.047	
Odor: Characteristic	Solubility(ies)	
Odor threshold: Not available.	Solubility (water): Not available.	
<b>pH:</b> Not available.	Partition coefficient (n-octanol/water): Not available.	
Melting point/freezing point: Not available.	Auto-ignition temperature: Not available.	
Initial boiling point and boiling range: Not available.	Decomposition temperature: Not available.	
Flash point: 350.0 °F (176.7 °C) estimated	Viscosity: Not available.	
Evaporation rate: Not available.	Other information	
Flammability (solid, gas): Not applicable.	Density: 8.736 lb/gal	
Upper/lower flammability or explosive limits	Explosive properties: Not explosive.	
Flammability limit - lower (%): Not available.	Flammability class: Combustible IIIB estimated	
Flammability limit - upper (%): Not available.	Oxidizing properties: Not oxidizing.	
Explosive limit - lower (%): Not available.		

# **10. STABILITY AND REACTIVITY**

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability: Material is stable under normal conditions.
Possibility of hazardous reactions: No dangerous reaction known under conditions of normal use.
Conditions to avoid: Contact with incompatible materials.
Incompatible materials: Strong oxidizing agents.
Hazardous decomposition products: No hazardous decomposition products are known.

# **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

- Inhalation: May cause damage to organs through prolonged or repeated exposure by inhalation.
- **Skin contact:** No adverse effects due to skin contact are expected.
- Eye contact: Direct contact with eyes may cause temporary irritation.
- Ingestion: Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics: Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

Acute toxicity: Not known.

Skin corrosion/irritation: Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation: Direct contact with eyes may cause temporary irritation.

### Respiratory or skin sensitization

Respiratory sensitization: Not a respiratory sensitizer.

Skin sensitization: This product is not expected to cause skin sensitization.

Germ cell mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity: Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity Talc (CAS 14807-96-6) 2B

2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated.

**Reproductive toxicity:** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure: Not classified.

Specific target organ toxicity - repeated exposure: Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard: Not an aspiration hazard.

Chronic effects: Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity: The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability: No data is available.

Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# **13. DISPOSAL CONSIDERATIONS**

Disposal instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations: Dispose in accordance with all applicable regulations.

Hazardous waste code: The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Waste from residues / unused products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. TRANSPORT INFORMATION

Not regulated as dangerous goods.

IATA: Not regulated as dangerous goods.

IMDG: Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not established.

# **15. REGULATORY INFORMATION**

US federal regulations: This product is a "Hazardous Chemical" as defined by the US Hazard Communication Standard and the Canadian Hazardous Products Regulation. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

Hazard categories

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous chemical

No

SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated. Safe Drinking Water Act (SDWA): Not regulated.

# US state regulations

Proposition 65: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information visit www.oehha.ca.gov/proposition-65

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Talc (CAS 14807-96-6)

# **16. OTHER INFORMATION**

Issue date 04-10-2015 04-12-2017 Revision date Version # 04

MANUFACTURER DISCLAIMER: This version replaces all previous versions. The information contained in this SDS and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Although certain hazards are described herein, The Ipe Clip Fastener Company, LLC, cannot guarantee that these are the only hazards that exist. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall The Ipe Clip Fastener Company, LLC, assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. The Ipe Clip Fastener Company, LLC, expressly disclaims any representations and warranties of any kind, whether express or implied, as to the accuracy, completeness, noninfringement, merchantability and/or fitness for a particular purpose with respect to any information and recommendations provided. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety information is not a license to use this material as claimed by any patents of third parties. The user alone must finally determine whether a contemplated use of this material will infringe any such patents, and for obtaining any required licenses. The Ipe Clip Fastener Company, LLC, reserves the right to make any changes to the information and/or recommendations at any time, without prior subsequent notice.