HIGH DENSITY, LOW PROFILE

Cine 13

13" 4K High-Bright Production Monitor



SMALLHD



CINE 13

SmallHD's most agile, bright, and pixel-dense 4K production monitor yet, the Cine 13's low-profile design ensures this portable field companion can be rigged in almost any situation.

SKU MON-CINE-13

Small4K™ Video Processing Architecture

Inputs: 4x 12G-SDI, 1x HDMI 2.0

Outputs: 4x 12G-SDI, 1x HDMI 2.0

PageOS Software Platform

Multi-View

EL Zone

· Teradek RT Lens Control Overlays

Color Pipe

· Tetrahedral LUT Interpolation

· Improved HD Upscaling

Power

Hot-swappable dual inputs

1x 4-pin XLR input

1x Dual-GM/VM Battery Plate (sold separately)

Unibody Smart Chassis

 Dovetail Mounting Rail for battery and accessory mounting

· 2x 2-pin accessory power outputs

 Lower mounting rail included for ultimate flexibility



SPECIFICATIONS

Screen Size: 13.3in / 34cm Bit Depth: 10-bit (8+2) Color: 100% REC. 709 Resolution: 3840 x 2160 Brightness: 1500+nits Weight: 6.8lbs / 3.09kg



Cine 18

18" 4K High-Bright Production Monitor



SMALLHD



CINE 18

Cine 18 is a rugged, portable, daylight-viewable, color-accurate, 4K monitor with a versatile screen size that can fit any production. It's big enough for Video Village, bright enough for daylight viewing, and its ultra-lightweight aluminum unibody construction is more than durable enough for challenging shoots.

SKU 16-1801

Small4K[™] Video Processing Architecture

Inputs: 4x 12G-SDI, 1x HDMI 2.0

Outputs: 4x 12G-SDI, 1x HDMI 2.0

PageOS Software Platform

- Multi-View
- EL Zone
- Teradek RT Lens Control Overlays
- Color Pipe
- Tetrahedral LUT Interpolation
- · Improved HD Upscaling

Power

- Hot-swappable dual inputs
- 1x 4-pin XLR input
- 1x Dual-GM/VM Battery Plate (sold separately)

Unibody Smart Chassis

- 2x 2-pin accessory power outputs
- Dovetail Mounting Rail for battery and accessory mounting
- Lower mounting rail for ultimate flexibility (sold separately)



SPECIFICATIONS

Screen Size: 18.4in / 46.7cm

Bit Depth: 10-bit (8+2) **Color:** 100% REC. 709 **Resolution:** 3840 x 2160 **Brightness:** 1100nits

Weight: 12lbs /5.05kg



4K MONITORING EVERYWHERE

Cine 24

24" High-Bright Monitor



SMALLHD



CINE 24

This high-bright monitor features 1350nits of brightness enabling clear viewing in bright daylight environments, eliminating the need for a sun hood. Cine 24 brings 4K monitoring everywhere.

SKU MON-CINE-24

Small4K[™] Video Processing Architecture

Inputs: 4x 12G-SDI, 1x HDMI 2.0

Outputs: 4x 12G-SDI, 1x HDMI 2.0

PageOS Software Platform

- Multi-View
- EL Zone
- Teradek RT Lens Control Overlays
- Color Pipe
- Tetrahedral LUT Interpolation
- · Improved HD Upscaling

Power

- Hot-swappable dual inputs
- 1x 4-pin XLR input
- 1x Dual-GM/VM Battery Plate (sold separately)

Unibody Smart Chassis

- Dovetail Mounting Rail for battery and accessory mounting
- 2x 2-pin accessory power outputs
- Interchangeable mounting points



SPECIFICATIONS

Screen Size: 23.8in / 60cm Bit Depth: 10-bit (8+2) Color: 100% DCI-P3 Resolution: 3840 x 2160 Brightness: 1350nits Weight: 16.5lbs / 7.5kg

