

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/03/2023

Reviewed on 05/03/2023

1 Identification

- **Product Identifier**
- **Trade Name: Drislide Robotic Grease LG-03**
- **Product Number:** DS338, DSL339, DSL340, DSL342
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Robotic Grease
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Drislide N. America, Inc.
1452 Delashmut Avenue
Columbus, Ohio 43212
Ph.: 614-291-6900
Fax: 614-291-6929
- **Emergency telephone number:** 800-231-6901

2 Hazard(s) Identification

- **Classification of the substance or mixture:**
Aquatic Acute 3 H402 Harmful to aquatic life.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:**
H402 Harmful to aquatic life.
- **Precautionary statements:**
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
94 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

*** 3 Composition/Information on Ingredients**

- **Chemical characterization: Substance**
- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous Components:**

	Highly refined mineral oils	60-90%
	Aquatic Acute 3, H402	

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/03/2023

Reviewed on 05/03/2023

Trade Name: Drislide Robotic Grease LG-03

CAS: 64741-88-4 RTECS: PY8040500	Distillates (petroleum), solvent-refined heavy paraffinic	15-35%
CAS: 64742-58-1	Lubricating oils, petroleum, hydrotreated spent Eye Irritation 2B, H320	≤2.5%

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

*** 4 First-Aid Measures****Description of first aid measures**

- **General information:** If symptoms persist, call a physician.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Generally, the product does not irritate the skin.
If skin irritation occurs, consult a doctor.
- **After eye contact:**
If eye irritation occurs, consult a doctor.
Rinse opened eye for several minutes under running water.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

*** 5 Fire-Fighting Measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**
Use fire fighting measures that suit the environment.
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

PAC-1:

None of the ingredients are listed.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/03/2023

Reviewed on 05/03/2023

Trade Name: Drislide Robotic Grease LG-03**· PAC-2:**

None of the ingredients are listed.

· PAC-3:

None of the ingredients are listed.

7 Handling and Storage**· Handling**

- Precautions for safe handling:** No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:** No special measures required.

· Conditions for safe storage, including any incompatibilities**· Storage**

- Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility:** Not required.
- Further information about storage conditions:** None.
- Specific end use(s):** No further relevant information available.

*** 8 Exposure Controls/Personal Protection**

- Additional information about design of technical systems:** No further data; see section 7.
- Control parameters:**
- Components with occupational exposure limits:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituents have no known exposure limits.

64741-88-4 Distillates (petroleum), solvent-refined heavy paraffinic

PEL	Short-term value: 5 mg/m ³
REL	Short-term value: 5 mg/m ³ Long-term value: 10 mg/m ³
TWA	Short-term value: 1 mg/m ³ Long-term value: 3 mg/m ³

64742-58-1 Lubricating oils, petroleum, hydrotreated spent

TWA	Short-term value: 5
-----	---------------------

- Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:**
- Personal protective equipment**
- General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Wash hands before breaks and at the end of work.
- Breathing equipment:** Not required.
- Protection of hands:** Not required.
- Material of gloves:** Not applicable.
- Penetration time of glove material:** Not applicable.
- Eye protection:**



Goggles recommended during refilling.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/03/2023

Reviewed on 05/03/2023

Trade Name: Drislide Robotic Grease LG-03

- **Limitation and supervision of exposure into the environment:**
Keep away from drains, surface and ground waters.
Avoid release into the environment.

*** 9 Physical and Chemical Properties****· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:** Semi-solid**Color:** Green**· Odor:** Petroleum-like**· Odor threshold:** Not determined.**· pH-value:** Not applicable.**· Change in condition****Melting point/Melting range:** Not determined.**Boiling point/Boiling range:** Not determined.**· Flash point:** 107 °C (224.6 °F)**· Flammability (solid, gaseous):** Not applicable.**· Auto igniting:** Not applicable**· Decomposition temperature:** Not determined.**· Ignition temperature:** Product is not self-igniting.**· Danger of explosion:** Product does not present an explosion hazard.**· Explosion limits:****Lower:** 0.0 Vol %**Upper:** 0.0 Vol %**· Vapor pressure @ 20 °C (68 °F):** <0.5 hPa (<0.4 mm Hg)**· Density:** Not determined.**· Relative density:** Not determined.**· Vapor density:** Not determined.**· Evaporation rate:** Not determined.**· Solubility in / Miscibility with:****Water:** Not miscible or difficult to mix.**· Partition coefficient (n-octanol/water):** Not determined.**· Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**· Solvent content:****VOC content:** 0.00 %

0.0 g/l / 0.00 lb/gal

Solids content: 0.2 %**· Other information:** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/03/2023

Reviewed on 05/03/2023

Trade Name: Drislide Robotic Grease LG-03**10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

*** 11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

64742-58-1 Lubricating oils, petroleum, hydrotreated spent

Oral	LD50	>2,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat) >4,480 mg/kg (Rabbit)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**
- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.

(Contd. on page 6)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/03/2023

Reviewed on 05/03/2023

Trade Name: Drislide Robotic Grease LG-03

- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household waste. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

* 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**
None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	ACTIVE
64742-58-1	Lubricating oils, petroleum, hydrotreated spent	ACTIVE
84605-29-8	Zinc Dialkyldithiophosphates (C12-C24)	ACTIVE
72162-26-6	Olefin Sulfide	ACTIVE
9003-27-4	Polyisobutylene	ACTIVE
9003-28-5	Polybutylene	ACTIVE

· **Hazardous Air Pollutants**
None of the ingredients are listed.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/03/2023

Reviewed on 05/03/2023

Trade Name: Drislide Robotic Grease LG-03**· California Proposition 65:****· Chemicals known to cause cancer:**

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· New Jersey Right-to-Know List:

None of the ingredients are listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

· Pennsylvania Right-to-Know List:

None of the ingredients are listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

· Carcinogenic categories:**· EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms: Non-Regulated Material**· Signal word:** Non-Regulated Material**· Hazard statements:**

H402 Harmful to aquatic life.

· Precautionary statements:

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Information about limitation of use:**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

(Contd. on page 8)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/03/2023

Reviewed on 05/03/2023

Trade Name: Drislide Robotic Grease LG-03

· **Contact:**

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106