

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

1 Identification

- **Product identifier**
- **Trade name:** Drislide Multi-Purpose Lubricant-Liquid
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Lubricant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Cortec Corporation
4119 White Bear Parkway
St. Paul, MN 55110 USA
Phone (651) 429-1100
Fax (651) 429-1122
- **Information department:**
info@cortecvci.com
Product safety department.
- **Emergency telephone number:**
Spill, Leak, Fire, Exposure, or Accident
24 hour CHEMTREC contact:
USA and Canada 1-800-424-9300
International +1-703-527-3887 (collect calls accepted)

Drislide M/P Lubricant-55 Gallon Drum
is packaged into 4oz Bottles of
Drislide Bike Aid Lubricant
Part # DSL202 & DSL206
Packaged by Drislide N. America, Inc.

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Harmful

Harmful: may cause lung damage if swallowed.

Flammable.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS02, GHS07, GHS08
- **Signal word** Danger

(Contd. on page 2)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

Trade name: Drislide Multi-Purpose Lubricant-Liquid (Bike-Aid)

(Contd. of page 1)

· **Hazard-determining components of labeling:**

Solvent naphtha (petroleum), medium aliph.

· **Hazard statements**

Flammable liquid and vapour.

Harmful if inhaled.

May be fatal if swallowed and enters airways.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapours/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system**

· **NFPA ratings (scale 0-4)**



Health = 2

Fire = 2

Reactivity = 1

· **HMIS rating system (0-4)**



Health = 2

Flammability = 2

Reactivity = 1

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 64742-88-7 EINECS: 265-191-7	Solvent naphtha (petroleum), medium aliph. Xn R65 Asp. Tox. 1, H304; H227	50-100%
CAS: 64742-52-5 EINECS: 265-155-0	Distillates (petroleum), hydrotreated heavy naphthenic T Carc. Cat. 2 R45	2.5-10%

· **Additional information**

Non-hazardous component Molybdenum Disulfide is present at 2.5-10%

For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing** Rinse out mouth and then drink plenty of water. Do not induce vomiting.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

Trade name: Drislide Multi-Purpose Lubricant-Liquid (Bike-Aid)

(Contd. of page 2)

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**



CO₂, sand, extinguishing powder. Do not use water.

- **For safety reasons unsuitable extinguishing agents**
Water.
Water with full jet.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**



Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

Trade name: Drislide Multi-Purpose Lubricant-Liquid (Bike-Aid)

(Contd. of page 3)

- Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment
- General protective and hygienic measures
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- Breathing equipment:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Tightly sealed goggles.
- Body protection: Protective work clothing.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- Appearance:
 - Form: Liquid
 - Color: Black
- Odor: Characteristic
- Odour threshold: Not determined.
- pH-value: Not determined.
- Change in condition
 - Melting point/Melting range: undetermined

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

Trade name: Drislide Multi-Purpose Lubricant-Liquid (Bike-Aid)

(Contd. of page 4)

· Boiling point/Boiling range:	> 260 °C (> 500 °F)
· Flash point:	46 °C (115 °F)
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	265 °C (509 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	0.6 Vol %
Upper:	6.5 Vol %
· Vapor pressure at 20 °C (68 °F):	6.6 hPa (5 mm Hg)
· Density at 20 °C (68 °F):	0.87 g/cm ³ (7.26 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	75-80 %
Solids content:	20-25 %
· Other information	The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.

10 Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known

USA

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

Trade name: Drislide Multi-Purpose Lubricant-Liquid (Bike-Aid)

(Contd. of page 5)

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

64742-88-7 Solvent naphtha (petroleum), medium aliph.

Oral	LD50	>6500 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rab)
Inhalative	LC50/4 h	>14 mg/l (rat)

· Primary irritant effect:

- on the skin: Repeated or prolonged skin contact with this product may produce skin irritation.
- on the eye: May be irritating.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

USA

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

Trade name: Drislide Multi-Purpose Lubricant-Liquid (Bike-Aid)

(Contd. of page 6)

13 Disposal considerations



- Waste treatment methods
- Recommendation



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADR, IMDG, IATA	UN1300
· UN proper shipping name	
· DOT	Turpentine substitute
· ADR	1300 Turpentine substitute
· IMDG, IATA	TURPENTINE SUBSTITUTE
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3
· ADR, IMDG, IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	30
· EMS Number:	F-E,S-E
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

Trade name: Drislide Multi-Purpose Lubricant-Liquid (Bike-Aid)

(Contd. of page 7)

· **Transport/Additional information:**

· **ADR**

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN1300, Turpentine substitute, 3, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Prop 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS02, GHS07, GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Solvent naphtha (petroleum), medium aliph.

· **Hazard statements**

Flammable liquid and vapour.

Harmful if inhaled.

May be fatal if swallowed and enters airways.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapours/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2014

Reviewed on 11/14/2014

Trade name: Drislide Multi-Purpose Lubricant-Liquid (Bike-Aid)

(Contd. of page 8)

- National regulations
- Technical instructions (air):

Class	Share in %
NK	77.0

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Cortec Corporation does not warranty any translation of this SDS not created by Cortec Corporation.

- Date of preparation / last revision 11/14/2014 / -

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

: Flammable liquids, Hazard Category 4

Acute Tox. 4: Acute toxicity, Hazard Category 4

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

- * Data compared to the previous version altered.

USA