

Sample Name: B061919-R  
 LIMS Sample ID: 190705S002  
 Batch #:  
 Sample Metric ID:  
 Sample Type: Concentrate, Inhalable  
 Batch Count:  
 Sample Count:  
 Unit Mass:  
 Serving Mass:  
 Density:

Date Collected: 07/05/2019  
 Date Received: 07/05/2019  
 Tested for: Cypress Manufacturing Co.  
 License #: A11-18-0000287-TEMP  
 Address: 1353 Dayton St, Unit B Salinas CA 93901  
 Produced by:  
 License #:  
 Address:

**Overall result for batch: Pass**

## Moisture Test Results

	Results (%)
Moisture	NT

## Cannabinoid Test Results

07/07/2019

Cannabinoid analysis utilizing High Performance Liquid Chromatography (HPLC, QSP 5-4-4-4)

	mg/g	%	LOD / LOQ mg/g
THC	886.250	88.6250	0.052 / 0.158
THCa	ND	ND	0.052 / 0.156
CBD	1.271	0.1271	0.052 / 0.158
CBDa	ND	ND	0.052 / 0.156
CBN	8.781	0.8781	0.052 / 0.157
CBDV	ND	ND	0.021 / 0.063
CBDVa	ND	ND	0.037 / 0.111
CBG	28.468	2.8468	0.030 / 0.092
CBGa	ND	ND	0.044 / 0.133
THCV	2.842	0.2842	0.023 / 0.069
Δ8 - THC	ND	ND	0.053 / 0.162
CBC	11.461	1.1461	0.031 / 0.094
THCVa	ND	ND	0.091 / 0.276
CBL	ND	ND	0.130 / 0.393
CBCa	ND	ND	0.129 / 0.392

**Sum of Cannabinoids: 939.073 93.9073**

Total THC (Δ9THC+0.877\*THCa) 886.250 88.625  
 Total CBD (CBD+0.877\*CBDa) 1.271 0.1271

Action Limit mg

THC per Unit  
 THC per Serving

## Batch Photo



## Water Activity Test Results

	Results (Aw)	Action Limit Aw
Water Activity	NT	

## Terpene Test Results

Terpene analysis utilizing Gas Chromatography - Flame Ionization Detection (GC - FID)

	mg/g	%	LOD / LOQ mg/g
☐ Bisabolol	NT		
☐ Pinene	NT		
3 Carene	NT		
Borneol	NT		
☐ Caryophyllene	NT		
Geraniol	NT		
☐ Humulene	NT		
Terpinolene	NT		
Valencene	NT		
Menthol	NT		
Nerolidol	NT		
Camphene	NT		
Eucalyptol	NT		
☐ Cedrene	NT		
Camphor	NT		
(-)-Isopulegol	NT		
Sabinene	NT		
☐ Terpinene	NT		
☐ Terpinene	NT		
Linalool	NT		
Limonene	NT		
Myrcene	NT		
Fenchol	NT		
☐ Phellandrene	NT		
Caryophyllene Oxide	NT		
Terpineol	NT		
☐ Pinene	NT		
R-(+)-Pulegone	NT		
Geranyl Acetate	NT		
Citronellol	NT		
p-Cymene	NT		
Ocimene	NT		
Guaiol	NT		
Phytol	NT		
Isoborneol	NT		

Total Terpene Concentration: NT

## Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019  
 Authority: Section 26013, Business and Professions Code.  
 Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com  
 Sample must be marked as  
 public to be viewable



Josh Wurzer, President

Date: 07/08/2019

CoA ID: 190705S002-001 - Page 1 of 3

Sample Name: B061919-R  
 LIMS Sample ID: 190705S002  
 Batch #:  
 Sample Metric ID:  
 Sample Type: Concentrate, Inhalable  
 Batch Count:  
 Sample Count:  
 Unit Mass:  
 Serving Mass:  
 Density:

Date Collected: 07/05/2019  
 Date Received: 07/05/2019  
 Tested for: Cypress Manufacturing Co.  
 License #: A11-18-0000287-TEMP  
 Address: 1353 Dayton St, Unit B Salinas CA 93901  
 Produced by:  
 License #:  
 Address:

**Overall result for batch: Pass**

## Pesticide Test Results - Pass

07/08/2019

Pesticide, Fungicide and plant growth regulator analysis utilizing HPLC-Mass Spectrometry and GC-Mass Spectrometry

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Abamectin	Pass	ND	0.1	0.030 / 0.091
Acephate	Pass	ND	0.1	0.013 / 0.039
Acequinocyl	Pass	ND	0.1	0.010 / 0.031
Acetamiprid	Pass	ND	0.1	0.013 / 0.038
Azoxystrobin	Pass	ND	0.1	0.015 / 0.047
Bifenazate	Pass	ND	0.1	0.012 / 0.035
Bifenthrin	Pass	ND	3.0	0.013 / 0.038
Boscalid	Pass	ND	0.1	0.008 / 0.023
Captan	Pass	ND	0.7	0.099 / 0.300
Carbaryl	Pass	ND	0.5	0.014 / 0.043
Chlorantraniliprole	Pass	ND	10.0	0.020 / 0.061
Clofentezine	Pass	ND	0.1	0.009 / 0.027
Cyfluthrin	Pass	ND	2.0	0.099 / 0.299
Cypermethrin	Pass	ND	1.0	0.030 / 0.091
Diazinon	Pass	ND	0.1	0.009 / 0.027
Dimethomorph	Pass	ND	2.0	0.018 / 0.055
Etoxazole	Pass	ND	0.1	0.007 / 0.022
Fenhexamid	Pass	ND	0.1	0.015 / 0.045
Fenpyroximate	Pass	ND	0.1	0.012 / 0.036
Fonicamid	Pass	ND	0.1	0.022 / 0.066
Fludioxonil	Pass	ND	0.1	0.020 / 0.061
Hexythiazox	Pass	ND	0.1	0.009 / 0.027
Imidacloprid	Pass	ND	5.0	0.017 / 0.050
Kresoxim-methyl	Pass	ND	0.1	0.010 / 0.029
Malathion	Pass	0.030	0.5	0.006 / 0.019
Metalaxyl	Pass	ND	2.0	0.011 / 0.033
Methomyl	Pass	ND	1.0	0.022 / 0.067
Myclobutanil	Pass	ND	0.1	0.015 / 0.044
Naled	Pass	ND	0.1	0.010 / 0.031
Oxamyl	Pass	ND	0.5	0.014 / 0.042
Pentachloronitrobenzene	Pass	ND	0.1	0.020 / 0.061
Permethrin	Pass	ND	0.5	0.027 / 0.082
Phosmet	Pass	ND	0.1	0.010 / 0.030
Piperonylbutoxide	Pass	<LOQ	3.0	0.007 / 0.020
Prallethrin	Pass	ND	0.1	0.011 / 0.032
Propiconazole	Pass	ND	0.1	0.004 / 0.013
<b>Pyrethrins</b>	<b>Pass</b>	<b>0.488</b>	<b>0.5</b>	<b>0.012 / 0.036</b>
Pyridaben	Pass	ND	0.1	0.007 / 0.020
Spinetoram	Pass	ND	0.1	0.006 / 0.017
Spinosad	Pass	ND	0.1	0.010 / 0.031
Spiromesifen	Pass	ND	0.1	0.005 / 0.015
Spirotetramat	Pass	ND	0.1	0.014 / 0.042
Tebuconazole	Pass	ND	0.1	0.006 / 0.018
Thiamethoxam	Pass	ND	5.0	0.011 / 0.033
Trifloxystrobin	Pass	ND	0.1	0.007 / 0.020

## Mycotoxin Test Results - Pass

07/08/2019

Mycotoxin analysis utilizing HPLC-Mass Spectrometry

		Results (µg/kg)	Action Limit µg/kg	LOD / LOQ µg/kg
Aflatoxin B1, B2, G1, G2	Pass	ND	20.0	6.000 / 18.000
Ochratoxin A	Pass	ND	20.0	6.000 / 18.000

## Pesticide Test Results - Pass

07/08/2019

Pesticide, Fungicide and plant growth regulator analysis utilizing HPLC-Mass Spectrometry and GC-Mass Spectrometry

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Aldicarb	Pass	ND	ND	0.030 / 0.091
Carbofuran	Pass	ND	ND	0.029 / 0.089
Chlordane	Pass	ND	ND	0.032 / 0.097
<b>Chlorfenapyr</b>	<b>Pass</b>	<b>Trace</b>	<b>ND</b>	<b>0.030 / 0.090</b>
Chlorpyrifos	Pass	ND	ND	0.029 / 0.089
Coumaphos	Pass	ND	ND	0.029 / 0.089
Daminozide	Pass	ND	ND	0.030 / 0.091
DDVP (Dichlorvos)	Pass	ND	ND	0.029 / 0.089
Dimethoate	Pass	ND	ND	0.029 / 0.089
Ethoprop(hos)	Pass	ND	ND	0.029 / 0.089
Etofenprox	Pass	ND	ND	0.029 / 0.089
Fenoxycarb	Pass	ND	ND	0.029 / 0.089
Fipronil	Pass	ND	ND	0.029 / 0.089
Imazalil	Pass	ND	ND	0.029 / 0.089
Methiocarb	Pass	ND	ND	0.029 / 0.089
Methyl parathion	Pass	ND	ND	0.029 / 0.089
Mevinphos	Pass	ND	ND	0.029 / 0.089
Pacllobutrazol	Pass	ND	ND	0.029 / 0.089
Propoxur	Pass	ND	ND	0.029 / 0.089
Spiroxamine	Pass	ND	ND	0.029 / 0.089
Thiacloprid	Pass	ND	ND	0.029 / 0.089

## Heavy Metal Test Results - Pass

07/07/2019

Heavy metal analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Cadmium	Pass	ND	0.2	0.012 / 0.035
Lead	Pass	ND	0.5	0.031 / 0.095
Arsenic	Pass	ND	0.2	0.013 / 0.039
Mercury	Pass	ND	0.1	0.002 / 0.005

## Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019  
 Authority: Section 26013, Business and Professions Code.  
 Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com  
 Sample must be marked as public to be viewable

*Josh Wurzer*  
 Josh Wurzer, President  
 Date: 07/08/2019  
 CoA ID: 190705S002-001 - Page 2 of 3

Sample Name: B061919-R  
 LIMS Sample ID: 190705S002  
 Batch #:  
 Sample Metric ID:  
 Sample Type: Concentrate, Inhalable  
 Batch Count:  
 Sample Count:  
 Unit Mass:  
 Serving Mass:  
 Density:

Date Collected: 07/05/2019  
 Date Received: 07/05/2019  
 Tested for: Cypress Manufacturing Co.  
 License #: A11-18-0000287-TEMP  
 Address: 1353 Dayton St, Unit B Salinas CA 93901  
 Produced by:  
 License #:  
 Address:

**Overall result for batch: Pass**

## Residual Solvent Test Results - Pass

07/07/2019

Note

Residual Solvent analysis utilizing Gas Chromatography - Mass Spectrometry (GC - MS)

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
1,2-Dichloroethane	Pass	ND	1.0	0.111 / 0.336
Benzene	Pass	ND	1.0	0.043 / 0.132
Chloroform	Pass	ND	1.0	0.064 / 0.195
Ethylene Oxide	Pass	ND	1.0	0.136 / 0.413
Methylene chloride	Pass	ND	1.0	0.172 / 0.521
Trichloroethylene	Pass	ND	1.0	0.040 / 0.120
Acetone	Pass	ND	5000.0	14.703 / 44.549
Acetonitrile	Pass	ND	410.0	2.727 / 8.262
Butane	Pass	ND	5000.0	5.672 / 17.185
Ethanol	Pass	ND	5000.0	11.775 / 35.679
Ethyl acetate	Pass	ND	5000.0	16.227 / 49.169
Ethyl ether	Pass	ND	5000.0	11.608 / 35.172
Heptane	Pass	ND	5000.0	12.982 / 39.336
Hexane	Pass	ND	290.0	1.816 / 5.502
Isopropyl Alcohol	Pass	ND	5000.0	15.358 / 46.536
Methanol	Pass	ND	3000.0	15.584 / 47.220
Pentane	Pass	ND	5000.0	12.355 / 37.434
Propane	Pass	ND	5000.0	1.359 / 4.117
Toluene	Pass	ND	890.0	7.174 / 21.736
Total Xylenes	Pass	ND	2170.0	34.438 / 104.347

## Microbiological Test Results - Pass

07/07/2019

PCR and fluorescence detection of microbiological impurities

		Results	Action Limit
Shiga toxin-producing Escherichia coli	Pass	ND	ND
Salmonella spp.	Pass	ND	ND
Aspergillus fumigatus	Pass	ND	ND
Aspergillus flavus	Pass	ND	ND
Aspergillus niger	Pass	ND	ND
Aspergillus terreus	Pass	ND	ND

## Foreign Material Test Results


NT

## Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019  
 Authority: Section 26013, Business and Professions Code.  
 Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com  
 Sample must be marked as  
 public to be viewable

  
 Josh Wurzer, President  
 Date: 07/08/2019  
 CoA ID: 190705S002-001 - Page 3 of 3