

32 Settlers Crescent, Ferrymead, Christchurch, 8023. Ph: +64 3 3843849 Email: boatnz@boatshop.co.nz 8:30 - 5:00 Mon - Fri 9:00 - 1:00PM Sat.

Stainless Steel Fastenings

Newsletter - Current as March 2024

Screws

SELF TAPPING COUNTERSUNK SCREW

Stainless steel screws grade #316

These screws form their own thread in f/glass, aluminium, wood, copper, brass. It is only necessary to bore a hole.

Perfect on fibreglass boats, aluminium masts and other places where a self tapping screw can be used.

16mm x 4G	(25302C)	\$0.17
18mm x 4G	(25303A)	\$0.20
12mm x 6G	(25301)	\$0.11
18mm x 6G	(25304)	\$0.10
25mm x 6G	(25307)	\$0.19
32mm x 6G	(25312)	\$0.24
38mm x 6G	(25316)	\$0.17
12mm x 8G	(25302)	\$0.13
16mm x 8G	(25303)	\$0.17
25mm x 8G	(25308)	\$0.27
18mm x 8G	(25305)	\$0.27
32mm x 8G	(25313)	\$0.41
38mm x 8G	(25317)	\$0.18
50mm x 8G	(25320A)	\$0.42
65mm x 8G	(25325)	\$0.46
12mm x 10G	(25302A)	\$0.32
18mm x 10G	(25306)	\$0.34
25mm x 10G	(25309)	\$0.37
32mm x 10G	(25314)	\$0.32
38mm x 10G	(25318)	\$0.42
50mm x 10G	(25321)	\$1.24
65mm x 10G	(25325A)	\$0.94
25mm x 12G	(25310)	\$0.48
32mm x 12G	(25315)	\$0.62
38mm x 12G	(25319)	\$0.55
50mm x 12G	(25322)	\$0.82
62mm x 12G 75mm x 12G	(25325B)	\$1.48 \$1.67
25mm x 14G	(25326) (25311)	\$0.46
38mm x 14G	(25320)	\$0.46
50mm x 14G	(25323)	\$2.54
62mm x 14G	(25325) (25325C)	\$1.75
75mm x 14G	(25327)	\$1.75
/ Jillill X 140	(23327)	71.01



COACH LAG SCREW - HEX HEAD

Solid 316 grade A1 stainless.

Primarily used in areas where a bolt will not feasibly reach through stern glands, bearings and into solid blockwood areas.

Measurements relate to overall length.

20% DISCOUNT APPLIES WHEN PURCHASING IN BAGS OF 100.

20/0 01000 0111 /11 / 2120	····	
50mm x 6mm	(25331B)	\$2.59
65mm x 6mm	(25332)	\$5.43
	(25333)	\$7.11
65mm x 8mm	(25333D)	\$7.29
75mm x 8mm	(25333A)	\$9.71
100mm x 8mm	(25334)	\$11.75
150mm x 8mm	(25334C)	\$12.46
70mm x 10mm	(25335)	\$11.51
100mm x 10mm	(25336)	\$15.41
150mm x 10mm	(25336A)	\$15.46
50mm x 12mm	(25336C)	\$13.80
75mm x 12mm	(25336D)	\$13.94
100mm x 12mm	(25336E)	\$14.72
150mm x 12mm	(25336F)	\$15.45



LAG SCREW STAINLESS GRADE #316

True lag screw configuration of m10 thread with two nuts that can be locked together to form a head (woodscrew thread on the other end) to enable the installer to screw the lag screw into timber, then remove the nuts and put a fitting on the stud. Simply

put the nuts back on. This enables you to fasten a product to the vessel where you cannot use a bolt and a screw is too light weight. Being s/s generally not used underwater.

M8 x 50mm	(25341)	\$13.43
M10 x 80mm	(25342)	\$14.77
M10 x 100mm	(25343)	\$17.85
M12 x 120mm	(25344)	\$25.90

Threaded Rod Stainless Steel

1m lengths marine grade 316 strength class 80.

Continuous threaded studding in metric thread from M5-M12 in 1 metre lengths.

M5 M6 M8 M10 M12	(25501) (25502) (25503) (25504) (25505)	•	\$24.04 \$19.65 \$25.48 \$36.68 \$50.66	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			

Washers and Nuts

Washer- Standard Stainles Steel

A4(316 marine grade)stainless steel. A flat standard washer which siuts all of our fastenings.

20% DISCOUNT APPLIES WHEN PURCHASING IN BAGS OF 100. Part numbers: 25701, 25702, 25703, 25704, 25705, 25706, 25707



3mm	(25701)	\$0.12
4mm	(25702)	\$0.18
5mm	(25703)	\$0.19
6mm	(25704)	\$0.36
8mm	(25705)	\$0.25
10mm	(25706)	\$0.27
12mm	(25707)	\$0.63

Cup Washers - Stainless Steel

High quality stainless steel cup washers to suit a large variety of applications where you need to spread the load greater than the area of the head of a screw. Holding fender strip on, holding canvas down and the like.

They are a great washer for the marine environment

6G	(25726)	\$0.20
8G	(25727)	\$0.25
10G	(25728)	\$0.36



Spring Washers Stainless Steel

A4 (316 marine grade) stainless steel.

Stop that vibration working your bolts loose - a spring washer under that nut prevents your fittings flying over the side.

20% DISCOUNT WHEN PURCHASING IN BAGS OF 100.

4mm	(25720G)	\$0.17
5mm	(25721)	\$0.17
6mm	(25722)	\$0.25
8mm	(25723)	\$0.28
10mm	(25724)	\$0.44
12mm	(25725)	\$0.95



Dome Nuts Stainless Steel

Metric Thread

M3	(25613C)	\$1.38
M4	(25613D)	\$1.44
M5	(25614)	\$1.61
M6	(25615)	\$1.94
M8	(25616)	\$3.12
M10	(25617)	\$5.09
M12	(25618)	\$7.64



Wing Nut Stainless Steel

Wing Nut Stainless Steel A4 (316 marine grade) stainless steel.

Ideal for those items which need to be readily or regularly moved. Metric thread.

M5	(25619)	\$1.92
M6	(25620)	\$2.66
M8	(25621)	\$3.13
M10	(25622)	\$4.68
M12	(25623)	\$9.98



Washer- Penny X Large

Sometimes referred to as pennywashers, these extra large washers outweigh our large washers by just about double in both diameter and weight, and extend up to 24mm hole size.

5mm x 32mm	(25713)	\$1.16
6mm x 32mm	(25714)	\$1.05
8mm x 32mm	(25715)	\$1.17
10mm x 32mm	(25716)	\$1.56
12mm x 32mm	(25717)	\$1.27
16mm x 38mm	(25718)	\$1.09
20mm x 37mm	(25719)	\$1.20
24mm x 44mm	(25720)	\$7.84
30mm x 64mm	(25720B)	\$9.20



Washer - XXL

XXL Washers with a very wide outside diameter of 50mm, and a thickness of 3mm. This often saves having to put a backing plate when holding down cleats and larger items.

Grade #316 Stainless Steel.

Internal hole is available in 6mm, 8mm, 10mm, 12mm, 16mm

External diameter is 50mm.

6mm x 50mm	(25720B)	\$4.48
8mm x 50mm	(25720C)	\$4.74
10mm x 50mm	(25720D)	\$5.84
12mm x 50mm	(25720E)	\$4.74
16mm x 50mm	(25720F)	\$4.93



Nylon Insert Nuts Stainless Steel (NYLOC)

Nylon Insert Nuts Stainless Steel (Nyloc) all #316 grade

Metric threads from M3-M12, 20% off applies to 100 or more quantities.

M3	(25607A)	\$0.51	
M4	(25608)	\$0.32	
M5	(25609)	\$0.35	Į
M6	(25610)	\$0.32	8
M8	(25611)	\$0.82	Š
M10	(25612)	\$1.93	
M12	(25613)	\$2.12	



Hex Nuts Stainles Steel

HEX NUTS S/S A4 (marine grade 316 strength class 80) stainless steel. Metric thread.

20% DISCOUNT APPLIES WHEN PURCHASING IN BAGS OF 100.

(25601)	\$0.32
(25602)	\$0.33
(25603)	\$0.34
(25604)	\$0.39
(25605)	\$0.63
(25606)	\$1.41
(25607)	\$1.64
	(25602) (25603) (25604) (25605) (25606)



32 Settlers Crescent, Ferrymead, Christchurch 8023, New Zealand. Phone 03 384 3849

Screws Continued....

Self Tapping Stainless Steel Pan Head Screws (POZI)

These screws form their own thread in f/glass, aluminium, wood, copper, brass. It is only necessary to bore a hole. Perfect on fibreglass boats, aluminium masts and other places where a self tapping action is necessary.

20% DISCOUNT APPLIESWHEN PURCHASING IN BAGS OF 100.

20% DISCOUNT A	APPLIESWHEN	PURCHAS
10mm x 6g	(25211)	\$0.14
12mm x 6g	(25213)	\$0.32
18mm x 6G	(25217)	\$0.10
	(25220)	\$0.10
32mm x 6G	(25225)	\$0.17 \$0.13
38mm x 6G	(25230)	\$0.13
10mm x 8G	(25212)	\$0.14
12mm x 8G	(25214)	\$0.31
16mm x 8G	(25215)	\$0.14
18mm x 8G	(25218)	\$0.14
25mm x 8G	(25221)	\$0.17
32mm x 8G	(25226)	\$0.18
	(25231)	\$0.18
62mm x 8G	(25236A)	\$1.29
16mm x 10G	(25216)	\$0.20
18mm x 10G	(25219)	\$0.23
25mm x 10G	(25222)	\$0.35
	(25227)	\$0.33
38mm x 10G	(25232)	\$0.36
50mm x 10G	(25234A)	\$0.43
16mm x 12G	(25216A)	\$0.24
25mm x 12G	(25223)	\$0.37
38mm x 12G	(25233)	\$0.64
50mm x 12G	(25235)	\$0.81
62mm x 12G	(25237)	\$0.46
75mm x 12G	(25239)	\$1.17
25mm x 14G	(25224)	\$0.57
32mm x 14G	(25229)	\$1.20
38mm x 14G	(25234)	\$1.09
50mm x 14G	(25236)	\$1.29
62mm x14G	(25238)	\$1.39
75mm x 14G	(25240)	\$2.97



MACHINE SCREW - PAN HEAD BOLT

Metric thread A4 (316 marine grade) stainless steel. Measurements given are from the underside of the head.

20% DISCOUNT APPLIES WHEN PURCHASING IN BAGS OF 100. M2 v 25mm (25/20) \$0.48

	IVIO X ZOIIIIII	(23420)	ŞU.40
M3 - 3mm thread	M4 x 25mm	(25421)	\$0.64
M4 - 4mm thread	M4 x 50mm	(25422)	\$1.24
		(25422A)	\$0.73
M6 - 6mm thread	M5 x 25mm	(25423)	\$1.16
M8 - 8mm thread	M5 x 50mm	(25424)	\$1.80
ivio - offilli tilledu	M5 x 60mm	(25425)	\$2.32
	M5 x 80mm	(25425A)	\$4.42
	M6 x 25mm	(25426)	\$1.51
	M6 x 50mm	(25427)	\$1.93
	M6 x 60mm	(25427A)	\$1.97
C. Collins	M6 x 70mm	(25428)	\$2.88
4.00	M8 x 25mm	(25429)	\$2.50
1	M8 x 50mm	(25430)	\$3.25
	M8 x 90mm	(25431)	\$9.63

M8 x 100mm

EYEBOLT THREADED

Constructed of grade # 316 stainless steel.

A handy high strength welded eye, eyebolt giving a good reach. Sizes refer to diameter of material and length not including the eye. Total length:

rotar rengem			
6mm - 85mm	6mm	(08601)	\$5.98
8mm - 105mm	8mm	(08602)	\$9.66
10mm - 150mm	10mm	(08603)	\$11.48
12mm - 170mm	12mm	(08604)	\$27.99



(25431A)

\$9.34

Stainless Steel Rivets

Stainless is regarded as the longest lasting and best of non-ferrous materials.


Ideal for aluminium mast fittings and			11
stainless steel fittings.	3mm	(24901)	\$0.56
	4mm	(24902)	\$0.98
The pin or nail that chops off is also S/S.	5mm	(24903)	\$1.51

Screw eye bent from solid bar enables the user to put a larger rope through than our cast All stainless steel with a woodscrew thread.

Screw Eye Stainless

Stainless Steel eye with screw thread and circular eye bent around (allowing it to be unbent if required)

Sml - 60mm overall x 6mm rod	(06405)	\$6.83
Mdm - 60mm overall x 8mm ro	d (06406)	\$8.09
Lge - 90mm overall x 10mm roo	(06407)	\$13.61



Rigging Screw S/S

4mmx 40mm long overall (06407A) \$3.02 5mm x 50mm long overall (06407B) \$7.82 6mm x 60mm long overall (06407C) \$9.59

Open Screw Eye S/S

models.

Rigging Screw Stainless Steel

Barrel eye to fork type stainless steel ends, chrome barrel.

4mm	(08619)	\$30.77
6mm	(08620)	\$36.54
8mm	(08621)	\$40.25
10mm	(08622)	\$73.56



EYE NUT S/S

This Eye Nut is made from cast 316 grade stainless steel. With a female metric thread for lifting purposes andcreating an eye on either a threaded bolt or threaded rod. Some folks use it on their balustrade ends.




5mm	(25623A)	\$4.14
6mm	(25623B)	\$7.64
8mm	(25623C)	\$8.15
10mm	(25623D)	\$11.38
12mm	(25623E)	\$18.48
16mm	(25623F)	\$24.36

32 Settlers Crescent, Ferrymead, Christchurch 8023, New Zealand. Phone 03 384 3849

U BOLT (SILIDING PLATE STYLE)

An all s/s 'U' bolt with washers, nuts and backing plate and polished to a high standard. Often used to fasten lifelines, pulley blocks, bow eyes, and liferafts.







Thimble Stainless Steel

What makes these different?

They have a tidy, easy curve & deep hollow out especially for wire or rope - S/S

Sizes listed correspond with your wire or rope diameter.

2.5mm 3mm 4mm 5mm 6mm 8mm 10mm 12mm 14mm 16mm 20mm 24mm	(05905) (05906) (05907) (05908) (05909) (05910) (05911) (05912) (05913) (05914) (05915) (05916) (05916A)	\$1.70 \$1.89 \$1.96 \$2.33 \$3.36 \$4.54 \$6.46 \$6.92 \$9.22 \$14.93 \$17.28 \$28.99 \$63.21
6mm	(05909)	\$3.36
8mm	(05910)	\$4.54
10mm	(05911)	\$6.46
12mm	(05912)	\$6.92
14mm	(05913)	\$9.22
16mm	(05914)	\$14.93
20mm	(05915)	\$17.28
24mm	(05916)	\$28.99





Hex Head Bolt S/S M5-M16

Engineers bolt with unthreaded shank for added strength, and final approx 30mm threaded

The length of the bare shank is two times the diameter plus 8 mm as a minimum from the Underside of the head, then the thread starts.

M5 x 40mm	(25506)	\$1	1.46		
M6 x 30mm	(25507)	\$	1.28		
M6 x 50mm	(25508)	\$1	1.64		
M6 x 75mm	(25509)	\$	2.99		
M6 x 100mm	(25510)	\$!	5.53		
M6 x 130mm	(25510A)	\$	8.37		
M8 x 35mm	(25511)	\$1	1.73		
M8 x 50mm	(25512)	\$3	2.43		
M8 x80mm	(25513)	\$4	4.86		
M8 x 100mm	(25514)		7.50	M12 x 25mm	(25519B)
M8 x120mm	(25514A)		7.86	M12 x 30mm	(25519C)
M8 x150mm	(25514B)		8.41	M12 x 40mm	(25519CA)
M10 x 25mm	(25515)		2.13	M12 x 50mm	(25519D)
M10 x 40mm	(25515A)		2.76	M12 x 60mm	(25520)
M10 x 50mm	(25516)		3.20	M12 x 75mm	(25520A)
M10 x80mm	(25517)		7.24	M12 x100mm	(25521)
M10 x 100mm	(25518)		6.50	M12 x 120mm	(25521A)
M10 x 120mm	(25519)		7.70	M12 x 140mm	(25521B)
M10 x 150MM	(25519A)	\$1	13.80	M12 x 150mm	(25521C)
				M16 x 25mm	(25521D)
		appropriate to the same of the			(-55222)







S Hook Stainless Steel

These traditional 'S' hooks are of solid stainless steel bar with rounded ends to maintain strong yet functional design.

Often used as trailer hooks, chain hooks, tool hooks and if mum pinches them, plant hooks.



5mm	(06314)	\$4.46
6mm	(06315)	\$7.36
8mm	(06316)	\$7.92
10mm	(06317)	\$11.91
13mm	(06318)	\$55.22

Canopy Fastener - Stainless Steel

A full stainless steel canopy stay-put style fastener. Takes counter sunk screws.

Base plate measures: 35 mm x 16 mm Shaft diameter is 9 mm & 14 mm high.

Designed to fit a standard sized eyelet and replace the older plastic version with the same size fastening holes.

(16103A) \$15.66



Lashing Hook - Stainless Steel

Time and again these popular low profile cover hooks have proved useful where a low profile hook is required. These are a copy of the traditional plastic units used on ute canopies, but simply improved in stainless steel.

Conveniently the fastening holes match that of the plastic units, so an immediate replacement can be made.

Precision cast in Stainless steel with 2 hole fixing.

Accepts up to 7mm line. 38mm L x 20mm W.

(06404A) \$9.95

\$3.36

\$3.71

\$3.77

\$4.51

\$10.35

\$8.01

\$9.91

\$10.83

\$11.83

\$13.42

\$8.63



Saddle Tube Stainless Steel

This is rhe perfect stainless steel sadle which can be used in many different uses from attaching chain, clips, rings and line. It can also be used for keeping tubing tidy.

25mm (M12118D) \$9.93 50mm (M12118G) \$15.50



Gripper Clip S/S

Often seen in steel, but less common in stainless steel.

2mm x 45mm (06001)\$4.15 2.5mm x 52mm (06002) \$6.54 3mm x 68mm (06003) \$7.22 4mm x 72mm \$6.15 (06004)



M16 x 50mm (25521E)\$10.92 M16 x 75mm (25521F) \$12.82 M16 x 100mm \$17.42 (25521G) \$27.54 M16 x 150mm (255211)

(25519CA)