

Resynate, LLC
2200 South Prospect Ave
Oklahoma City, OK 73129
info@resynate.com
(301) 641-2100

Sample: 2212HGL5340.19810

Strain: CBD Coffee
Date Received: 12/27/2022
Date Sampled: 12/27/2022; Report Created: 12/30/2022
Ingestible, Other
Primary Sample Size: 10g

CBD Coffee

metrc Source Package#: N/A
metrc Package#:
Harvest or Production Batch#: N/A
Lot#:



Cannabinoids

Complete


Total THC: 0.22 mg/g

Total CBD: 15.34 mg/g

Total Cannabinoids: 16.35 mg/g

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	%
THCa	0.03	0.25	0.025
Δ9-THC	0.03	ND	ND
Δ8-THC	0.03	ND	ND
THCV	0.03	ND	ND
CBDa	0.03	14.09	1.409
CBD	0.03	2.99	0.299
CBDV	0.03	ND	ND
CBN	0.03	<LOQ	<LOQ
CBGa	0.03	0.50	0.050
CBG	0.03	0.17	0.017
CBC	0.03	0.19	0.019

■ CBC
 ■ CBD
 ■ CBG
 ■ CBDa
■ CBGa
 ■ THCa



Date Tested: 12/29/2022
Analysis performed on Agilent Infinity II 1260 HPLC
Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Resynate, LLC
2200 South Prospect Ave
Oklahoma City, OK 73129
info@resynate.com
(301) 641-2100

Sample: 2212HGL5340.19810

Strain: CBD Coffee
Date Received: 12/27/2022
Date Sampled: 12/27/2022; Report Created: 12/30/2022
Ingestible, Other
Primary Sample Size: 10g


CBD Coffee

metrc Source Package#: N/A
metrc Package#:
Harvest or Production Batch#: N/A
Lot#:




Terpenes

- Nerol
- Cedrol
- Guaiol
- Borneol
- Fenchone
- Geraniol
- Limonene
- Linalool
- Pulegone
- Farnesene
- Nerolidol
- Valencene
- Eucalyptol
- Isoborneol
- Isopulegol
- β-Pinene
- Terpinolene
- α-Pinene
- β-Myrcene
- α-Cedrene
- α-Humulene
- α-Bisabolol
- α-Terpinene
- α-Terpineol
- γ-Terpineol
- Geranyl Acetate
- Hexahydro Thymol
- Sabinene Hydrate
- β-Caryophyllene
- Caryophyllene Oxide
- Endo-Fenchyl Alcohol



Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Caryophyllene	0.00	0.03	0.3
α-Humulene	0.00	0.01	0.1
Isoborneol	0.00	0.01	0.1
Caryophyllene Oxide	0.00	0.01	0.1
α-Terpineol	0.00	0.01	0.1
Nerolidol	0.00	0.01	0.1
Linalool	0.00	0.01	0.1
α-Bisabolol	0.00	0.01	0.1
α-Cedrene	0.00	0.01	0.1
Geranyl Acetate	0.00	0.00	0.0
Limonene	0.00	0.00	0.0
Endo-Fenchyl Alcohol	0.00	0.00	0.0
Valencene	0.00	0.00	0.0
β-Myrcene	0.00	0.00	0.0
Cedrol	0.00	0.00	0.0
Farnesene	0.00	0.00	0.0
α-Pinene	0.00	0.00	0.0
Fenchone	0.00	0.00	0.0
α-Terpinene	0.00	0.00	0.0
Pulegone	0.00	0.00	0.0
Borneol	0.00	0.00	0.0
Guaiol	0.00	0.00	0.0
Sabinene Hydrate	0.00	0.00	0.0
Eucalyptol	0.00	0.00	0.0
Hexahydro Thymol	0.00	0.00	0.0
γ-Terpineol	0.00	0.00	0.0
Geraniol	0.00	0.00	0.0
Terpinolene	0.00	0.00	0.0
Nerol	0.00	0.00	0.0
Isopulegol	0.00	0.00	0.0
β-Pinene	0.00	0.00	0.0
α-Phellandrene	0.00	ND	ND
Camphene	0.00	ND	ND
Camphor	0.00	<LOQ	<LOQ
δ-3-Carene	0.00	<LOQ	<LOQ
γ-Terpinene	0.00	ND	ND
Ocimene	0.00	ND	ND
Phytol	0.00	ND	ND
Sabinene	0.00	ND	ND
Total		0.13	1.3

Primary Aromas



Date Tested: 12/29/2022; Analysis performed on Agilent 7890A GCFID
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Powered by Confident Cannabis
3 of 4

Resynate, LLC
2200 South Prospect Ave
Oklahoma City, OK 73129
info@resynate.com
(301) 641-2100

Sample: 2212HGL5340.19810

Strain: CBD Coffee
Date Received: 12/27/2022
Date Sampled: 12/27/2022; Report Created: 12/30/2022
Ingestible, Other
Primary Sample Size: 10g

CBD Coffee

metrc Source Package#: N/A
metrc Package#:
Harvest or Production Batch#: N/A
Lot#:



Microbials

Complete

Analyte	Limit	Results	Status
Yeast & Mold	CFU/g	CFU/g	
Shiga Toxin E. Coli		400	Tested
Salmonella		ND	Tested
Aspergillus niger		ND	Tested
Aspergillus fumigatus		ND	Tested
Aspergillus terreus		ND	Tested
Aspergillus flavus		ND	Tested

Date Tested: 12/28/2022
ND = Not Detected; E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count; Samples are reported using simple acceptance.

Foreign Matter

Not Tested

Date Tested:
Notes:
Foreign Organic Materials
%
Limit: 2%

Foreign Inorganic Materials
%
Limit: 0%

Date Tested:

Date Tested:



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Certificate of Analysis

Powered by Confident Cannabis
4 of 4

Resynate, LLC
2200 South Prospect Ave
Oklahoma City, OK 73129
info@resynate.com
(301) 641-2100

Sample: 2212HGL5340.19810

Strain: CBD Coffee
Date Received: 12/27/2022
Date Sampled: 12/27/2022; Report Created: 12/30/2022
Ingestible, Other
Primary Sample Size: 10g

CBD Coffee

metric Source Package#: N/A
metric Package#:
Harvest or Production Batch#: N/A
Lot#:



Solvents

Complete

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	25.000		ND	Tested	Methanol	25.000		ND	Tested
Benzene	1.000		ND	Tested	n-Hexane	5.000		ND	Tested
Butanes	25.000		ND	Tested	Pentane	25.000		ND	Tested
Ethanol	25.000		ND	Tested	Propane	25.000		ND	Tested
Ethyl-Acetate	25.000		ND	Tested	Toluene	25.000		ND	Tested
Heptanes	25.000		ND	Tested	Xylenes	25.000		ND	Tested
Isopropanol	25.000		ND	Tested					

Date Tested: 12/28/2022

Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Samples are reported using simple acceptance.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01