

## Certificate of Analysis

Powered by Confident Cannabis

Resynate, LLC

2200 South Prospect Ave Oklahoma City, OK 73129 info@resynate.com (301) 641-2100

Sample: 2301HGL0109.0502

Strain: Delta 8 Capsules Date Received: 01/06/2023

Date Sampled: 01/06/2023; Report Created: 01/11/2023

Ingestible, Capsule Primary Sample Size: 3.5689g

**Delta 8 Capsules** 

metrc Source Package#: N/A metrc Package#: Harvest or Production Batch#: N/A






Cannabinoids Complete

Total THC: 0.68 mg/unit Total CBD: 1.17 mg/unit Total Cannabinoids: 19.07 mg/unit

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	0.03	ND	ND
Δ9-THC	0.03	0.68	1.90
Δ8-THC	0.03	17.22	48.26
THCV	0.03	ND	ND
CBDa	0.03	ND	ND
CBD	0.03	1.17	3.28
CBDV	0.03	ND	ND
CBN	0.03	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBGa	0.03	ND	ND
CBG	0.03	ND	ND
CBC	0.03	ND	ND



Date Tested: 01/11/2023

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa \* 0.877 + d9-THC Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 930-6200 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart **Laboratory Director** 

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01