

4	freestanding cookers
6	AirFry
8	easybake +steam
10	steam assist clean
12	19MJ/h Intense wok burner
14	pause
14	features
18	new appliances in designer dark
20	range
24	specifications

They say the kitchen is the heart and soul of every home.

At Westinghouse, we want to make every day easy. Our latest range makes practical look stylish, with exciting innovations and clever designs to make cooking a pleasure for everyone. We're introducing innovative features to our latest range of freestanding cookers.

In selected models you will be able to use AirFry to make healthier, delicious meals without taking up extra benchspace whilst EasyBake +Steam ensures your baking has a crisper outside and fluffier inside.

Once the hard work is done we want to make sure the cleaning up is as easy as your meals were to make. That is why selected models will come with PyroClean or Steam Assist Clean. PyroClean cleans away the heavier grime without the use of chemicals whilst Steam Assist clean is perfect for a light 30 minute clean.

You'll feel right at home with Westinghouse.

90cm FREESTANDING COOKER

make every mealtime easy

When it comes to entertaining we want to make things easier for you, our 90cm freestanding cooker range is here to do exactly that whilst beautifully coordinating with your kitchen design. The 125L gross capacity oven is quick to heat up and has room for all your family favourites with newly added features that will change how you entertain. With some models coming with Airfry function, you are able to cook healthier dishes for the whole family by using air not oil.

When it comes to your cooktop we want you to have options.
When choosing gas you will have a high powered wok burner and Dual Valve control which allows you to go from boil to simmer in an instant. Whilst a ceramic cooktop gives you a pause function when you need it and an easy to clean surface, giving you more time for the things you love.

When all the guests have left, you want to be able to clean your oven with the press of a button. With PyroClean on selected models you can do exactly that, leaving us to take care of the cleaning up.




lodel shown. WFEP917DSD



AirFry for that perfect, healthy crunch


When a food craving hits, make healthier and delicious food right in your oven. Deliver all the flavour and none of the guilt. AirFry allows you to make healthier, tasty meals for the entire family – right in your oven.



tastier baking starts with steam


Take your baking to the next level with our EasyBake +Steam function*.

Steam helps you get a better rise, crispier crust, a fluffier centre and tastier textures for all your bread, pastries, cakes, and puddings.




cleaning's a breeze with steam

A 30-minute light oven cleaning* that's chemical free. Just add water and vinegar, turn on the steam cycle and wait until grime is softened and loosened. Grab a cloth, some detergent and wipe. Your oven is clean again. Easy.



a hotter wok helps bring out the flavour

Use high heat to lock in the flavor of your dishes. With durable brass caps and 19 MJ/h you can bring your wok to high heat with even flame distribution. Spice up your cooking and spice up your life.



hold everything with Pause

We know that family life is full of distractions. That's why you'll appreciate our clever Pause function. Simply touch the Pause icon on your cooktop and all operating zones will drop to Keep Warm mode. When you're ready to go again, hit Pause again and settings will return to where you left off.



OVEN

features

ovens that clean up after themselves

Even cleaning up is easier with Westinghouse. Choose a PyroClean oven and with the press of a button you can keep your oven shiny and clean. The oven turns on to an extremely high temperature, turning grease and grime into ash. All you need to do is simply wipe the residue away. No nasty chemicals, no greasy mess – just a sparkling clean oven with minimal effort.

(WVEP917DSC only)

even cooking twin fan system

Our twin fan system works to evenly distribute heat throughout the oven so you can enjoy delicious results every time.

designed for ease and safety

Telescopic runners are another piece of thoughtful design that makes it easy to draw racks out and safely check on your dishes during cooking.
(Selected models)

room for everything

If you're serious about creating delicious family feasts and you love entertaining, you'll be right at home with our 90cm oven with a generous 125L gross capacity. That's plenty of room for the biggest Christmas turkey or a weekend roast for all the family. The extra width makes getting things in and out super easy.

5 boil to simmer in an instant

For precision control cooking all your favourite recipes, our smart Dual Valve flame control lets you go from boil to simmer in an instant. (Selected models)

family safety first

Our cast iron trivets flat design ensure the base of your pots and pans are fully supported, allowing you to have a safe and stable cooking environment.

















RANGE

90cm freestanding cooker



WFEP917DSD

90cm pyrolytic dual fuel freestanding cooker with a 5 burner gas cooktop, electric multi-function 10 Twin Fan oven with EasyBake +Steam and AirFry

- Easy Bake +Steam
- AirFry
- No-fuss PyroClean
- Steam Assist Clean
- High powered, intense 19 MJ/h wok burner
- Dual valve control
- Twin Fan system
- Cast iron trivets
- Fast heat up

- eam Telescopic runners
 - Easy Guide side racks
 - Programmable timer
 - Large 125L gross capacity
 - Storage compartment
 - Kickplate plinth included
 - Cooler to touch, soft closing door
 - Dark stainless steel

Adjustable H (to cooktop) x W x D (mm)	910-930 x 895 x 600
Height of splashback (mm)	60
Freestanding Cut-out (with feet attached) HxWxD (mm)	900 nominal x 900 min x 600
Freestanding Cut-out (on plinth, feet removed) HxWxD (mm)	755 max. x 900 min x 600



WFE916DSD

90cm dual fuel freestanding cooker with a 5 burner gas cooktop, electric multi-function 8 Twin Fan oven with AirFry

- AirFry
- High powered, intense 19 MJ/h wok burner
- Dual valve control
- Twin Fan system
- Cast iron trivets
- Fast heat up
- Telescopic runners

- Easy Guide side racks
- Programmable timer
- Large 125L gross capacity
- Storage compartment
- Kickplate plinth included
- Cooler to touch door
- Fingerprint resistant stainless steel

Adjustable H (to cooktop) x W x D (mm)	910-930 x 895 x 600
Height of splashback (mm)	60
Freestanding Cut-out (with feet attached) HxWxD (mm)	900 nominal x 900 min x 600
Freestanding Cut-out (on plinth, feet removed) HxWxD (mm)	755 max. x 900 min x 600

20 21

RANGE

90cm freestanding cooker



WFE915SD

90cm dual fuel freestanding cooker with a 5 burner gas cooktop

- Twin Fan system
- 14.4 MJ/h wok burner
- Cast iron trivets
- Fast heat up
- Telescopic runners
- Easy Guide side racks
- Programmable timer
- Large 125L gross capacity
- Storage compartment
- Kickplate plinth included
- Cooler to touch door
- Fingerprint resistant stainless steel

Adjustable H (to cooktop) x W x D (mm)	910-930 x 895 x 600
Height of splashback (mm)	60
Freestanding Cut-out (with feet attached) HxWxD (mm)	900 nominal x 900 min x 600
Freestanding Cut-out (on plinth, feet removed) HxWxD (mm)	755 max. x 900 min x 600



WFE946SD

90cm electric freestanding cooker with a 5 zone ceramic cooktop and AirFry

- AirFry
- Twin Fan system
- Fast heat up
- Telescopic runners
- Easy Guide side racksProgrammable timer
- Powerful 2.3kW Triple Zone
- Multi-purpose Dual Zone
- Pause

- QuickCook Timer
- Residual Heat Indicator
- Easy clean ceramic surface
- Child safety lock
- Large 125L gross capacity
- Storage compartment
- Kickplate plinth included
- Cooler to touch door

Adjustable H (to cooktop) x W x D (mm)	910-930 x 895 x 600
Height of splashback (mm)	60
Freestanding Cut-out (with feet attached) HxWxD (mm)	900 nominal x 900 min x 600
Freestanding Cut-out (on plinth, feet removed) HxWxD (mm)	755 max. x 900 min x 600

22

90cm freestanding cookers







Features[†]

Type Number of functions Available finishes			
Number of functions	freestanding, duel fuel	freestanding, duel fuel	freestanding duel fuel, pyrolytic
	multifunction 8	multifunction 8	multifunction 10
	stainless steel	dark stainless steel	dark stainless steel
Controls	knob, metalised	knob, metalised	knob, metalised
Rey features Oven heating system	Twin Fan System	Twin Fan System	Twin Fan System
AirFry	TWITT GIT SYSTEM	AirFry	AirFry
		Allity	
Steam cooking function			EasyBake +Steam
Cleaning function			PyroClean, Steam Assist Clean
Wok burner power	14.4 MJ/h	19 MJ/h	19 MJ/h
Flame control		dual valve	dual valve
rivets	cast iron	cast iron	cast iron
oven			
Gross capacity litres	125	125	125
Firmer	programmable touch	programmable touch	programmable touch
	white LED	white LED	white LED
Display			
Storage drawer	✓	<u> </u>	✓
_ights	2	2	2
_ight wattage (W)	25	25	25
light position	top	top	top
cooktop			
уре	gas	gas	gas
Materials/Colour	stainless steel	stainless steel	stainless steel
Cooking zones	5	5	5
Left Front	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
_eft Rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
Centre	14.4 MJ/h	19 MJ/h, Dual valve	19 MJ/h, Dual valve
Right Front	12.1 MJ/h	12.1 MJ/h	12.1 MJ/h
Right Rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
Total cooktop output/power rating	49.4 MJ/h	54.0 MJ/h	54.0 MJ/h
Safety features	flame failure	flame failure	flame failure
accessories			
AirFry tray		2 x half width	2 x half width
Telescopic runners (1 x set)	√	✓ × × × × × × × × × × × × × × × × × × ×	✓ × ron widon
	· · · · · · · · · · · · · · · · · · ·	→	
Easy Guide Side Racks			
Number of shelf positions	5	5	5
Wire shelves	2	2	2
Grill dish	1 x full width	1 x full width	1 x full width
Grill insert	✓	✓	✓
Baking tray			✓
Kickplate plinth	✓		
Removable Splashback		· ·	
Separate wok support	<u> </u>	→	
door	7	7	
Glass layers in door		3	4
Removable door	✓	✓	√
Soft closing door			√
oven functions			
AirFry		✓	✓
EasyBake +Steam			✓
PyroClean			✓
Steam Assist Clean			
Rapid Heat	√		·
Rapid Heat Fan Forced/Bake			
	<u> </u>	<u> </u>	
Bake/Pizza	√	√	√
Base Heat	√	✓	✓
Fan & Grill	✓	✓	✓
Grill	✓	✓	✓
Maxi Grill	✓	✓	✓
Defrost	✓	✓	✓
dimensions			
	010 070 005 000	010 070 005 000	010 070 005 000
Adjustable H (to cooktop) x W x D (mm)	910-930 x 895 x 600	910-930 x 895 x 600	910-930 x 895 x 600
	60	60	60
	900 nominal x 900 min x 600	900 nominal x 900 min x 600	900 nominal x 900 min x 600
Height of splashback (mm) Freestanding Cut-out (with feet attached) HxWxD (mm)			
Freestanding Cut-out (with feet attached) HxWxD (mm) Freestanding Cut-out (on plinth,	755 max, x 900 min x 600	755 max, x 900 min x 600	755 max, x 900 min x 600
Freestanding Cut-out (with feet attached) HxWxD (mm) Freestanding Cut-out (on plinth,	755 max. x 900 min x 600	755 max. x 900 min x 600	755 max. x 900 min x 600
reestanding Cut-out (with feet attached) txWxD (mm) Freestanding Cut-out (on plinth, eet removed) HxWxD (mm)	755 max. x 900 min x 600	755 max. x 900 min x 600	755 max. x 900 min x 600
Freestanding Cut-out (with feet attached) HxWxD (mm)	755 max. x 900 min x 600 hardwired 3.6	755 max. x 900 min x 600 hardwired 3.6	755 max. x 900 min x 600 hardwired 4.5



Features[†]

WFE946SD

	WI L3403D
-	
Type	freestanding, electric
Number of functions	multifunction 8
Available finishes	stainless steel
Controls	knob, metalised & touch
key features	
Oven heating system	Twin Fan System
AirFry	
Variable cooking zone	Triple Zone
Multi-purpose cooking zone	Dual Zone
Pause	
Hot Surface Indicator	
Timer	QuickCook Timer
Inter	QuickCook Timer
oven	
Gross capacity litres	125
Timer	programmable touch
	white LED
Display	
Storage drawer	<u>√</u>
Lights	2
Light wattage (W)	
Light position	top
cooktop	
Туре	ceramic
Materials/Colour	black ceramic glass
Cooking zones	5
Left Front	1200W
_eft Rear	1200W
Centre	1400W/2200W
Right Front	1800W
Right Rear	800W/1600W/2300W
Total cooktop output/power rating	9.2KW
Safety features	hot surface indicator, safety child lock
accessories	
AirFry tray	✓
Telescopic runners (1 x set)	
Easy Guide Side Racks	
Number of shelf positions	5
Wire shelves	2
Grill dish	1 x Full width
Grill insert	Wire
Grill dish carrier	
(ickplate plinth	
Removable Splashback	
Ceramic glass scraper	
ceratriic glass scraper	
door	
Glass layers in door	3
Removable door	
Nei i i uvabile uoui	
oven functions	
virFry	√
Fan Forced/Bake	✓
Bake/Pizza	
	✓ .
	✓
an & Grill	√
Fan & Grill Grill	✓ ✓ ✓
Fan & Grill Grill Maxi Grill	✓ ✓ ✓
Fan & Grill Grill Maxi Grill	✓ ✓ ✓
Fan & Grill Grill Maxi Grill	✓ ✓ ✓
Fan & Grill Grill Maxi Grill Defrost	✓ ✓ ✓
Fan & Grill Grill Maxi Grill Defrost dimensions	* * * * * * * * * * * * * * * * * * *
Fan & Grill Maxi Grill Defrost dimensions Adjustable H (to cooktop) x W x D (mm)	→ → → → hardwired 910-930 x 895 x 600
Fan & Grill Maxi Grill Defrost dimensions Adjustable H (to cooktop) x W x D (mm) Height of splashback (mm)	→ → → → → hardwired 910-930 x 895 x 600 60
Fan & Grill Maxi Grill Defrost dimensions Adjustable H (to cooktop) x W x D (mm) Height of splashback (mm) Freestanding Cut-out (with feet attached) HxWxD (mm)	√
Base Heat Fan & Grill Grill Maxi Grill Defrost dimensions Adjustable H (to cooktop) x W x D (mm) Height of splashback (mm) Freestanding Cut-out (with feet attached) HxWxD (mm) Freestanding Cut-out (on plinth, feet removed) HxWxD (mm)	→ → → → hardwired 910-930 × 895 × 600 60
Fan & Grill Maxi Grill Defrost dimensions Adjustable H (to cooktop) x W x D (mm) Height of splashback (mm) Freestanding Cut-out (with feet attached) HxWxD (mm) Freestanding Cut-out (on plinth, feet removed) HxWxD (mm)	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Fan & Grill Maxi Grill Defrost dimensions Adjustable H (to cooktop) x W x D (mm) Height of splashback (mm) Freestanding Cut-out (with feet attached) HxWxD (mm) Freestanding Cut-out (on plinth, feet removed) HxWxD (mm)	### Application of the content of th
Fan & Grill Grill Maxi Grill Defrost dimensions Adjustable H (to cooktop) x W x D (mm) Height of splashback (mm) Freestanding Cut-out (with feet attached) HxWxD (mm) Freestanding Cut-out (on plinth, feet removed) HxWxD (mm) electrical connections Type of connection	√
Fan & Grill Maxi Grill Defrost dimensions Adjustable H (to cooktop) x W x D (mm) Height of splashback (mm) Freestanding Cut-out (with feet attached) HxWxD (mm)	### Application of the content of th

24 25





Contact us if you need more help

Australia

telephone: 13 13 49

email: customercare@electrolux.com.au

web: westinghouse.com.au

New Zealand

telephone: 0800 436 245

email: customercare@electrolux.co.nz

web: westinghouse.co.nz



Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the FairTrading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

† Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Electrolux will at all times comply with its obligations pursuant to law. Colours of products illustrated are as close as printing limitations allow.