

UL Certifications Directory

What is UL?



available at  FerrulesDirect

703-421-2804

sales@miromarkers.com

Miromarkers.com



UL is an American safety consulting and certification company. The company provides safety-related certification, validation, testing, inspection, auditing, advising, and training to a wide range of manufacturers and retailers.

If a product is UL Approved, it would mean:

1. The product is safe to use/operate when properly following instructions
2. The product has been put through numerous tests and has been proven to work as advertised

**If an item is not on our website, we are either out of stock on the item or have plans to carry the item in the future.*

Table of Contents

Wire Ferrules	Page 3
Flat Blade Terminals	Page 4
Pin Terminals	Page 5
Ring Terminals	Page 5
Spade Terminals	Page 7
Hook Terminals	Page 9
Quick Disconnect Terminals	Page 9
Bullet Connectors	Page 11
Closed End Connectors	Page 12
Quick Splice Connectors	Page 12
Butt, Parallel & Step Down Connectors	Page 12
Compression/Cable Lugs	Page 13
Flag Terminals	Page 15
Heat Shrinkable Terminals	Page 15
Multi-Wire Connectors	Page 15
Cable Ties	Page 15
Heat Shrink Tubing	Page 16
Push Buttons & Switches	Page 16

Wire Ferrules

File #: E326725

Single Insulated

24 AWG: AW02506, AW02508, AD02506, AD02508 **22 AWG:** AW03406, AW03408, AT03406, AT03408, AW05005, AW05006, AW05008, AW05010, AW05012, AD05005, AD05006, AD05008, AD05010, AD05012 **20 AWG:** AW07506, AW07508, AW07508L, AW07510, AW07512, AW07518, AD07506, AD07508, AD07508L, AD07510, AD07512, AD07518, AT07506, AT07508, AT07508L, AT07510, AT07512, AT07518 **18 AWG:** AW10006, AW10008, AW10008L, AW10010, AW10012, AW10012L, AW10018, AD10006, AD10008, AD10008L, AD10010, AD10012, AD10012L, AD10018 **16 AWG:** AW15008, AW15008L, AW15010, AW15012, AW15015, AW15018, AD15008, AD15008L, AD15010, AD15012, AD15015, AD15018 **14 AWG:** AW25008, AW25010, AW25012, AW25025, AT25008, AT25010, AT25012, AT25025 **12 AWG:** AW40009, AW40010, AW40012, AW40018, AT40009, AT40010, AT40012, AT40018 **10 AWG:** AW60012, AW60018, AD60012, AD60018, AT60012, AT60018 **8 AWG:** AW100012, AW100018, AD100012, AD100018, AT100012, AT100018 **6 AWG:** AW160012, AW160018, AD160012, AD160018, AT160012, AT160018 **4 AWG:** AW250012, AW250015, AW250016, AW250018, AW250022, AD250012, AD250015, AD250016, AD250018, AD250022, AT250012, AT250015, AT250016, AT250018, AT250022 **2 AWG:** AW350016, AW350018, AW350022, AW350025, AD350016, AD350018, AD350022, AD350025 **1 AWG:** AW500012, AW500020, AW500025, AD500012, AD500020, AD500025 **2/0 AWG:** AD700020, AD700025, AD700027 **3/0 AWG:** AD950025 **4/0 AWG:** AD1200027, AD1200032 **300 MCM:** AD1500025, AD1500027, AD1500032

Non Insulated

24 AWG: N02506, N02507, N02508 **22 AWG:** N03406, N03408, N05005, N05006, N05008, N05010, N05012 **20 AWG:** N07506, N07508, N07510, N07512, N07515, N07520 **18 AWG:** N10006, N10008, N10010, N10012, N10015, N10018, N10020 **16 AWG:** N15007, N15008, N15010, N15012, N15015, N15018, N15020 **14 AWG:** N25006, N25007, N25008, N25010, N25012, N25015, N25018, N25020, N25025 **12 AWG:** N40009, N40010, N40012, N40015, N40018, N40020 **10 AWG:** N60006, N60010, N60012, N60015, N60018, N60020 **8 AWG:** N100012, N100015, N100016, N100018, N100020, N100025 **6 AWG:** N160012, N160015, N160016, N160018, N160020, N160022, N160025, N160030, N160032 **4 AWG:** N250012, N250015, N250016, N250018, N250020, N250022, N250025, N250030, N250032 **2 AWG:** N350012, N350015, N350016, N350018, N350020, N350025, N350030, N350032 **1 AWG:** N500012, N500018, N500022, N500025, N500030, N500032 **2/0 AWG:** N700022, N700025, N700030, N700032 **3/0 AWG:** N950025, N950030, N950032, N950034 **4/0 AWG:** N1200030, N1200032, N1200034, N1200038, N1200040 **350 MCM:** N1500032, N1500034, N1500038, N1500040

Short Circuit Proof

16 AWG: SC15008W, SC15010W, SC15008D, SC15010D **14 AWG:** SC25008W, SC25010W, SC25008T, SC25010T **12 AWG:** SC40010W, SC40012W, SC40010T, SC40012T **10 AWG:** SC60012W, SC60012D, SC60012T **8 AWG:** SC100012W, SC100012D, SC100012T **6 AWG:** SC160012D, SC160012T, SC160012W

Twin Wire

2x22 AWG: TW05008, TW05010, TW05012, TW05018, TD05008, TD05010, TD05012, TD05018 **2x20 AWG:** TW07508, TW07510, TW07512, TW07518, TD07508, TD07510, TD07512, TD07518, TT07508, TT07510, TT07512, TT07518 **2x18 AWG:** TW10008, TW10010, TW10012, TW10018, TD10008, TD10010, TD10012, TD10018 **2x16 AWG:** TW15008, TW15010, TW15012, TW15018, TD15008, TD15010, TD15012, TD15018 **2x14 AWG:** TW25010, TW25013, TW25018, TT25010, TT25013, TT25018

Flat Blade Terminals

File #: E96029

Insulated Flat Blade

22-16 AWG: DBV1-9, DBVE1-9, DBV1-10, DBVE1-10, DBV1-11, DBVE1-11, DBV1-13, DBVE1-13, DBV1-14, DBVE1-14, DBV1-18, DBVE1-18, DBVS1-18, DBVES1-18, DBNYB1-9, DBNYB1-10, DBNYB1-11, DBNYB1-13, DBNYB1-14, DBNYB1-18 **16-14 AWG:** DBV2-10, DBV2-13, DBV2-14, DBV2-18, DBV2-9, DBVE2-10, DBVE2-13, DBVE2-14, DBVE2-18, DBVE2-9, DBVL2-13, DBVL2-14, DBVL2-18, DBVS2-14, DBVS2-18, DBVES2-14, DBVES2-18, DBVEL2-13, DBVEL2-14, DBVEL2-18 **12-10 AWG:** DBV5-10, DBV5-14, DBV5-18, DBVE5-10, DBVE5-14, DBVE5-18, DBVES5-14, DBVES5-18, DBVS5-14, DBVS5-18

Double Crimp Insulated Flat Blade

22-16 AWG: DBD1-10, DBD1-11, DBD1-13, DBD1-14, DBD1-18, DBD1-9, DBDS1-13, DBDS1-18, DBNYD1-10, DBNYD1-11, DBNYD1-13, DBNYD1-14, DBNYD1-18, DBNYD1-9, DBNYDS1-13, DBNYDS1-18, DBNYDL2-13, DBNYDL2-14, DBNYDL2-18 **16-14 AWG:** DBD2-10, DBD2-13, DBD2-14, DBD2-18, DBD2-9, DBDS2-14, DBDS2-18, DBDL2-13, DBDL2-14, DBDL2-18, DBNYD2-10, DBNYD2-13, DBNYD2-14, DBNYD2-18, DBNYD2-9, DBNYDS2-14, DBNYDS2-18 **12-10 AWG:** DBD5-10, DBD5-14, DBDS5-14, DBDS5-18, DBNYD5-10, DBNYD5-14, DBNYD5-18, DBNYDS5-14, DBNYDS5-18

Insulated Lipped Blade Terminals

22-16 AWG: LBVYB1-3, LBVYB1-4.6, LBNYB1-3, LBNYB1-4.6 **16-14 AWG:** LBVYB2-3, LBVYB2-4.6, LBNYB2-3, LBNYB2-4.6 **12-10 AWG:** LBVYB5-3, LBVYB5-4.6, LBNYB5-3, LBNYB5-4.6

Non-Insulated Flat Blade Terminals

22-16 AWG: DBN1-10, DBN1-11, DBN1-13, DBN1-14, DBN1-18, DBN1-9, DBNS1-18 **16-14 AWG:** DBN2-10, DBN2-13, DBN2-14, DBN2-18, DBN2-9, DBNS2-14, DBNS2-18, DBNL2-13, DBNL2-14, DBNL2-18 **12-10 AWG:** DBN5-10, DBN5-14, DBN5-18, DBNS5-14, DBNS5-18

Pin Terminals

File #: E96029

Insulated Pin Terminals

22-16 AWG: PTV1-10, PTV1-12, PTV1-13, PTV1-14, PTV1-7, PTV1-9, PTNYB1-10, PTNYB1-12, PTNYB1-13, PTNYB1-14, PTNYB1-16, PTNYB1-7, PTNYB1-9
16-14 AWG: PTV2-10, PTV2-12, PTV2-13, PTV2-14, PTV2-16, PTV2-4.5, PTV2-9, PTNYB2-10, PTNYB2-12, PTNYB2-13, PTNYB2-14, PTNYB2-16, PTNYB2-4.5, PTNYB2-9 **12-10 AWG:** PTV5-10, PTV5-13, PTNYB5-10, PTNYB5-13 **8 AWG:** PTNYB10-12 **6 AWG:** PTNYB16-13 **4 AWG:** PTNYB25-15 **2 AWG:** PTNYB35-20 **1/0 AWG:** PTNYB50-20 **2/0 AWG:** PTNYB70-25 **3/0 AWG:** PTNYB95-25

Double Crimp Insulated Pin Terminals

22-16 AWG: PTD1-10, PTD1-12, PTD1-13, PTD1-14, PTD1-16, PTD1-9, PTNYD1-10, PTNYD1-12, PTNYD1-13, PTNYD1-14, PTNYD1-16, PTNYD1-7, PTNYD1-9 **16-14 AWG:** PTD2-10, PTD2-12, PTD2-13, PTD2-14, PTD2-16, PTD2-4.5, PTD2-7, PTD2-9, PTNYD2-10, PTNYD2-12, PTNYD2-13, PTNYD2-14, PTNYD2-16, PTNYD2-4.5, PTNYD2-7, PTNYD2-9 **12-10 AWG:** PTD5-10, PTD5-13, PTNYD5-10, PTNYD5-13

Non-Insulated Pin Terminals

26-22 AWG: PTNB0.5-9 **22-16 AWG:** PTNB1-10, PTNB1-12, PTNB1-13, PTNB1-14, PTNB1-16, PTNB1-7, PTNB1-9 **16-14 AWG:** PTNB2-10, PTNB2-12, PTNB2-13, PTNB2-16, PTNB2-9 **12-10 AWG:** PTNB5-10, PTNB5-13 **8 AWG:** PTNB10-12 **6 AWG:** PTNB16-13 **2 AWG:** PTNB35-20 **1/0 AWG:** PTNB50-20

Ring Terminals

File #: E96029

Insulated Ring Terminals

22-16 AWG: RV1-10, RV1-12, RV1-13, RV1-14, RV1-16, RV1-2, RV1-2.5, RV1-20, RV1-3.2, RV1-5, RV1-6, RV1-7, RV1-8, RVE1-10, RVE1-12, RVE1-13, RVE1-14, RVE1-16, RVE1-2, RVE1-2.5, RVE1-20, RVE1-3.2, RVE1-5, RVE1-6, RVE1-7, RVE1-8, RVEM1-3.7, RVEL1-10, RVEL1-3.7, RVEL1-4, RVEL1-5, RVS1-3.7, RVS1-4, RVL1-10, RVL1-3.7, RVL1-4, RVL1-5, DRVB2-1, DRVB2.5-1, DRVB3-1, DRVB3.5-1, DRVB4-1, DRVB5-1, DRVBS5-1, DRVB6-1, DRVBL6-1, DRVB8-1, DRVB10-1, DRVBL10-1, RNY1-10, RNY1-12, RNY1-13, RNY1-14, RNY1-16, RNY1-2, RNY1-2.5, RNY1-20, RNY1-3.2, RNY1-5, RNY1-6, RNY1-7, RNY1-8, RNYS1-3.7, RNYS1-4, RNYM1-3.7, RNYL1-10, RNYL1-3.7, RNYL1-4, RNYL1-5 **16-14 AWG:** RV2-10, RV2-12, RV2-14, RV2-16, RV2-2, RV2-2.5, RV2-20, RV2-3.2, RV2-4, RV2-5, RV2-6, RV2-7, RV2-8, RV2-9, RVS2-3.2, RVS2-3.7, RVS2-4, RVS2-5, RVL2-10, RVL2-3.2, RVL2-3.7, RVL2-4, RVL2-5, RVE2-10, RVE2-12, RVE2-14, RVE2-16, RVE2-2, RVE2-2.5, RVE2-20, RVE2-3.2, RVE2-4, RVE2-5, RVE2-6, RVE2-7, RVE2-8, RVE2-9, RVES2-3.2, RVES2-3.7, RVES2-4, RVES2-5, RVEL2-10, RVEL2-3.2, RVEL2-3.7, RVEL2-4, RVEL2-5, RVEM2-3.7, RNY2-10, RNY2-12, RNY2-14, RNY2-16, RNY2-2, RNY2-2.5, RNY2-20, RNY2-3.2, RNY2-4, RNY2-5, RNY2-6, RNY2-7, RNY2-8, RNY2-9, RNYS2-3.2, RNYS2-3.7, RNYS2-4, RNYS2-5, RNYM2-3.7, RNYL2-10, RNYL2-3.2, RNYL2-3.7, RNYL2-4, RNYL2-5 **12-10 AWG:** RV5-10, RV5-11, RV5-12, RV5-13, RV5-14, RV5-16, RV5-18, RV5-20, RV5-3.2, RV5-3.7, RV5-4.7, RV5-5, RV5-6, RV5-7, RV5-8, RVS5-4, RVL5-3.7, RVL5-4, RVL5-5, RVE5-10, RVE5-11, RVE5-12, RVE5-13, RVE5-14, RVE5-16, RVE5-18, RVE5-20, RVE5-3.2, RVE5-3.7, RVE5-4.7, RVE5-5, RVE5-6, RVE5-7, RVE5-8, RVEM5-6, RVES5-4, RVEL5-3.7, RVEL5-4, RVEL5-5, RNY5-10, RNY5-11, RNY5-12, RNY5-13, RNY5-14, RNY5-16, RNY5-18, RNY5-20, RNY5-3.2, RNY5-3.7, RNY5-4.7, RNY5-5, RNY5-6, RNY5-7, RNY5-8, RNYS5-4, RNYM5-6, RNYL5-3.7, RNYL5-4, RNYL5-5, DRNYB2-0.5, DRNYB2.5-0.5, DRNYB3-0.5, DRNYB4-0.5, DRNYB5-0.5 **8 AWG:** RVB8-8, RVBL8-5, RVBL8-6, RNYB8-8, RNYB8-10, RNYBS8-4, RNYBS8-5, RNYBS8-6, RNYBL8-6 **6 AWG:** RVB14-5, RVB14-8, RVB14-10, RVB14-12, RVBS14-6

Double Crimp Insulated Ring Terminals

22-16 AWG: RD1-10, RD1-12, RD1-13, RD1-14, RD1-16, RD1-2, RD1-2.5, RD1-20, RD1-3.2, RD1-5, RD1-6, RD1-7, RD1-8, RDL1-10, RDL1-3.7, RDL1-4, RDL1-5, RNYD1-10, RNYD1-12, RNYD1-13, RNYD1-14, RNYD1-16, RNYD1-2, RNYD1-2.5, RNYD1-20, RNYD1-3.2, RNYD1-3.7, RNYD1-4, RNYD1-5, RNYD1-6, RNYD1-7, RNYD1-8, RNYDS1-3.7, RNYDS1-4, RNYDM1-3.7, RNYDL1-10, RNYDL1-3.7, RNYDL1-4, RNYDL1-5 **16-14 AWG:** RD2-10, RD2-12, RD2-14, RD2-16, RD2-2, RD2-2.5, RD2-20, RD2-3.2, RD2-4, RD2-5, RD2-6, RD2-7, RD2-8, RD2-9, RDL2-10, RDL2-3.2, RDL2-3.7, RDL2-4, RDL2-5, RNYD2-10, RNYD2-12, RNYD2-14, RNYD2-16, RNYD2-2, RNYD2-2.5, RNYD2-20, RNYD2-3.2, RNYD2-4, RNYD2-5, RNYD2-6, RNYD2-7, RNYD2-8, RNYD2-9, RNYDS2-3.2, RNYDS2-3.7, RNYDS2-4, RNYDS2-5, RNYDM2-3.7, RNYDL2-10, RNYDL2-3.2, RNYDL2-3.7, RNYDL2-4, RNYDL2-5 **12-10 AWG:** RD5-10, RD5-11, RD5-12, RD5-13, RD5-14, RD5-16, RD5-18, RD5-20, RD5-3.2, RD5-3.7, RD5-4.7, RD5-5, RD5-6, RD5-7, RD5-8, RDL5-3.7, RDL5-4, RDL5-5, RNYD5-10, RNYD5-12, RNYD5-13, RNYD5-14, RNYD5-16, RNYD5-18, RNYD5-20, RNYD5-3.2, RNYD5-3.7, RNYD5-4.7, RNYD5-5, RNYD5-6, RNYD5-7, RNYD5-8, RNYDS5-4, RNYDM5-6, RNYDL5-3.7, RNYDL5-4, RNYDL5-5

Insulated Multi-Stud Ring Terminals

22-16 AWG: MSRVB1-3753, MSRNYB1-3753 **16-14 AWG:** MSRVB2-3753, MSRNYB2-3753 **12-10 AWG:** MSRVB5-3753, MSRNYB5-3753

Insulated Star Ring Terminals

22-16 AWG: STRV1-3.7, STRV1-4, STRV1-5 **16-14 AWG:** STRV2-3.7, STRV2-4, STRV2-5

Non-Insulated Ring Terminals

22-16 AWG: RNB1-10, RNB1-12, RNB1-13, RNB1-14, RNB1-16, RNB1-2.5, RNB1-20, RNB1-3.2, RNB1-5, RNB1-6, RNB1-7, RNB1-8, RNBS1-3.7, RNBS1-4, RNBM1-3.7, RNBL1-10, RNBL1-3.7, RNBL1-4, RNBL1-5 **16-14 AWG:** RNB2-10, RNB2-12, RNB2-14, RNB2-16, RNB2-2, RNB2-2.5, RNB2-20, RNB2-3.2, RNB2-4, RNB2-6, RNB2-7, RNB2-8, RNB2-9, RNBS2-3.2, RNBS2-3.7, RNBS2-4, RNBS2-5, RNBM2-3.7, RNBL2-10, RNBL2-3.2, RNBL2-3.7, RNBL2-4, RNBL2-5 **14-12 AWG:** RNB3-10, RNB3-12, RNB3-3.2, RNB3-4, RNB3-6, RNB3-8, RNBS3-3.2, RNBS3-5, RNBM3-5, RNBL3-5 **12-10 AWG:** RNB5-10, RNB5-11, RNB5-12, RNB5-13, RNB5-14, RNB5-16, RNB5-18, RNB5-20, RNB5-3.2, RNB5-3.7, RNB5-4.7, RNB5-5, RNB5-6, RNB5-7, RNB5-8, RNBS5-4, RNBM5-6, RNBL5-3.7, RNBL5-4, RNBL5-5 **8 AWG:** RNB8-8, RNB8-10, RNBS8-6, RNBM8-5 **6 AWG:** RNB14-5, RNB14-8, RNB14-10, RNBS14-6 **4 AWG:** RNB22-8, RNB22-10, RNBS22-6, RNBL22-6 **2 AWG:** RNBS38-8, RNBS38-10 **1/0 AWG:** RNB60-10 **2/0 AWG:** RNB70-10

Non-Insulated Multi-Stud Ring Terminals

22-16 AWG: MSRN1-3752 **16-14 AWG:** MSRN2-3753 **12-10 AWG:** MSRN5-3753

Spade Terminals

File #: E96029

Insulated Spade Terminals

22-16 AWG: SV1-3.2, SVE1-3.2, SVL1-3.7, SVL1-4, SVL1-5, SVL1-6, SVLL1-3.7, SVEL1-3.7, SVEL1-4, SVEL1-5, SVEL1-6, SVELL1-3.7, SVEM1-4, SVES1-3.7, SVES1-4, SVES1-5, SVES1-6, SNYB1-3.2, SNYB14-6, SNYB14-8, SNYBS1-3.2, SNYBS1-3.7, SNYBS1-4, SNYBS1-5, SNYBS1-6, SNYBL1-3.7, SNYBL1-4, SNYBL1-5, SNYBL1-6, SNYBLL1-3.7, SNYBM1-4 **16-14 AWG:** SV2-3.2, SVL2-3.7, SVL2-4, SVL2-5, SVL2-6, SVLL2-3.7, SVE2-3.2, SVES2-3.7, SVES2-4, SVES2-5, SVES2-6, SVEL2-3.7, SVEL2-4, SVEL2-5, SVEL2-6, SVELL2-3.2, SVELL2-3.7, SNYB2-3.2, SNYBS2-3.7, SNYBS2-4, SNYBS2-5, SNYBS2-6, SNYBL2-3.7, SNYBL2-4, SNYBL2-5, SNYBL2-6, SNYBLL2-3.7, SNYBM2-4 **12-10 AWG:** SVL5-4, SVL5-6, SVE5-3.7, SVE5-5, SVE5-8, SVES5-3.7, SVES5-4, SVES5-6, SVEL5-4, SVEL5-6, SVES5-4, SNYB5-3.7, SNYB5-5, SNYB5-8, SNYBS5-3.7, SNYBS5-4, SNYBS5-6, SNYBL5-4, SNYBL5-6 **8 AWG:** SNYB8-5, SNYB8-6

Double Crimp Insulated Spade Terminals

22-16 AWG: SNYD1-3.2, SNYDS1-3.7, SNYDS1-4, SNYDS1-5, SNYDS1-6, SNYDM1-4, SNYDL1-3.7, SNYDL1-4, SNYDL1-5, SNYDL1-6, SNYDLL1-3.7 **16-14 AWG:** SNYD2-3.2, SNYDS2-3.7, SNYDS2-4, SNYDS2-5, SNYDS2-6, SNYDM2-4, SNYDL2-3.7, SNYDL2-4, SNYDL2-5, SNYDL2-6, SNYDLL2-3.7 **12-10 AWG:** SNYD5-3.7, SNYD5-5, SNYD5-8, SNYDS5-3.7, SNYDS5-4, SNYDS5-6, SNYDL5-4, SNYDL5-6, SNYDSS5-4

Insulated Locking Spade Terminals

22-16 AWG: LSVB1-3.7, LSVBS1-4, LSVBS1-5, LSNYB1-3.7, LSNYBS1-4, LSNYBS1-5 **16-14 AWG:** LSVB2-3.7, LSVB2-4, LSVBS2-5, LSNYB2-3.7, LSNYB2-4, LSNYBS2-5 **12-10 AWG:** LSVB5-3.7, LSVB5-4, LSVB5-5, LSNYB5-3.7, LSNYB5-4, LSNYB5-5

Insulated Flange Spade Terminals

22-16 AWG: FSNYB1-3.2, FSNYB1-3.7, FSNYB1-4, FSNYB1-5, FSNYBS1-2, FSNYBS1-3.2, FSNYBS1-3.7, FSNYBL1-3.7, FSNYBL1-4, FSNYBL1-5 **16-14 AWG:** FSNYB2-3.7, FSNYB2-4, FSNYB2-5, FSNYBM2-4, FSNYBL2-3.7, FSNYBL2-4, FSNYBL2-5 **12-10 AWG:** FSNYB5-3.7, FSNYB5-4, FSNYB5-5, FSNYBS5-3.7, FSNYBS5-4, FSNYBS5-5

Non-Insulated Spade Terminals

22-16 AWG: SN1-3.2, SNB1-3.2, SNBL1-3.7, SNBLL1-3.7 **16-14 AWG:** SNBL2-5, SNBLL2-3.7, SNBS2-4, SNBS2-5 **12-10 AWG:** SNB5-5, SNBL5-4 **8 AWG:** SNB8-5, SNB8-6 **6 AWG:** SNB14-6, SNB14-8

Non-Insulated Locking Spade Terminals

22-16 AWG: LSNB1-3.7, LSNBS1-4, LSNBS1-5 **16-14 AWG:** LSNB2-3.7, LSNB2-4, LSNBL2-4 **12-10 AWG:** LSNB5-3.7, LSNB5-4, LSNB5-5

Non-Insulated Flange Spade Terminals

22-16 AWG: FSNBL1-3.7, FSNBL1-4, FSNBL1-5 **16-14 AWG:** FSNBL2-3.7, FSNBL2-4, FSNBL2-5 **12-10 AWG:** FSNBS5-3.7, FSNB5-4, FSNB5-5

Hook Terminals

File #: E96029

Insulated Hook Terminals

22-16 AWG: HVB1-3.7, HVB1-4, HVB1-5, HVB1-6 **16-14 AWG:** HVB2-3.7, HVB2-4, HVB2-5, HVB2-6 **12-10 AWG:** HVB5-3.7, HVB5-4, HVB5-5, HVB5-6, HVB5-8

Non-Insulated Hook Terminals

22-16 AWG: HNB1-3.7, HNB1-4, HNB1-5, HNB1-6 **16-14 AWG:** HNB2-3.7, HNB2-4, HNB2-5, HNB2-6 **12-10 AWG:** HNB5-3.7, HNB5-4, HNB5-5, HNB5-6

Quick Disconnect Terminals

File #: E128651

Standard Insulated Quick Disconnects

22-16 AWG: FDNY1-110(5), FDNY1-110(8), FDNY1-187(5), FDNY1-187(8), FDNY1-205, FDNY1-205(5), FDNY1-205(8), FDNY1-250, MDNY1-110(5), MDNY1-110(8), MDNY1-187(5), MDNY1-187(8), MDNY1-250, FDV1-110(5), FDV1-110(8), FDV1-187(5), FDV1-187(8), FDV1-205, FDV1-205(5), FDV1-205(8), FDV1-250, MDV1-110(5), MDV1-110(8), MDV1-187(5), MDV1-187(8), MDV1-250 **16-14 AWG:** FDNY2-110(5), FDNY2-110(8), FDNY2-187(5), FDNY2-187(8), FDNY2-205, FDNY2-205(5), FDNY2-205(8), FDNY2-250, MDNY2-187(5), MDNY2-187(8), MDNY2-250, FDV2-110(5), FDV2-110(8), FDV2-187(5), FDV2-187(8), FDV2-205, FDV2-205(5), FDV2-205(8), FDV2-250, MDV2-187(5), MDV2-187(8), MDV2-250 **12-10 AWG:** FDNY5-250, MDNY5-250, FDV5-250, MDV5-250

Standard Double Crimp Insulated Quick Disconnects

22-16 AWG: FDNYD1-110(5), FDNYD1-110(8), FDNYD1-187(5), FDNYD1-187(8), FDNYD1-205(5), FDNYD1-205(8), FDNYD1-250, MDNYD1-110(5), MDNYD1-110(8), MDNYD1-187(5), MDNYD1-187(8), MDNYD1-250, FDD1-110(5), FDD1-110(8), FDD1-187(5), FDD1-187(8), FDD1-205(5), FDD1-205(8), FDD1-250, MDD1-110(5), MDD1-110(8), MDD1-187(5), MDD1-187(8), MDD1-250 **16-14 AWG:** FDNYD2-110(5), FDNYD2-110(8), FDNYD2-187(5), FDNYD2-187(8), FDNYD2-205(5), FDNYD2-205(8), FDNYD2-250, MDNYD2-187(5), MDNYD2-187(8), MDNYD2-250, FDD2-110(5), FDD2-110(8), FDD2-187(5), FDD2-187(8), FDD2-205(5), FDD2-205(8), FDD2-250, MDD2-187(5), MDD2-187(8), MDD2-250 **12-10 AWG:** FDNYD5-187(5), FDNYD5-187(8), FDNYD5-250, MDNYD5-250, FDD5-187(5), FDD5-187(8), FDD5-250, MDD5-250

Fully Insulated Quick Disconnects - Oval Type

22-16 AWG: FDFN1-250, MDFN1-250 **16-14 AWG:** FDFN2-250, MDFN2-250 **12-10 AWG:** FDFN5-250, MDFN5-250

Fully Insulated Quick Disconnects - Dome Type

22-16 AWG: FDFNY1-250, MDFNY1-250 **16-14 AWG:** FDFNY2-250, MDFNY2-250 **12-10 AWG:** FDFNY5-250, MDFNY5-250

Fully Insulated Quick Disconnects - Flat Bottom Type

22-16 AWG: FDFNY1-110(5)A **16-14 AWG:** FDFNY2-187(5)A

Double Crimp Fully Insulated Quick Disconnects

22-16 AWG: FDFNYD1-110(5), FDFNYD1-110(8), FDFNYD1-187(5), FDFNYD1-187(8), FDFNYD1-250, MDFNYD1-187(5), MDFNYD1-187(8), MDFNYD1-250, FDFD1-110(5), FDFD1-110(8), FDFD1-187(5), FDFD1-187(5)-1, FDFD1-187(8), FDFD1-205(5), FDFD1-205(8), FDFD1-250 **16-14 AWG:** FDFNYD2-187(5), FDFNYD2-187(8), FDFNYD2-250, MDFNYD2-187(5), MDFNYD2-187(8), MDFNYD2-250, FDFD2-110(5), FDFD2-110(8), FDFD2-187(5), FDFD2-187(8), FDFD2-205(5), FDFD2-205(8), FDFD2-250 **12-10 AWG:** FDFNYD5-250, MDFNYD5-250, FDFD5-250

Insulated Flag Quick Disconnects

22-16 AWG: FLDNY1-250 **16-14 AWG:** FLDNY2-250

Double Crimp Insulated Flag Quick Disconnects

22-16 AWG: FLDNYDX1-187(5), FLDNYDX1-187(8), FLDNYDX1-250 **16-14 AWG:** FLDNYDX2-187(5), FLDNYDX2-187(8), FLDNYDX2-250 **12-10 AWG:** FLDNYDX5-250

Insulated Piggyback Quick Disconnects

22-16 AWG: PBDNY1-250, PBDV1-250 **16-14 AWG:** PBDNY2-250, PBDV2-250 **12-10 AWG:** PBDNY5-250, PBDV5-250

Double Crimp Insulated Piggyback Quick Disconnects

22-16 AWG: PBDNYD1-250, PBDD1-250 **16-14 AWG:** PBDNYD2-250, PBDD2-250 **12-10 AWG:** PBDNYD5-250, PBDD5-250

Double Crimp Fully Insulated Piggyback Quick Disconnects

22-16 AWG: PBDNYD1-250 **16-14 AWG:** PBDNYD2-250

Non-Insulated Flag Quick Disconnects

22-16 AWG: FLDNB1-187(5), FLDNB1-187(8), FLDNB1-250 **16-14 AWG:** FLDNB2-187(5), FLDNB2-187(8), FLDNB2-250

Bullet Connectors

File #: E131576

Fully Insulated Bullet Connectors

22-16 AWG: FRFNY1-156, MPFNY1-156, FRV1-156 **16-14 AWG:** FRFNY2-156, FRFNY2-195, MPFNY2-156, FRV2-156, FRV2-195 **12-10 AWG:** FRV5-195

Double Crimp Fully Insulated Bullet Connectors

22-16 AWG: FRFNYD1-156, MPFNYD1-156, FRD1-156 **16-14 AWG:** FRFNYD2-156, FRFNYD2-195, MPFNYD2-156, FRD2-156, FRD2-195 **12-10 AWG:** FRD5-195

Standard Insulated Bullet Connectors

22-16 AWG: MPNY1-156, MPNYL1-156, FRSNY1-156, MPV1-156, MPVL1-156, FRSV1-156 **16-14 AWG:** MPNY2-156, MPNY2-195, MPNYL2-156, FRSNY2-156, FRSNY2-195, MPV2-156, MPV2-195, MPVL2-156, FRSV2-156, FRSV2-195 **12-10 AWG:** MPNY5-195, FRSNY5-195, MPV5-195, FRSV5-195

Double Crimp Insulated Bullet Connectors

22-16 AWG: MPNYD1-156, MPNYDL1-156, MPD1-156, MPDL1-156, FRSD1-156 **16-14 AWG:** MPNYD2-156, MPNYD2-195, MPNYDL2-156, FRSNYD2-156, FRSNYD2-195, MPD2-156, MPD2-195, MPDL2-156, FRSD2-156, FRSD2-195 **12-10 AWG:** MPNYD5-195, FRSNYD5-195, MPD5-195, FRSD5-195

Non-Insulated Bullet Connectors

22-16 AWG: MPNYD1-156, MPNYDL1-156, MPD1-156, MPDL1-156, FRSD1-156 **16-14 AWG:** MPNYD2-156, MPNYD2-195, MPNYDL2-156, FRSNYD2-156, FRSNYD2-195, MPD2-156, MPD2-195, MPDL2-156, FRSD2-156, FRSD2-195 **12-10 AWG:** MPNYD5-195, FRSNYD5-195, MPD5-195, FRSD5-195

Closed End Connectors

File #: E96029

Insulated Closed End Connectors

22-16 AWG: CE1, PB1 **16-14 AWG:** CE2, PB2 **12-10 AWG:** CE5, PB5

Non-Insulated Closed End Connectors

18-10 AWG: ENACU1810LR, ENAFE1810BS **14-8 AWG:** ENACU1408LR, ENAFE1408BS

Quick Splice Connectors

File #: E96029

Insulated Displacement (T-Splice) Connectors

22-18 AWG: 878006, 878100 **18-14 AWG:** 878101, 878106 **12-10 AWG:** 878201, 878206

Butt, Parallel & Step Down Connectors

File #: E96029

Insulated Butt Connectors

22-16 AWG: BNY1, BNYT1, BNYF1, BV1, BVS1, BVT1 **16-14 AWG:** BNY2, BNYT2, BNYF2, BV2, BVS2, BVT2 **12-10 AWG:** BNY5, BNYT5, BNYF5, BV5, BVS5, BVT5 **8 AWG:** BVT8 **6 AWG:** BVT14 **4 AWG:** BVT22 **2 AWG:** BVT38

Non-Insulated Butt Connectors

22-16 AWG: BNT1 **16-14 AWG:** BNT2 **12-10 AWG:** BNT5, BNT5-20 **8 AWG:** BNT8 **6 AWG:** BNT14 **4 AWG:** BNT22, BNT22-58 **2 AWG:** BNT38, BNT38-64
1/0 AWG: BNT60, BNT60-72

Insulated Parallel Connectors

22-16 AWG: PVT1 **16-14 AWG:** PVT2 **12-10 AWG:** PVT5 **8 AWG:** PVT8 **6 AWG:** PVT14 **4 AWG:** PVT22 **2 AWG:** PVT38

Non-Insulated Parallel Connectors

22-16 AWG: PNT1 **16-14 AWG:** PNT2 **12-10 AWG:** PNT5 **8 AWG:** PNT8 **6 AWG:** PNT14 **4 AWG:** PNT22 **2 AWG:** PNT38 **1/0 AWG:** PNT60

Insulated Step Down Connectors

16-14 to 22-18 AWG: BVT2CD1 **12-10 to 22-18 AWG:** BVT5CD1 **12-10 to 16-14 AWG:** BVT5CD2 **8 to 16-14 AWG:** BVT8CD2 **8 to 12-10 AWG:** BVT8CD5 **6 to 8 AWG:** BVT14CD8

Non-Insulated Step Down Connectors

16-14 to 22-18 AWG: BNT2CD1 **12-10 to 22-18 AWG:** BNT5CD1 **12-10 to 16-14 AWG:** BNT5CD2 **8 to 16-14 AWG:** BNT8CD2 **8 to 12-10 AWG:** BNT8CD5 **6 to 8 AWG:** BNT14CD8

Compression/Cable Lugs

File #: E318086

Standard Barrel One-Hole Cable Lugs

10 AWG: SB1010, SB1014S, SB10516S **8 AWG:** SB810, SB814, SB8516, SB838, SB812 **6 AWG:** SB610, SB612, SB614, SB638, SB6516 **4 AWG:** SB410, SB412, SB414, SB438, SB4516 **3 AWG:** SB312, SB314, SB338, SB3516 **2 AWG:** SB210, SB212, SB214, SB238 **1 AWG:** SB112, SB114, SB138, SB1516 **1/0 AWG:** SB1012, SB1014, SB1038, SB10516 **2/0 AWG:** SB2012, SB2014, SB2038, SB20516, SB2058 **3/0 AWG:** SB3012, SB3014, SB3038, SB30516 **4/0 AWG:** SB4012, SB4014, SB4038, SB40516 **250 MCM:** SB25012, SB25014, SB25038, SB250516, SB25058, SB25078 **300 MCM:** SB30012 **350 MCM:** SB35012, SB35038 **400 MCM:** SB40012, SB40038 **500 MCM:** SB50012, SB50038, SB50058 **600 MCM:** SB60012, SB60058 **750 MCM:** SB75012, SB75038

Long Barrel One-Hole Cable Lugs

10 AWG: LB1014S **8 AWG:** LB810, LB814, LB838, LB8516 **6 AWG:** LB610, LB612, LB614, LB638, LB6516 **4 AWG:** LB410, LB412, LB414, LB438, LB4516 **3 AWG:** LB312, LB314, LB338, LB3516 **2 AWG:** LB210, LB212, LB214, LB238, LB2516 **1 AWG:** LB112, LB114, LB138, LB1516 **1/0 AWG:** LB1012, LB1014, LB1038, LB10516 **2/0 AWG:** LB2012, LB2014, LB2038, LB20516, LB2058 **3/0 AWG:** LB3012, LB3014, LB3038, LB30516 **4/0 AWG:** LB4012, LB4014, LB4038, LB40516 **250 MCM:** LB25012, LB25014, LB25038, LB250516, LB25058, LB25078 **300 MCM:** LB30012 **350 MCM:** SB35012, SB35038 **400 MCM:** LB40012 **500 MCM:** LB50012 **600 MCM:** LB60012 **750 MCM:** LB75012

Standard Barrel Two-Hole Cable Lugs

10 AWG: ST1010, ST1014, ST1014A, ST1014B **8 AWG:** ST810, ST810A, ST812, ST814, ST814A, ST814B, ST838 **6 AWG:** ST610, ST610A, ST610B, ST610C, ST614, ST614A, ST614B, ST614C, ST638, ST6516, ST6516A **4 AWG:** ST410, ST410A, ST412, ST414, ST414A, ST414B, ST438, ST4516 **3 AWG:** ST314, ST338, ST3516 **2 AWG:** ST212, ST214, ST214A, ST214B, ST238, ST238A, ST2516, ST2516A, ST2516B **1 AWG:** ST112, ST114, ST114A, ST138, ST1516, ST1516A **1/0 AWG:** ST1012, ST1014, ST1014A, ST1014B, ST1038, ST1038A, ST10516, ST10516A **2/0 AWG:** ST2012, ST2014, ST2014A, ST2014B, ST2038, ST20516 **3/0 AWG:** ST3012, ST3014, ST3038, ST30516 **4/0 AWG:** ST4012, ST4014, ST4014A, ST4038, ST4038A, ST40516 **250 MCM:** ST25012, ST25014, ST25038

Long Barrel Two-Hole Cable Lugs

8 AWG: LT810, LT810A, LT814, LT814A, LT814B, LT838 **6 AWG:** LT610, LT610A, LT612, LT614, LT614A, LT614B, LT614C, LT614D, LT614E, LT638, LT638A, LT6516 **4 AWG:** LT410, LT410A, LT412, LT414, LT414A, LT414B, LT438, LT438A, LT4516 **3 AWG:** LT314, LT314A, LT338, LT338A **2 AWG:** LT210, LT210A, LT212, LT214, LT214A, LT214B, LT238, LT238A, LT238B, LT2516 **1 AWG:** LT112, LT114, LT114A, LT138, LT138A, LT1516 **1/0 AWG:** LT1014, LT1014A, LT1014B, LT1012, LT1012A, LT1038, LT1038A, LT1038B, LT10516 **2/0 AWG:** LT2014, LT2014A, LT2038, LT20516, LT2012, LT2012A, LT2038A **3/0 AWG:** LT3012, LT3012A, LT3014, LT3014A, LT3038, LT3038A, LT30516 **4/0 AWG:** LT4012, LT4012A, LT4014, LT4014A, LT4038, LT4038A, LT4038B, LT40516 **250 MCM:** LT25012, LT25012A, LT25014, LT25038, LT250516

One-Hole Battery Lugs

8 AWG: BCL810, BCL812, BCL814, BCL838, BCL8516 **6 AWG:** BCL610, BCL612, BCL614, BCL638, BCL6516 **4 AWG:** BCL414, BCL438, BCL4516 **2 AWG:** BCL212, BCL214, BCL238, BCL2516 **1 AWG:** BCL112, BCL114, BCL138, BCL1516 **1/0 AWG:** BCL1012, BCL1014, BCL1038, BCL10516 **2/0 AWG:** BCL2012, BCL2014, BCL2038, BCL20516 **3/0 AWG:** BCL3012, BCL3014, BCL3038, BCL30516 **4/0 AWG:** BCL4012, BCL4014, BCL4038, BCL40516 **250 MCM:** BCL25012, BCL25038, BCL250516

Short Barrel Splice Connectors

8 AWG: SC8 **6 AWG:** SC6 **4 AWG:** SC4 **3 AWG:** SC3 **2 AWG:** SC2 **1 AWG:** SC1 **1/0 AWG:** SC10 **2/0 AWG:** SC20 **3/0 AWG:** SC30 **4/0 AWG:** SC40 **250 MCM:** SC250 **300 MCM:** SC300 **350 MCM:** SC350 **400 MCM:** SC400 **500 MCM:** SC500 **600 MCM:** ZCC57 **750 MCM:** ZCC17

Long Barrel Splice Connectors

8 AWG: LC8 **6 AWG:** LC6 **4 AWG:** LC4 **3 AWG:** LC3 **2 AWG:** LC2 **1 AWG:** LC1 **1/0 AWG:** LC10 **2/0 AWG:** LC20 **3/0 AWG:** LC30 **4/0 AWG:** LC40 **250 MCM:** LC250 **300 MCM:** LC300 **350 MCM:** LC350 **400 MCM:** LC400 **500 MCM:** LC500 **600 MCM:** ZCC33 **750 MCM:** ZCC34

Flag Terminals

File #: E96029

Non-Insulated Ring Tongue Terminals

22-16 AWG: FGNB1-5 **16-14 AWG:** FGNB2-5, FGNB2-6 **12-10 AWG:** FGNB5-4, FGNB5-5, FGNB5-6 **8 AWG:** FGNB8-5, FGNB8-6, FGNBL8-6, FGNB8-8, FGNB8-10 **6 AWG:** FGNB14-6, FGNB14-8

Heat Shrinkable Terminals

File #: E96029

Heat Shrinkable Butt Connectors

22-16 AWG: BHT1, BHT1-NY **16-14 AWG:** BHT2, BHT2-NY **12-10 AWG:** BHT5, BHT5-NY

Multi-Wire Connectors

File #: E96029

Insulated Multi-Wire Connectors

22-16 AWG: 3WCV1, 4WCV1 **16-14 AWG:** 3WCV2, 4WCV2 **12-10 AWG:** 3WCV5, 4WCV5

Non-Insulated Multi-Wire Connectors

22-16 AWG: 3WCN1, 4WCN1 **16-14 AWG:** 3WCN2, 4WCN2 **12-10 AWG:** 3WCN5, 4WCN5

Cable Ties

File #: E475268

Standard Nylon Cable Ties

CT075N, CT075B, CT080N, CT080B, CT094N, CT094B, CT100N, CT100B, CT120SN, CT120SB, CT120N, CT120B, CT120LN, CT120LB, CT140N, CT140B, CT150SN, CT150SB, CT150N, CT150B, CT160LN, CT160LB, CT165N, CT165B, CT180N, CT180B, CT190N, CT190B, CT200MN, CT200MB, CT200AN, CT200AB, CT200LN, CT200LB, CT250N, CT250B, CT250SN, CT250SB, CT280N, CT280B, CT292N, CT292B, CT300N, CT300B, CT300SN, CT300SB, CT368SN, CT368SB, CT368N, CT368B, CT380N, CT380B, CT385N, CT385B, CT432N, CT432B, CT500N, CT500B, CT500LN, CT500LB, CT550N, CT550B, CT550SN, CT550SB, CT610N, CT610B, CT610SN, CT610SB, CT812N, CT812B, CT1168N, CT1168B

Heat Shrink Tubing

File #: E203950

Flexible Heat Shrinkable Tubing

TW364BK, TW364GN, TW364RD, TW364YL, TW116BK, TW116GN, TW116RD, TW116YL, TW332BK, TW332RD, TW332YL, TW18BK, TW18GN, TW18RD, TW18YL, TW316BK, TW316GN, TW316RD, TW316YL, TW14BK, TW14GN, TW14RD, TW14YL, TW38BK, TW38GN, TW38RD, TW38YL, TW12BK, TW12GN, TW12RD, TW12YL, TW34BK, TW34GN, TW34RD, TW34YL, TW100BK, TW100GN, TW100RD, TW100YL, TW114BK, TW114GN, TW114RD, TW114YL, TW112BK, TW112GN, TW112RD, TW112YL, TW200BK, TW200GN, TW200RD, TW200YL

Push Buttons & Switches

File #: E247577

Flat Head Push Buttons

XB22-1O-BL, XB22-1O-GN, XB22-1O-RD, XB22-1O-YL, XB22-1O-WH, XB22-1C-BL, XB22-1C-GN, XB22-1C-RD, XB22-1C-YL, XB22-1C-WH, XB30-1O-BL, XB30-1O-GN, XB30-1O-RD, XB30-1O-YL, XB30-1O-WH, XB30-1C-BL, XB30-1C-GN, XB30-1C-RD, XB30-1C-YL, XB30-1C-WH, GBF22-1O-BL, GBF22-1O-GN, GBF22-1O-RD, GBF22-1O-YL, GBF22-1O-BK, GBF22-1O-WH, GBF22-1C-BL, GBF22-1C-GN, GBF22-1C-RD, GBF22-1C-YL, GBF22-1C-BK, GBF22-1C-WH

Twist Knob Switches

GCS22-1O-BK, GCS22-1O-GN, GCS22-1O-RD, GCS22-1O-YL, GCS22-1OC-BK, GCS22-1OC-GN, GCS22-1OC-RD, GCS22-1OC-YL, GCS22-2O-BK, GCS22-2O-GN, GCS22-2O-RD, GCS22-2O-YL

Mushroom Head Buttons

XE22-1C-GN, XE22-1C-RD, XE22-1C-YL, XE22-1C-BK, XE30-1C-GN, XE30-1C-RD, XE30-1C-YL, XE30-1C-BK, GEB22-1C-GN, GEB22-1C-RD, GEB22-1C-YL, GEB22-1C-BK, LXE22-1C-GN, LXE22-1C-RD, LXE22-1C-YL, LXE22-7C-GN, LXE22-7C-RD, LXE22-7C-YL

Key Selector Switches

KS22-1O-BK, KS22-1OC-BK, KS22-2O-BK, KS30-1OC-BK, KS30-2O-BK, GKS22-1O, GKSN22-1O, GKS22-1OC, GKSN22-1OC, GKS22-2O, GKSN22-2O

Rotary Switches

GLEB22-1C-RD, LMB22-1C-RD, LMS22-1C-RD

Long Twist Knob Switches

GLCS22-1O-BK, GLCS22-1O-GN, GLCS22-1O-RD, GLCS22-1O-YL, GLCS22-1OC-BK, GLCS22-1OC-GN, GLCS22-1OC-RD, GLCS22-1OC-YL, GLCS22-2O-BK, GLCS22-2O-GN, GLCS22-2O-RD, GLCS22-2O-YL

Illuminated Twist Knob Switches

SL22-1O-BL, SL22-1OC-BL, SL22-2O-BL, SL22-1O-GN, SL22-1OC-GN, SL22-2O-GN, SL22-1O-RD, SL22-1OC-RD, SL22-2O-RD, SL22-1O-YL, SL22-1OC-YL, SL22-2O-YL

Illuminated Guarded Push Buttons

LXG22-1O-BL, LXG22-1O-GN, LXG22-1O-RD, LXG22-1O-YL

Toggle Push Buttons

GPF22-1OC-GN, GPF22-1OC-RD, GPF22-1OC-YL, GPF22-1OC-BK

Double Push Buttons

DPB22-1OC, DPB30-1OC