

CARE HOME CATALOGUE

HEALTHCARE SOLUTIONS DESIGNED FOR LIFE









Mangar Health design, manufacture and supply innovative, inflatable moving and handling equipment and is the UK operation for the Winncare Group.

Our extensive product range is designed to meet the needs of businesses operating in the long-term care sector. Our portfolio embraces modern healthcare by giving flexible functionality, choice of colour and finish, together with enduring style, comfort and quality.

Our range includes;

- Safe patient handling products
- Beds and bedroom furniture
- Pressure Care mattresses and cushions
- Hygiene products

Solar Mobile Lifter
 Luna Ceiling Hoist

Pallas Stand Aid
Stellar Stand Aid
Titan Mobile Hoist
Winn'Motion 175

- Spreader Bars
- Mobile Flex Gantry

• The importance of Lifting

• Slings

Lifting

- Camel Lifting Cushion
- Elk Lifting Cushion
- Post Fall Management

Bathing

Triton Hygiene ChairShower Trolley

Bedroom

- Aerys Bed
- Aldrys Bed
- Duo Bed
- Aluminuim and Wooden Side Rails
- Epoxy Side Rails
- Full Length Wooden Side Rails
- Technical Aid Side Rails
- Headboards and Footboards
- Dynamic MAtresses
- Ekamove Patient Turning System
- Carmen Bedroom Furniture
- Auzence Bedroom Furniture
- Dagone Bedroom Furniture
- Val de Vie Bedroom Furniture
- Cote de Lumiere Bedroom Furniture





5 - 24

25 - 26

23 - 48

Our stylish, functional product range is the result of more than 40 years of research, design and industry collaboration. Ideal for care homes, nursing homes and assisted living facilities, the ergonomics of our portfolio has been carefully considered with care professional protection and user experience our upmost priority.

Our solution-based approach to product development includes built-in functionality and flexibility that supports residents losing mobility, living with dementia or challenged with regular falls.

Combining the appropriate placement of equipment with efficient space planning will positively impact the quality of care you can offer your residents. Our team will work with care home managers, architects and designers to create a practical, safe environment.

Product solutions designed to enhance care home life









Safe Patient Lifting - The Importance of Moving

Encouraging residents to keep active for as long as possible is vital to wellbeing and long-term health prospects. Selecting the right equipment and environment, combined with best practice in moving and handling procedures, empowers the resident to engage with the process and maintain levels of strength and mobility.

The following is a guide to use of lifting equipment, but an individual risk assessment for each resident is essential in order to tailor care appropriately.

Lifting cushions

Regular falls can cause a further fear of falling, resulting in a reduction of activity if not handled safely and in a dignified manner. The Camel and ELK lifting cushions are light, portable and perfect for frequent fallers.



Stand Aid

Stand Aids are ideal to move residents who can assist to some extent in a sit to stand transfer. Encouraging the resident to use this piece of equipment while they are still able will promote mobility and independence.

Mobile Hoists

Mobile hoists are ideal for moving residents with no mobility or strength to support their own weight. They are a flexible solution but should not be used to move people long distances. Always assess the environment for space before using.

Ceiling Hoists

As with mobile hoists, ceiling hoists are for moving people with no mobility or strength to support their own weight. They are generally less arduous for a carer to operate than a mobile hoist and are the more suitable for longer distance transfers.







Pallas Stand Aid

The Pallas is a compact stand aid for individuals able to bare partial body weight when transitioning between seated and standing positions, such as from bed to wheelchair and wheelchair to toilet. Ideal for home use, and healthcare facilities. Extra lifting hooks on this model allows for seated transfers, increasing its versatility for multiple uses.

Technical Specifications

Product	Pallas Stand Aid 175				
Lifting capacity (SWL)	175 kg				
Lifting interval	728 / 1605 mm				
Width external	base min/max 595 / 945 mm				
Width internal	base min/max 463 / 815 mm				
Chassis height front/back	120 / 150 mm				
Length of legs	1001 mm				
Lifting method	Electrical				
Leg spreading method	Manual				
Emergency lowering	Manual				
Emergency stop	Electrical				
Turning radius	1155				
Wheel diameter front/back	ø75 / ø100				
Total weight	47 kg				
Weight heaviest single part	17,5 kg				





Pallas Stand Aid 150

150 kg 597/1665 mm

605/882 mm

495/722 mm

 $125/165 \,\mathrm{mm}$

865 mm

Electrical

Manual / Electrical

Electrical

Electrical

1025 mm

ø75/ø100

45kg

15kg


Product Code: 175 : 011-01516UK : 011-01528UK

Key Features and Benefits

- Pallas is a compact, active stand aid with a lifting pattern closely imitating the user's natural way of standing.
- Developed for users who are weight bearing to a limited degree and who can participate actively with the carer during transfers.
- Adjustable knee support to allow for tall or short patients.
- Can be adapted to use for walking training.
- Foot plate height extensions.
- Ergonomic handles with several gripping positions.
- Low friction wheels.
- Electrical emergency lowering.



📋 Scan me







Stellar 160 Stand Aid

Stellar is the new state of the art stand aid. With it's elegant Scandinavian design with supreme functionality the Stellar has been developed to move users, who can assist to some extent in a sit to sit transfer.

Key Features & Benefits

•Compact dimensions with a small turning radius, with the curved legs allowing access to larger and riser chairs, or power chairs.

- Electrical leg adjustment to be able to suit the patients needs with ease for the carer.
- Adjustable knee support. Being able to adjust the Height & Angle gives the user the most comfortable transfer

Advanced control system.

Linakcontrol system - The main functions are emergency stop, quick and slow, up and down. An LCD screen shows the condition of the battery, service overview, and lifting mode.

• Patented sling hooks give a safe, simple sling attachment. The padded knee support is both height and angle adjustable for a



Lifting capacity (SWL)	160 kg
Lifting method	Electrical
Leg spreading method	Electrical
Emergency lowering	Manual
Emergency stop	Manual
Total weight	54 kg
Battery capacity	60-80 lifts
Min. width	665 mm



• Titan 375 Mobile Hoist

The Titan 375 gives bariatric transfer a new dimension in catering to individual needs whilst blending into the working environment. The flexibility helps the client to stand, to walk, to be lifted and even be weighed.

Key Features & Benefits

- Self drive unit with simple thus ensuring optimal
- Large rear wheels and Two sets of front wheels to ease movement on all surfaces.
- Electrical leg adjustment and spreader bars to be able to suit the patients needs with ease for the carer.
- High capacity Battery with integrated charging system
- Patented sling hooks give a safe, simple sling attachment. The padded knee support is both

perfect fit.







height and angle adjustable for a

Product Code: 050-00515 **Technical Specifications**

Lifting capacity (SWL)	375 kg
Max height legs	130 mm
Min height (free height)	50 mm
Wheel diameter back/front	325/100
Length of arms	900 mm
Length of legs	1350 mm
Turning radius	1400 mm
Lifting height min	200 mm
Lifting height max	1750 mm
Total weight	145 kg



📋 Scan me



Meets standard en ISO 10535: 2007 for the transfer for people with limited movement by hoist. Winn'Motion model 150 also available.

Key Features and Benefits

• Emergency stop button on the side • Light and compact the of the control box.

· Audible signal when the battery is running low.

· Jack with anti-collapse system.

· Jack can be manually released using an ergonomic rotary knob.

• Feet can be manually moved further apart using a pedal system.

WINN'MOTION is adapted for use in Care homes and in the home.

• Easy to transport and store away.

 The excellent lifting range allows patients to be lifted from the floor

• With a secured 4 point spreader bar patients can be moved securely and with comfort.

Product code: LU9UU -UK	
Technical Specifications	

Lifting

Lifting capacity (SWL)	175 kg
Lifting method	Electrical
Leg spreading method	Manual
Emergency lowering	Manual
Emergency stop	Manual
Total weight	36 kg
Battery capacity	40 lifts
Min. width	650 mm



PROVED COL

Solar Mobile Lifter

Solar's Scandinavan design with its sweeping elegant lines makes an attractive choice for use at home or in a healthcare environment. Its excellent lifting range allows clients to be lifted from the floor.

Key Features and Benefits

· Electrical leg adjustment as

- Emergency stop and emergency
- Narrow base to accomodate narrow doors.
- · Curved legs giving a wide spread to access large chairs.
- Solar's Scandinavian design with its sweeping elegant lines makes it an attractive choice for home care or institutional use.
- Advanced control system with emergency stop. The LCD screen shows the condition of the battery, service overview and lifting mode.

- excellent lifting range of 440mm to 1780mm.
- The mobile lift is easy to manoeuvre thanks to the new ergonomic hand grip design and smooth rolling
- The system also records and shows the number of lifts performed and
- For patients up to 175kg

9







Product code: 175: 010-01316UK **Technical Specifications**


• Lift patients from the floor with an

also the date of the next service.

175 kg
Electrical
Electrical
Manual
Manual
50 kg
40-60 lifts
680 mm
24 kg



🗍 Scan me



• Luna Ceiling Hoist IPx4

The innovative Luna Ceiling Hoist combines Scandinavian design with excellent functionality, providing a mix of fixed and portable lifting solutions within one device.

Key Features and Benefits

- Can be used as a fixed or portable hoist which is a cost effective solution covering a mix of lifting requirements
- Quick release mechanism to detach the lift from the track in a matter of seconds –no tools required
- Hand control charged through wall mounted docking station and has a secure and reliable mechanism for hooking the hand control to the Luna lift.
- Patented Ergolet spreader bar and sling hook system ensuring safe and simple sling attachment. Minimum downward pressure locks the sling hook. Pull upwards to unlock sling hook.

- Charging indicators on the hand control including low battery visual LED
- IPx4 means it is safe to use in wet environments allowing for safe transfers in bathrooms
- IPx7 hand control tolerates
- · Electrical and manual emergency stop with emergency lowering function on both the hand control and Luna unit itself



🗍 Scan me

Technical Specifications

Lifting capacity (SWL)	200/275 kg				
Length of lifting strap	2200 mm				
Weight	6.7kg w/o spreader bar				
Measurements	320 x 130 mm				
Battery operation	36 V, lead acid batteries				
Charging	100 - 240 V, 0,5A.				
Chassis Aluminium	Housing High impact, moulded ABS				
Noise Lwa during lifting	lowering without load is 49dB(A)				
Lifting speed down	44mm/sec with 89kg load/sec with 196lbs load				
Lifting speed up	30mm/sec with 89kg load				
No. of lifts per charge	50 lifts of 0.5m with 100kg				



	Û	

Version

LunaIPx4/200 kg, portable (strap) - white/grey LunaIPx4/275 kg, portable (strap) – white/grey LunaIPx4/200 kg, fixed (bayonet) - white/grey LunalPx4/275 kg, fixed (bayonet) – white/grey LunalPx4/200 kg, fixed (bayonet), 2 ports – white/grey LunalPx4/275 kg, fixed (bayonet), 2 ports – white/grey LunalPx4/200 kg, room to room – white/ grey LunalPx4/275 kg, room to room – white/grey

Accessories

Hand control IPx4 with cable on top* Hand control IPx7

Features


- · Soft start and stop motor control · Electrical emergency lowering Electrical emergency stop · Ceiling tracks and Gantry's
- Low battery indicator (visual LED) · Charging indicators • Multiple accessories, including scales, easy mover, etc.





	Item No.	
	015-03020/015-03021	
1.00	015-03022/015-03023	
	015-03026/015-03027	
20MA	015-03028/015-03039	J
dDD	015-03032/015-03031	
44.04	015-03034/ 015-03033	
1949/1	015-03035/ 015-03036	
1100	015-03037/ 015-03038	p
Sugar	Item no.	
34440	015-03105	
H ALA	015-03101	
(MDR	015-03109	

- · Overload protection
- Emergency brake system
- · Can be fixed to existing tracking
- · Children cartoon casing also available



Spreader bars

There is a complete range of spreader bars in various sizes and models to suit all care needs and transfer situations. All spreader bars are equipped with our patented sling hook system.

The two point spreader bar is suitable Then there is a flexible 4 point for a standard transfer. It is available in 3 widths.

There is also the unique V shaped 3-point spreader bar. This increases the distance between the shoulder strap section and the leg strap section, opening up the sling for a more comfortable lift.

In other situations it will be more suitable to use one of our 4-point spreader bar solutions. We have 2 different types.

The largest one being the H-solution with 4 points equally placed from the center for optimal weight distribution. There is a more flexible option also where you use a standard 2 point spreader bar and then add 2 extra side spreader bars onto the end 2 points.

spreader bar which fits as standard for the width of shoulders and hips.

By using 3-point or one of the 4-point spreader bars, you will have a more open and flexible transfer, which take the clients special needs into consideration.

Key standard functions


· Extensive range for specific and general use · Patented sling hooks on all spreader bars • Easily interchangeable to allow for multiple use · Can be used on both mobile lifters and ceiling hoists



Scan me







Mobile Flex

Suitable for people who need an immediate and/or temporary lifting solution that can be easily and simply fitted, used and removed. The Mobile Flex is easy to assemble. No tools are required to adjust the height and width to provide reliable temporary solutions.

Adjusting the height via gas spring providing immediate use for the carer and client. The telescopic tracks give enough lifting height to provide rooms and transfer situations. The Mobile Flex when combined with the innovative Luna ceiling lift, is a simple and functional lifting system care or institutional use.

The Mobile Flex provides a lifting full range of the Luna ceiling lift.

Mix and match

Maybe you just need a 2-post system over a bed, or maybe you need full room coverage with a 4-post system. No matter what your needs, the





2-post system

Height & width adjustable

Only takes 30 minutes to assemble

capacity up to 275kg thus utilizing the

4-post system

Full adjustable, room covering and free-standing Only takes 1 hour to assemble



SLINGS

Practical and comfortable our slings have excellent seating comfort and ensure correct user positioning.


Each sling is colour coded to identify size. Please see our user guide on the opposite page for detailed information.

- All of the slings are easily compatible with the Ergolet hook system which are on the spreader bars we also have available.
- There are 3 different materials on the slings
- Polyester Extra durable and easy to clean
- Polyester Net Suitable especially for bathing
- Nonwoven For disposable slings

Y = Hip Measurement

X = Measurement from neck to lower back

Z = Measurement from head to lower back



PRODUCT	PRODUCT CODE	STRAP COLOUR	SIZE	Y	x	z	SWL	USABILITY
	009-09803	grey	XS	37	50	-	275 kg	
	009-09804	red	S	42	55	-	275 kg	
Universal Basic	009-09805	yellow	М	48	66	-	275 kg	
sling - polyester	009-09806	green	L	52	75	-	275 kg	 For users with lack of stability of torso.
	009-09807	blue	XL	68	75	-	400 kg	TO USE'S WITHACK OF STADILTY OF LOISO.
	009-09808	black	XXL	78	75	-	400 kg	• For transfers from a sitting or lying
	009-09813	grey	XS	37	37	-	275 kg	position.
	009-09814	red	S	42	42	-	275 kg	• For transfers in mobile and stationary
Universal Basic	009-09815	yellow	М	48	48	-	275 kg	hoists.
sling - polyester mesh	009-09816	green	OP.	52	52	-	275 kg	
	009-09817	blue	XL	68	68	-	400 kg	
	009-09818	black	XXL	78	78	-	400 kg	
	009-09823	grey	XS	37		75	275 kg	
	009-09824	red	S	42		80	275 kg	
Universal Basic	009-09825	yellow	М	48	0.0	91	275 kg	
sling, with head support - polyester	009-09826	green	Ĺ	52		100	275 kg	Prove and the second second
support - polyester	009-09827	blue	XL	68		100	400 kg	 For users with lack of stability of torso.
	009-09828	black	XXL	78	100	100	400 kg	• For transfers from a sitting or lying
	009-09833	grey	XS	37		75	275kg	position. • For transfers in mobile and stationary
	009-09834	red	S	42		80	275kg	hoists.
Universal Basic sling, with head	009-09835	yellow	М	48	11	91	275kg	
support - polyester	009-09836	green	11	52		100	275kg	Part Free Dates
mesh	009-09837	blue	XL	68		100	400kg	2012年2月1日日
	009-09838	black	XXL	78	14	100	400kg	
	009-09673	grey	XS	37	50		275kg	MENTAL PAINT NO.
	009-09674	red	S	42	55		275kg	STREET, STREET, STR
Universal	009-09675	yellow	М	48	66		275kg	125 214 201 14 14 10 10
Hammock sling - mesh	009-09676	green	L	52	75		275kg	CONTRACTOR OF DA
	009-09677	blue	XL	68	75	50	400kg	• For less active users, who are in
	009-09678	black	XXL	78	75	J.	400kg	seated position for longer periods.
	009-09683	grey	XS	37		75	275kg	For transfers from a lying position.
	009-09684	red	S	42		80	275kg	• For transfers in mobile and stationary
Universal Hammock sling,	009-09685	yellow	M	48		91	275kg	hoists.
with head support	009-09686	green	L	52		100	275kg	
- mesh	009-09687	blue	XL	68		100	400kg	
	009-09688	black	XXL	78		100	400kg	





PRODUCT	PRODUCT CODE	STRAP COLOUR	SIZE	Y	x	z	SWL	USABILITY
	009-09743	grey	XS	37	50	-	275kg	
Universal	009-09744	red	S	42	55	-	275kg	 For users who have a single or double amputation
Amputee sling,	009-09745	yellow	М	48	66	-	275kg	• For transfers from a sitting or
with extra leg	009-09746	green	L	52	75	200	275kg	lying position.
straps- polyester	009-09747	blue	XL	68	75		400kg	 For transfers in mobile and stationary hoists.
	009-09748	black	XXL	78	75		400kg	MUH BUILDE
	009-09763	grey	XS	37	-	75	275kg	Contraction of the second
	009-09764	red	S	42	1	80	275kg	CORRECT TO AND
Universal Comfort sling with head	009-09765	yellow	М	48	-	91	275kg	- MIRANNA
support - polyester	009-09766	green	L	52		100	275kg	saaaaaaaaa
	009-09767	blue	XL	68	-	100	400kg	For users with increased disability
	009-09768	black	XXL	78		100	400kg	or other special needs.
Universal Comfort sling with head support - polyester	009-09773	grey	XS	- 37	×-	75	275kg	• For transfers from a sitting or
	009-09774	red	S	42	- 1	80	275kg	lying position. • For transfers in mobile and
	009-09775	yellow	М	48	-	91	275kg	stationary hoists
	009-09776	green	L	52	-	100	275kg	
mesh	009-09777	blue	XL	68	-	100	400kg	
	009-09778	black	XXL	78	-	100	400kg	
Disposable	008-04104	red	S	42	55	-	275kg	• A disposable sling is perfect for situations where
Comfort Sling without head	008-04105	yellow	М	48	66		275kg	a high hygienic standard is needed, e.g. if there is
support (10 pcs.)	008-04106	green	L	52	75	-	275kg	a risk of infection. • For users with increased disability
	008-04114	red	S	42	55	-	275kg	or other special needs.
Disposable Comfort Sling with head support (10 pcs.)	008-04115	yellow	М	48	66	-	275kg	 For transfers from a sitting or lying position For transfers in mobile and
	008-04116	green	L	52	75	-	275kg	• For transfers in mobile and stationary hoists.
	009-09543	grey	XS	37	50	-	275kg	• For transfers to and from the
	009-09544	red	S	42	55	-	275kg	toilet. • For users with a good control of
Toilet sling	009-09545	yellow	М	48	66	-	275kg	the head and
without head support - polyester	009-09546	green	L	52	75	-	275kg	torso. • For transfers from a sitting or
	009-09547	blue	XL	68	75	-	400kg	semi-sitting position.
	009-09548	black	XXL	78	75	-	400kg	 Used for transfers in mobile and stationary hoists.

	PRODUCT	PRODUCT CODE	STRAP COLOUR	SIZE	Y	x	z	CHEST	SWL	USABILITY
		009-09633	grey	XS	37	50	-	-	275kg	• For users with a good upper
		009-09634	red	S	42	55	-	-	275kg	body & head control.
	Low Back sling -	009-09635	yellow	М	48	66	-	-	275kg	 Used for transfers from a sitting or semi-sitting
P.,	polyester	009-09636	green	L	52	75	-		275kg	position.
-21		009-09637	blue	XL	68	75	-		400kg	Used for transfers in mobile
3		009-09638	black	XXL	78	75	-	-	400kg	and stationary hoists
		009-09572	grey	XS	-	-	-	62-75	180kg	• For users with good upper
5	Walking sling	009-09883	red	S		-	-	76-84	180kg	body control and some
83		009-09884	yellow	М	1		-	55-92	180kg	lower limb function.
ĿЙ		009-09885	green		2.4	9	-	93-105	180kg	 Used for transfers from a sitting position. Used for transfers in stand aids.
14		009-09886	blue	XL	-		-	106-114	180kg	
		009-09887	black	XXL		1	e es	116-130	180kg	
		009-09594	red	S			S	76-84	275kg	 Supports during standing movement and can also be
	Standing sling	009-09595	yellow	М		E	X	55-92	275kg	used for gait training, for users with sufficient stability and standing function, but low balance. • Supports central part of back. Has anti-slip material on the back. • Sitting to and from e.g. bed, wheelchair/bathing and shower chair.
		009-09596	green	L			E	93-105	275kg	
		009-09597	blue	XL	97			106-114	275kg	
		009-09598	black	XXL	12	Ś	20	116-130	275kg	

Disposable Comfort Sling

Universal Amputee Sling with extra leg straps





PART OF THE

Lifting

Universal Basic Sling





Ø



• Camel Lifting Cushion

The Camel Lifting Cushion will both sit up and lift a fallen person.

Easy to fit

- Lifting cushion is inflated using an Airflo Compressor with a simple hand control
- Simple to use, requiring very little training
- Suitable for indoor and outdoor use
- · Can be used independently or assisted

Simple to maintain

- · Clean using a proprietary nonabrasive mild liquid cleaner.
- Easy to deflate, fold away and store in the carry bag provided
- · Does not need a LOLER certificate

• The material is designed to exceptionally high standards with extraordinary durability, strength & performance in the toughest of environments

Safe to use

- Lifts the frailest person up to 320 kg from the floor
- · Stable and supportive
- · Ideal for carers of individuals with neurological disorders who fall regularly

Improves well-being

- Provides a safe, dignified lift for a fallen person
- Reduces the risk of musculoskeletal injury for the carer
- Individuals with a cognitive impairment are less distressed when lifted with a Camel
- The backrest gives additional support and is particularly suitable for bariatric

weight	320 kg		
Max height	56 cm		
Min height	Flat		
Seat depth	47 cm		
Total length	112 cm		
Width	70 cm		
Total product weight	6.5 kg		
Back/headrest length	81 cm		
Airflo Compressor	24		
Lifting performance per charge	up to 4 lifts		

Technical Specifications





Features

- 1. Easy to setup connect the four hoses from the hand control to the connectors on the Camel.
- 2. The head should lie on the Camel badge and the body should lie
- 3. The backrest may be partially inflated before the lower sections











Product code: MPCA060400

Accessories

 Slidesheet Camel Carry Bag

4. Made from very strong polyurethane coated nylon material.

5. Each layer inflates individually ideal for single-handed care.



• ELK Lifting Cushion

The ELK is a lifting cushion designed to lift from the floor.

Easy to fit

- Lifting cushion is inflated using an Airflo Compressor with a simple hand control
- Simple to use, requiring very little training
- Suitable for use inside or out
- \cdot Can be used by one carer
- Simple to maintain
- Clean using a proprietary nonabrasive mild liquid cleaner.
- \cdot Easy to deflate, fold away and store
- Does not need a LOLER certificate

 The material is designed to exceptionally high standards with extraordinary durability, strength & performance in the toughest of environments

Safe to use

- Lifts the frailest person up to 70 stone / 450 kg from the floor
- Exceptionally rigid and stable
- Ideal for carers of individuals with neurological disorders who fall regularly

Improves well-being

- Provides a safe, dignified lift for a fallen person
- Reduces the risk of musculoskeleta
 injury for the carer
- Can be used in confined spaces where traditional lifting equipment may not fit

height	56 cm
Min height	Flat
Seat depth	50 cm
Width	57 cm
Total product weight	3.6 kg
Airflo Compressor	24
Lifting performance per charge	Up to 8 lifts

Technical Specifications

450 kg



weight







1. 4-Way Hand Control.

- 2. Made from very strong polyurethane coated nylon material.
- Remove or keep stability bar when transferring someone onto the ELK to provide extra comfort for the user.
- 4. Can be used to lift a stretcher.











5. Easy to setup - connect the four hoses from the hand control to the corresponding numbers and coloured connectors on the Camel.

6. Powered by an Airflo 24 Compressor.

Product code: MPCA070400

Accessories

- ELK Stretcher Bars
- Slidesheet
- ELK End Cap Set



When should you call an ambulance?

The Ambulance Service in the UK issue guidelines on when to call the emergency services.

This one, called ISTUMBLE, is used by West Midlands Ambulance Service NHS Trust.

> • Clear of dangers? • Any response? • Airway open? Breathing adequate? • Pulse?

> > Yes

I ntense pain S uspected collapse T rauma to neck/back/head Unusual behaviour Marked difficulty in breathing/chest pain **B**leeding freely L oss of consciousness

⊑ vidence of fracture



Use correct lifting aids and manual handling to

Treat minor injuries within scope of practice

Reassess

Post Fall Management

While 50% of adults aged over 80 will fall at least once a year (NICE), in care homes this is three times more likely to happen (Helped the Aged). In 45% of cases, the person who has fallen is uninjured (Wales Ambulance Service Trust) but the ambulance service is routinely called to assist with a lift.

Uninjured fallen residents are routinely categorised as a low priority with Ambulance Trusts and this can lead to long wait times for paramedic help to arrive.

There is a direct correlation between recovery and how long people lie on the floor after a fall.

Lying on the floor for a long time following a fall is one of the most serious consequences. Even a delayed initial recovery greater than 10 minutes will begin to impact a fallen resident and a 'Long-Lie' of more than an hour is associated with;

- Skin damage resulting in pressure sores
- Reduced confidence
- Increased anxiety
- Hypothermia
- Dehydration
- Pneumonia
- Kidney failure (through rhabdomyolysis) • Death

To perform a health assessment on a fallen resident many ambulance services use an algorithm called ISTUMBLE, which care homes across the UK are adopting in the aim to align to best practice in post fall management. The health assessment used with the appropriate piece of lifting equipment safeguards the lives of residents and avoids unnecessary hospital admissions.



You can use the algorithm as pictured on the right or through the iSTUMBLE app, this is recognized and used by paramedics across the UK to inform decisions around lifting. It simply uses a series of questions to work you through the algorithm and let you know the best course of action to take. Availabe through Google Play and the App Store.

PART OF THE

No

Yes to 1

or more

No



Keep resident Calm Comfortable

Answer all and follow instructions from call taker

Wait with resident until

of kin



The Triton Hygiene Chair is a new and improved powered, height adjustable, tilt-in-space shower commode chair.

Better working environment

· Correct working posture eliminates strain and stress on the caregiver's back, shoulders and knees.

· The height adjustment allows an optimal positioning of the chair, ensuring a correct working posture for the care giver.

Increased comfort

• With the electrical seat tilt and adjustable backrest, the Triton Dual makes it easy for the user to find the most comfortable sitting position.

• The lift height of 40 cm helps both the caregiver and the user.

Easy to Clean

· Developed from the Easy-Clean principle, which means there are no small corners or edges. The chair has closed screws/joinings and fully welded steel, which prevents water from entering the pipes. It is also treated with double coating which makes it rust resistant.

· IPx6W rated: Can be cleaned in washing machines up to 250 times due to LINAK IPX6 Washable DURA™ (50 washes is standard).

Improves Independence

• For the user, the height adjustment means increased independence; it is possible to adjust the chair, so the user can reach the sink and look in the mirror - therefore the user can help take care of his own personal hygiene.

Product code: 044-00050 **Technical Specifications**

Bathing

Max user weight	150 kg
Distance btw. arm rest	468 mm
Seat depth	430 mm
Seat width	460 mm
Seat height	544-943 mm
Total width	572 mm
Length	996-1294 mm
Total height (w/o head rest)	886-1540 mm
Weight	41 kg
Tilt angle	+7 to –30°
IP class	IPx6W
Charging time	6 hours
Battery capacity	80-100 lifting



Shower Trolley

The Shower Trolley provides a comfortable experience for both the user and carer.

Comfort

- · Padded PVC polyester, caribbean green, 2 cm thick, secured on a water-repellent compact top.
- \cdot The variable height from 52 to 88 cm enables the caregiver to work in an ideal position, avoiding the risk of lumbar pain.

Safety

- · ABS base protector
- Centralised braking option with 4 x 125 mm castors, incl. 1 directional
- Ground clearance 13 cm, or 15 cm with centralised braking
- For patients up to 155 kg
- The 20 cm high protective side rails guarantee complete safety for



Convenient

- water evacuation • Hydraulic variable height that can be operated by a side pedal
- on both sides • Head and foot push bars
- Thermoformed clothes basket,
- at the head of the trolley
- base board
 - · 185 cm outlet pipe, 0.4 cm
 - •71.5 cm wide legs for improved stability





Product code: C4300

Technical Specifications

Slightly sloping base board for good

· Retractable epoxy profiled side rails

· Pluggable drain outlet. Outlet pipe can be attached to be the side of the

Dimensions	74 x 198 cm
Base board	1.78 m x 60 cm
Side rails	1.40 m x 20 cm
Weight	85 kg
Normal load	170 kg patient 155 kg

15 kg



🗍 Scan me



• AERYS Bed

The AERYS Bed has been designed to fit effortlessly into a home or care environment but with the functionality of a medical bed.

• Adjustable height mechanism, which can be customised to suit the individual patient

- Flexible height range makes it ergonomically beneficial for care givers
- One touch button to move bed into a chair position
- A stop in the -5 Trendelenburg position to reposition the patient
- A Trendelenburg position at -12 for emergencies
- A full range of foot and headboard colour and design choices gives ultimate flexibility for a aesthetic finishes

Key Features

- Height range 24.5 80cm
 Size 90 x 200 cm
 SWL 200 kg
 Centralised braking on foot
 CPR electric back rest
 Compatible with the S.A.M Mobility Aid System
- Simple and easy to use controls



🗍 Scan me





	Dimensions	Adjustable Height	Back Rest	Leg Rest	Lifting Capacity	Castors	Standards	Motorisation
AERYS 3 electrical functions without knee break without rtr position 3 electrical functions with knee break rtr/tr position	90 x 200 cm Bed base non-divisible with welded metal slats	24.5 cm to 80 cm	70°	Thigh section 26° and 16° feet adjustment by manual crank	SWL (1) 200 kg Patient weight up to 165 kg Accessories 15 kg Mattress 20 kg (Environment 3, 4 with no RTR/TR function and 5)	Head trolley with fixed metal castors Ø 100 mm Foot trolley with multi- directional castors and individual braking Ø 75 mm	IEC 60601 IEC 60601-2-52 compatible with environments 3	LINAK IP54

Handset, electric and mechanical parts: 5-year warranty* Boards and accessories: 1-year warranty* *Under normal conditions of use and excluding wearing parts - please see instructions of use







Product code: AE3P3F06

(1) Safe Working Load



• ALDRYS Bed

The ALDRYS bed has a range of features and functions making it ideal for use in care facilities or in the home.

- In-built safety features ensure a safe environment for vulnerable and elderly patients
- \cdot The bed is made from good quality, robust materials and comes with a five-year warranty
- · Powered using LINAK actuators, there are several back and leg rest options available
- The bed has been optimised for maximum underbed clearance, meaning mobile hoists easily fit underneath
- \cdot Bed lowers to a 22 cm floor clearance, reducing the impact of any falls
- A full range of foot and headboard colour and design choices gives ultimate flexibility for aesthetic finishes


- Flexible height range makes it ergonomically beneficial for care
- · Coloured, traditional and padded Elegantti boards give patients a visual cue and provide extra protection in the event of a bump

Key Features

- Height range 22 to 78 cm • Size 90 x 200 cm
- Mobility Aid System
- Simple and easy to use controls
- · Choice of colours and designs
 - · Several back and leg rest options



STEP 1: Choose the bed base according to the variable height



STEP 2: Choose the bed configuration





Electric leg rest with thigh section.

Description	Dimensions	Adjustable Height	Back Rest	Leg Rest	Lifting Capacity	Standards	Motorisation
ALDRYS 'EVOLUTION II 3 electricalfunctions	90 x 200 cm divisible bed base ornon- divisible	22 cm à 78 cm individual braking or 24 cm à 80 cm central braking	70°	Knee break 26° (thighs)	SWL (1) 170 kg mattress 20 kg patient 135 kg accessories 15 kg	IEC 60601-2-52 compatible with environments 3, 4 and 5	LINAK IP 66

· 2 accessory holders (lengthwise)

 $\cdot 2$ IV stand holders (at the head of the bed)







Product code: AL5P3D1F06

Handset, electric and mechanical parts: 5 year warranty

(1) Safe Working Load


Boards and accessories: 1 year warranty*

·2 lifting pole holders (at the head of the bed) * Under normal conditions of use and excluding wearing parts - please see instructions of use





Bed for couples up to 270 kg



Duo Bed

The Duo Bed is designed for couples who would like to stay in the same bed, but where one or both of them have limited mobility. They can rest, read or sleep comfortably without disturbing the other person.

• Sleeps couples with a combined weight of 270 kg comfortably

- Two separate bed bases enable individual independence
- Each side of the bed can be individually moved into reclining, half-seated or flat position
- Easy to clean bed with welded metal slats
- Suitable for use at home or in care facility. The bed comes in a choice of two colours and designs
- Flexible height range makes it ergonomically beneficial for care givers

Key Features

• Size: 140 (2×70) cm or 160 (2×80) × 200 cm

- Height range from 34 to 74 cm
- Combined width of 140 cm (2x70) or 160 cm (2x80)
- Bed on fixed feet
- MEDIDOM II* Light Dragon Tree colour trim, with long side panels
- Aid System
- Simple and easy to use controls



📋 Scan me

3 Basic Finishes

• On castors / on castors with skirting / On fixed feet with skirting Wooden slatted bed base · Two infrared remote controls

Description	Dimensions	Adjustable Height	Back Rest
DUO DIVISYS	140 x 200 cm	34 cm	
3 functions electrical	160 x 200 cm	to 74 cm	70°

· 2 IV stand holders (at the head of the bed)





2 sleeping widths: 140 (2x70) and 160 (2x80) cm

> Divisible bed base with welded metal slats

14 cm optimized clearance under the bed on feet or castors

Product code: DO8P806/ Duo 140 DO8P906/ Duo 160

Leg Rest	Rest Lifting Ca		Standards
26° thigh sections (thighs)	SWL (1) 315 kg mattress 30 kg patient 270 kg accessories 15 kg	Ø 100 mm with brake without thread guard	IEC 60601- 2-52

Handset, electric and mechanical parts: 5 year warranty

Boards and accessories: 1-year warranty*

·2 lifting pole holders (at the head of the bed) * Under normal conditions of use and excluding wearing parts

- please see instructions of use

(1) Safe Working Load



• ALUMINUIM AND WOODEN 1/2 SIDE RAILS

They are sliding side rails composed of 2 segments of identical dimensions. They are equipped with a patented locking/unlocking system guaranteeing the safety of its users. The metal part is aluminium, th eupper part(handrail) is solid wood.

These side rails are removeable and compatible with

• All our beds

• The boards in our range


• Our bedding

They comply with the EN 60 601-2-52 requirements on spacing.

They are available in 2 finishes for the handrail:

• Paint varnished according to the colours of the colour chart

• Glass paint according to the colours of the colour chart.



• 3/4 EPOXY SIDE RAILS

These retractable side rails are compatible with all our beds. The rails are quipped with a fixation system in order to prevent bad installations and comply, with comply with the EN 60 601-2-52 requirements on spacing. They are compatible with our bedding (phtos opposite) and available in 4 colours according to the clour of the bed frame.

EPOXY PAINTS AVAILABLE











• FULL LENGTH WOODEN SIDE RAILS

These are sliding side rails fixed in the headboards and footboards. They can be positioned on our entire bed line (width of 90/100/120/140/160cm).

These side rails are compatible with 3 boards of our range


CARMEN II



- They are available in 3 finishes:
- Light beech polymer coating
- Paint varnished according to the colours of the colour chart
- Gloss paint according to the colours of the colour chart.

COTE DE LUMIÉRE VAL DE VIE





• TECHNICAL AIDS SIDE RAILS

These are bed accessories providing new features to improve patients' mobility while facilitating the work of caregivers.

This range has been developed in collaboration with experts (occupational therapists and designers). Systems Aiding Mobility are patented accessories.

The SAM range is compatible with all our beds.

They comply with the 60 601-2-52 requirements on spacing.

PRINCIPLE:

The SAM range improved the motor pattern of the patient during his/her "lying-seated" movement and contributes take part in daily life activities by mobilizing these functional abilities. It improves caregiver safety postures and creates a free space for caregivers.





EVOLUTION



ACTIV



ERGONOM





Footboard

· Crystal Blue finish

· Optional blanket holder



PROVED CO

Our beds and their accessories are designed and manufactured in compliance with European Directive 93/42/EEC. We have performed standardised testing on them in their commercial configurations, including the bed boards and accessories that we manufacture, so as to ensure maximum safety and performance for you.

Handset, electric and mechanical parts: 5-year warranty* Boards and accessories: 1-year warranty* *Under normal conditions of use and excluding wearing parts - please see instructions of use

Headboard · Crystal Blue finish · Removable headboard Footboard

• Sixties Yellow finish






Axtair Automorpho Axensor Range

The Axtair Automorpho mattress helps in preventing pressure ulcers in patients who are at high risk of pressure ulcer development or bedridden more than 15 hours a day. The mattress helps in treating existing pressure ulcers from stage 1 to 4.

The Range has a Patient Weight tolerance of 30 to 200 KG

Axensor AT12 & AT15















Product code: VAXT6

Key features

• Weight limit: 165 kg

• Weight limit: 180 kg

3 therapeutic zones:

sacrum area

model)

models)

Overlay mattress 12 cm (AT12

Mattress 15 cm (AT15 and AT15 DV

· 2 static air cells located in head area

12 alternating air cells located in

· 4 independent heel relief air cells

• Selective deflation of air cells to

Optional supine position

· 12 cm therapeutic air cells

• 15.5 cm therapeutic air cells

Axensor AT20

Full air mattress

· 20 cm therapeutic air cells • Weight limit: 200 kg

4 therapeutic zones

· 2 static air cells located in head area · 4 cervico-dorsal cells • 10 air cells around the sacrum area with a static air base to ensure

stability and avoid bottoming out

· 5 independent heel relief air cells

Lateral CPR valve

AT12

 Allows you to deflate the mattress in less than 15 seconds to proceed with an external cardiac massage

Δ Ref Pump Heia 3 modes: dynamic, static low AXENSOR[®] pressure and care. 12 c (for the axensor cushion only dynamic mode is available in connected mode.) Technology based on alternating pressure 1 cell in 2 over a /MAX complete Patented system of automatic)VC continuous calculation of pressure according to patient's morphology and position. Audible and visual alarms. Flow > 8 l/min. 220-240 V - 50Hz Class II type BF; average consumption: 5 Watts Sound power <35 dBA according AXENSOR[®] /CO CUSHION NF ISO 3744:1995 Electric and electromagnetic compliance according to standards IEC 60601-1 and 60601-1-2

patient's quality of life

• Ready to use in a carrying bag · Environmentally-friendly

France

39







Key benefits

- Easy to use for caregivers
- Improved quality of treatment and
- · 3 widths available for more comfort
- Technical autodiagnostic by QR code
- · Eco-designed and manufactured in



Pump

- · Patented system of automatic and continuous calculation of inflation pressure according to patient's morphology and position in bed
- Automatic recognition of the connected pressure care system
- · 3 modes: dynamic, static low pressure, care
- · Communicating function
- \cdot "I" Touch for technical information
- Visual and audible alarms
- · Serial number on the pump's back, simplified instruction and QR code on both sides.

ht	Foambase	Dimensions	Patient Weight	CPR Valve	Fire Standards
n	5 cm polyether form base	195 X 87 X 17 cm	30 to 165 kg		
m	foam base located in an independent compartment	195 X 87 X 20,5 cm	30 to 180 kg	2	54
m	第一次	195 X 87 X 20,5 cm	30 to 180 kg	~	EN 597 PARTIES
m		195 X 87 X 20,5 cm	30 to 200 kg		1 & 2 GPEM D1- 90 &
n	No foam base on AT20 model and cushion	45 X 45 X 10 cm 17.7 x 17.7 x 3.9 inches	30 to 150 kg	ill ill	D1-89 bis





2 covers available:

- PROMUST PU HD (black cover)
- PROMUST CIC COVER (blue cover polyamide mesh coated polyurethane/polycarbonate with added silver ions fitted with a non-slip base

Product code: VAX14

Axtair Automorpho Plus

The Axtair Automorpho Plus mattress helps in preventing pressure ulcers in patients who are at a medium to high risk of pressure ulcer development or bedridden more than 15 hours a day. The mattress helps in treating existing pressure ulcers from stage 1 to 4.

Patient Weight: 30 to 165 kg

Key features

• Effectiveness and therapeutic safety for the patient

• Easy to use for caregivers

• Improved quality of treatment and patient's quality of life

· 3 widths available for more comfort

Technical autodiagnostic by QR code

 \cdot Ready to use in a carrying bag

· Environmentally-friendly

• Eco-designed and manufactured in France

· 18 removable and independent Polyurethane

- Ether cells of 12 cm therapeutic air
- Head zone: 2 static air cells fitted with a comfort pillow
- 5 cm polyether foam base located in an independent compartment
- 4 independent heel relief air cells
- · CPR emergency valve
- Transport plug: system for opening and sharing 2 air channels (autonomy of 8 hours)
- Optional cable protection



Description	Ref	Dimensions/ Weight	Patient Weight	Fire Standards	Key Features												
AXTAIR AUTOMORPHO® PLUS (pump + overlay mattress) Promust PU HD cover For 90 cm wide bed	VAXT4/ AUTO-P	195 x 87x17			Overlay mattress CPR emergency valve 18 removable and independent Polyurethane Ether cells of 12 cm												
AXTAIR AUTOMORPHO® PLUS (pump + overlay mattress) Promust CIC cover For 90 cm wide bed	VAXT4/ CIC-P	cm 8 kg			therapeutic air 5 cm polyether foam base located in an independent compartment 2 static air cells fitted with a comfort pillow												
AXTAIR AUTOMORPHO [®] PLUS (pump + overlay mattress) Promust PU HD cover For 100 cm wide bed	VAXT4/ AUTO100-P	195 x 97x17		胡	4 heel reliefs as standard Pump Dimensions: 22 x 25 x 11.5 cm Weight: 2.7 kg												
AXTAIR AUTOMORPHO® PLUS 10 kg (pump + overlay mattress) Promust CIC cover For 100 cm wide bed	VAXT4/ CIC100-P	cm 10 kg	and the second sec	and the second sec	cm 10 kg	and the second sec	and the second s		and the second s	and the second sec	and the second se	and the second s	and the second s	10 kg 30 to		EN 597-1 and 2 GPEM D1 90 Classe D	Technology based on alternating pressure 1 cell in 2 over a complete cycle from 9 to 14 minutes Patented system of automatic and
AXTAIR AUTOMORPHO® PLUS (pump + overlay mattress) Promust PU HD cover For 120 cm wide bed	VAXT4/ AUTO120-P			一次的	照關	135	continuous calculation of inflation pressure Comfort adjustment Visual and audible alarms Flow > 7 I / min Electrical power supply: 220-240 V - 50 Hz										
AXTAIR AUTOMORPHO® PLUS (pump + overlay mattress) Promust CIC cover For 120 cm wide bed	VAXT4/ CIC120-P	195 x 117 x 17 cm 12 kg			Class II type BF Average consumption: 5 Wh Pump decibels: Acoustic pressure according to NF EN3744: <35 dBA Electric and electromagnetic compliance according to the standards IEC 60601-1 Ed.3; IEC 60601-1-2												







Pump

- Patented system of automatic and continuous calculation of inflation pressure according to patient's morphology
- · 3 modes: dynamic, static low pressure, care
- Comfort settings: customization of comfort and seating position
- Visual and audible alarms.
- Indication for servicing
- Serial number on the pump's back, simplified
- instruction and QR code on both sides.







Key benefits

• Easy to use for caregivers Improved quality of treatment and patient's quality of life • 3 widths available for more comfort • Automatic recognition of the • Technical autodiagnostic by QR code • Ready to use in a carrying bag · Environmentally-friendly

· Eco-designed and manufactured in France

continuous calculation of inflation pressure according to patient's morphology and position in bed connected pressure care system · 3 modes: dynamic, static low pressure, care

Pump

Axtair One[®] Plus

The Axtair One Plus mattress helps in preventing pressure ulcers in patients who are at a medium to high risk of pressure ulcer development or bedridden more than 15 hours a day. The mattress helps in treating existing pressure ulcers from stage 1 to 2.

Patient Weight: 30 to 150kg

- Therapeutic efficacy for early stages of pressure ulcers
- Easy to use for caregivers
- Technical autodiagnostic by QR code
- Portable and ready to use, with it's own carry bag
- · Environmentally-friendly
- Eco-designed and manufactured in France

Key features

Mattress

- 18 removable and independent Polyurethane Ether cells of 12 cm
- \cdot 5 cm polyether foam base
- · CPR emergency valve
- Transport plug: system for opening and sharing 2 air channels



	REF	DIMENSIONS / WEIGHT	PATIENT WEIGHT	Fire Standards	Key Features
AXTAIR ONE® PLUS (pump + overlay mattress) Promust PU cover For 90 cm wide bed	VAXT2/ ONE-P	COLUMN TO A			Overlay mattress CPR emergency valve 18 removable and independent Polyurethane Ether cells of 12 cm therapeutic air (300µ) 5 cm polyether foam base Pump Dimensions: 22 x 25 x 11.5 cm
AXTAIR ONE® PLUS (pump + overlay mattress) Promust CIC cover For 90 cm wide bed	VAXT2/ ONE/ CIC-P	195 x 87 x 14 cm 8 kg	30 to 150 kg	EN 597-1 and 2 GPEM DI 90 Classe D	Weight: 2.7 kg Technology based on alternating pressure 1 cell in 2 over a complete cycle from 9 to 14 minutes Patented system of automatic and continuous calculation of inflation pressure Comfort adjustment Visual and audible alarms. Flow > 7 I / min Electrical power supply: 220-240 V - 50 Hz Class II type BF Average consumption: 5 Wh PUMP decibels: Acoustic pressure according to NF EN3744: <35 dBA Electric and electromagnetic compliance according to the standards IEC









• Patented system of automatic and

- Communicating function
- \cdot "I" Touch for technical information
- Visual and audible alarms
- Serial number on the pump's back, simplified instruction and QR code on both sides.



Ekamove

The Ekamove is the latest generation in patient repositioning solutions, innovatively designed to deliver person specific pressure care.

Safe to use

• The air chambers provide a soft lift beneath the mattress which forms gently to the shape of the patient's body. This delivers less pressure and comparatively less shearing force than a plate system.

patient repositioning, providing diagnostic and operational information to clinicians and service managers.

· Works effectively with standard, foam mattresses so can negate the need for more expensive hybrid or dynamic models.

Ultimate flexibility

• The Control Unit is simple to operate with 4 easy to use programmes. · An additional specialist programme can be used when tailored care is required for more complex cases.

• The air chamber inflates to turn the patient to any angle between 0° and 30°, with a choice of dwell time settings between 10 minute minimum dwell time.

• The Ekamove can be used with any hospital mattress and should be integrated into a healthcare bed with side protection

• The adjustable clamp on the control unit means it can fit tightly onto any type of bed end.

• Suitable for patients that weigh between 15 kg to 300 kg, with a wider

• For some patients, the Ekamove with leg extension maybe the more suitable model if a full length system is required.



🔲 Scan me

Technical Specifications

_								
	Weight							
	Base unit:	2.8 kg						
	Air chambers incl. hoses:	1.5 kg						
	Dimensions							
	(LxWxH) Base Unit:	21 cm x 12cm x 31 cm						
	Dimensions (LxWxH) Air Chambers incl. hoses:	110 cm x 80 cm						
	Electrical Data							
	Operating voltage:	240V						
	Frequency:	50Hz/60Hz						
	Output:	Max. 18W						
	Classification:	Protection class II						
	Fuse (in the	M3A, 230V						

Fuse (in the Patient Positioning 0° to 35° Positioning (depending on body shape) 10 to 120 per partial

Contact and moisture

protection				
Housing and sensors:	IP 33			
Storage Conditions				
Temperature range:	-10° to 50° C			
Relative Humidity:	0% to 95% no condensation			
Operating conditions				
Internal power supply for the warning system in case of power failure:	2 no- maintenance batteries type AA 1.2V 1900mA			





Product code: MPCA191214

Key Features

- 1. Can be packed down into a small carrying bag for transportation and
- 2. Air chambers are placed under the mattress and inflate slowly and gently under the patient
- 3. The control unit is hooked over the foot of the bed using an adjustable
- air chambers


5. Air tubes are clearly marked left and right for easy fitting

6. An SD card is inserted under the movement

7. Control unit includes quick release CPR function



Care











control unit for tracking patient







Single Door Wardrobe Dimensions

- W675 x D548 x H1793 mm
- Left-hand hinge
- 1 shelf
- 1 clothes rail

Two Door Wardrobe Dimensions W1125 x D548 x H1793 mm

- 1 full-width top shelf
- 3 half-shelves
- 1 right-hand clothes rail

Carmen Room

FURNITURE FOR THE CARMEN ROOM



Chair

Dimensions W470 x D530 x H815 mm SITTING: W470 x D460 x H460 mm

Choice of PVC coating



Chair

- Dimensions
- W560 x D560 x H815 mm

SITTING: W440 x D460 x H460 mm

- Choice of PVC coating
- Arm rest height: 68 cm

Table

W875 x D548 x

Dimensions

H758 mm	M

• 3 drawers with soft



Table with Dresser

W1075 x D548 x H758 mm

• 1 right-hand drawer

Dimensions

Desk

- Rear access for the bridge chair

Dresser

Dimensions

- /875 x D548 x H758 mm
- shutting feature



Dimensions

W1416 x D548 x H758 mm

 One leg for open access, bridge chair access 600 mm wide and 720 mm high

• 3 right-hand drawers

Carmen	Furniture board colours		Surround, edging and	
	Standard colours	Other colours as a option	hand rail colours	Material
Abelia II boards	Inside finish Light Beech, surround and handrail Ral 1001	Choice of melamine finishes from our color chart, 19 mm thick	Painted steel hand rail: Ral 1001 and polyethylene ends Ral 1001 Edging: Ral 1001 glued ABS	Painted steel hand rail Chipboard boards 19 mm Melamine-faced ABS edging
Carmen II boards Carmen II boards Spaces for wooden side rails	Light Beech inside finish, matching edging and footboard: smooth epoxy hand rail and polyethylene ends in RAL 8011 brown	Choice of melamine finishes from our color chart, 30 mm thick	Footboard: Painted steel hand rail: Ral 1001 and Polyethylene ends Ral1001 Glued ABS edging, Ral 1001 color	Painted steel hand rail 30 mm melamine-face chipboard boards ABS edging
Furniture	Light Beech inside finish, Ral 1001 surround	Choice of melamine finishes from our color chart, 19 mm thick	Ral 1001 standard color edging	Chipboard unit with 19 mm melamine-face / 1 mm ABS edging Chipboard boards with 19 mm melamine-face / 1 mm ABS edging











Bedside Cabinet

Dimensions

W445 x D447 x H681 mm

W538 x D560 x H814 mm with 30 L refrigerator

- 2 rear mobility castors
- 1 drawer with removable tray
- 1 shelf with bottle space
- Hinge door hung to the left as standard, can be hung to the right as an option



• Auzence Room

FURNITURE FOR THE AUZENCE ROOM



Boards



- Curved uprights in solid wood
- Hand rails in epoxy steel tube, inside



Bedroom Table

Dimensi

ons	Dir
586 x H775 mm	W8





Dimensions

- W1072 x D586 x H 775mm
- for bridge chair





Desk
Dimensions
W1072 x D586 x H 775mm

 I right-hand drawer, rear access
 I right-hand drawer, rear access for bridge chair








Table with Dresser

Single Door Wardrobe

Dimensions

Dimensions

W872 x D586 x H775 mm

• 3 right-hand drawers

W672 x D596 x H1815 mm left-hand hinge

• 1 shelf

• 1 clothes rail

Azurence	Furniture board colours		Surround, edging and	Material
Azurence	Standard colours	Other colours as a option	hand rail colours	Material
Boards	Boards Grey Dragon Tree interior finish RAL 7030 lacquer edging *Ral 7030 epoxy hand rail Furniture Ral 7030 lacquer upright		Taupe epoxy hand rail and surround RAL 7030 lacquer	Uprights (curves) in soli wood and inside finish in melamine-faced MDF Painted steel hand rail
Furniture		Choice of melamine finishes from our color chart.		Painted steel tube uprights with inside finish in melamine faced MDF (unit doors and tops in melamine- faced 19 mm chipboard choice of varnished or lacquered edging

Dimensions	
W872 x D586 x H775 mm	
• 3 drawers	







Two Door Wardrobe

Dimensions

W1122 x D596 x H1815 mm

- 1 full-width top shelf
- 3 half-shelves
- 1 right-hand clothes rail



Dagone Room

FURNITURE FOR THE DAGONE ROOM



Boards

Dimensions Head: W1005 x H561mm Foot: W1005 x H641mm

- Curved hand rail
- Inside boards are in melamine faced MDF



W885 x D548 x H758 mm



Dimensions

- W1085 x D548 x H758 mm • 1 right-hand drawer, rear access
- **Bedroom Table**
- Dimensions W885 x D548 x H758 mm
- Not compatible with Bridge

Dagone	Furniture board colours		Surround, edging and	
	Standard colours	Other colours as a option	hand rail colours	Material
Boards	– Inside finish in Light Beech. Ral 1001 Lacquered hand rails and edging		Edging and surround in ral 1001 as standard.	MDF hand rail and melamine faced MDF inside
Furniture		Choice of melamine finishes from our color chart. Veneered edging		Unit in melamine-faced 19 mm chipboard / 1 mm ABS edging Tops in MDF with 19 mm melamine- face /Lacquered edging

• 1 clothes rail

 Hinge door hung to the left • 1 shelf with bottle space



for bridge chair

Dresser

Dimensions

Table with Dresser

Dimensions	
W1426 x D548 x H758mm	

• 3 right-hand drawers

• 3 drawers









Two Door Wardrobe

Dimensions

- 1 full-width top shelf
- 3 half-shelves
- 1 right-hand clothes rail



• Val de Vie Room

FURNITURE FOR THE VAL DE VIE ROOM



Panelling

Dimensions

Head: 1032 x 590 mm

- Foot: 960 x 590mm
- With or without wooden rail possibility.
- Solid wood borders. Internal panelling in melamine.



Desk

- **Dimensions** 876 x 530 x 760 mm
- 1 recess, 1 right drawer.
 Not compatible with bridge.



Bedroom Table

- Dimensions 878 x 515 x 760mm
- No recess or drawer.





Bedside Table

Dimensions

448 x 410 x 700

- 550 x 590 x 840 with Fridge
- 4 fixed legs
- 1 drawer equipped with a removable tray
- 1 door hinge on the left
- 1 shelf with a hollow for a bottle.
- Dimensions of the version with refrigerator
- L 540xl 550xH 890 mm (model with hinges on right)

	- CODOCKAL			
	Panelling and Furniture board colours		Border, edging and	
Val de Vie	Standard colours	Other colours as a option	handrail colour chart	Material
Panelling	Interior in Light beech or platane d'automne.			Uprights and handrail in solid wood and internal décor in 19mm melamine-covered chipboard.
Furniture		melamine-covered décor of choice from our colour shades.	Uprights and handrail in dark beech.	box in 19 mm melamine- covered chipboard. mdf borders and doors and trays with mdf melamine-covered interior décor. your choice of varnished or lacquered edges.

Table with Drawers

Dimensions	
1470 x 530 x 760 mm	

• 3 drawers on the right



Chiffonnier

Dimer	nsion	5			
710 x 5	30 x 1	030 n	٦m		

• 3 right-hand drawers





Wardrobe with 1 door

676 x 510 x 1825 mm

Dimensions


Hinges on the left
1 shelf, 1 clothes rack.

Wardorbe with 2 doors

Dimensions

1126 x 510 x 1825 mm

 1 high shelf the width of the wardrobe. Separation between 3 half-shelves and clothes rack on the right.



• Côte de Lumiere Room

FURNITURE FOR THE CÔTE DE LUMIERE ROOM




Dimensions

Desk

876 x 530 x 807 mm

• 1 recess, 1 right drawer. Not compatible with bridge.





- Dimensions
 - Without recess



Chest of Drawers

Dimensions	
876 x 530 x 807 mm	

• 3 drawers

878 x 515 x 807 mm



Table with Drawers

Dimens	sions	
1470 x 5	30 x 820 mm	



Panelling

Dimensions
1058 x 680 mm

- With or without wooden rail possibility.
- Solid wood borders. Arched handrail.
- Internal panelling in melamine.







Bedside Table

Dimensions

Dimensions 448 x 410 x 739 mm

540 x 550 x 890 mm with Frid

- 4 fixed legs, 2 of which are
- arched. 1 drawer equipped with a removable tray.
- 1 door hinge on the left.
- 1 shelf with a hollow for a bottle.
- Dimensions of the version with refrigerator: L540xW.I.550xH.890 mm

(model with hinges on righ	n
----------------------------	---

	Panelling and Furniture board colours		Border, edging and		
Côte de Lumiere	Standard colours	Other colours as a option	handrail colour chart	Material	
Panelling	Interior in Light beech or Platane d'Automne.			Uprights and handrail in solid wood and internal décor in 19mm melamine-covered chipboard.	
Furniture		Melamine-covered décor of choice from our colour shades.	Uprights and handrail in Dark beech.	box in 19 mm melamine- covered chipboard. mdf borders and doors and trays with mdf melamine-covered	
			用指導	interior décor. your choice of varnished or lacquered edges.s.	







Wardrobe with 1 door

676 x 510 x 1825 mm

• Hinges on the left,

• 1 shelf, 1 clothes rack.

Wardorbe with 2 doors

Dimensions

1126 x 510 x 1825 mm

• 1 high shelf the width of the wardrobe . Separation between 3 half- shelves and clothes rack on the right.

Talk To Our Customer Service Team

Designing care home bedrooms

Ask one of Area Sales Managers to call and show you the range of care home bedroom furniture available. Using an online configurator, you can select bed and head and footboards colours, as well as complimentary furniture to make your environment a home from home experience.

Ceiling hoists

Our ceiling hoist specialists will visit your premises to measure the space and design the tracking and lifting pod system. Totally bespoke and fitted by a qualified engineer, the Scandinavian styling will bring a modern feel to your care setting.

Selecting beds, mattresses and mobile safe patient lifting devices

Talk to one of our Area Sales Managers about the products that are the best fit for your business. All our products come with a standard warranty and we also offer extended servicing and warranty packages.

Ask our customer service team

If you have any questions about us, our products or our services, or would like to organise a free demonstration or arrange a visit from one of our team, please get in touch.



What can we do for you?

Do you have questions about one or more products in this brochure or would you like to know more about Winncare solutions for patient lifting, hygiene, beds, mattresses and cushions, please feel free to contact us at any time.

Contact us today

For more information visit www.mangarhealth.com Email: sales@mangarhealth.com Phone: 0800 2800 485

We look forward to hearing from you!





Contact us today

For more information visit www.mangarhealth.com Email: sales@mangarhealth.com Phone: 0800 2800 485 ML1076