



RacksBrax Accessory Compatibility Chart

Which RacksBrax HD Hitch will fit my accessory?

LEGEND & QUICK GUIDE

✘	Not compatible.
✓	Minimum requirements for accessory setup.
✓	Compatible but optional.
★★	Refer to Recovery Board Mounting Reckoner for your specific circumstances.

			BRACKETS (between your vehicle and your RacksBrax HD Hitch Body) (min. 5mm x 40mm cross-section)			RACKSBRAX® HD HITCH RANGE						RACKSBRAX® ACCESSORY RANGE		
Accessory Type	Spine Track spacing (mm)	EXAMPLE compatible accessory models	"L" Bracket (33mm fastener spacing)	"L" Bracket (40-53mm fastener spacing)	"T" Bracket (40-53mm fastener spacing)	HD Hitch Standard [for 2 brackets] (8159)	HD Hitch Tradesman II [for 2 brackets] (8162)	HD Hitch Tradesman III [for 3 brackets] (8163)	HD Wall Mount (8160)	HD Hitch Standard (SUPA PEG MODEL) [for 2 brackets] (8179)	HD Hitch Tradesman II (SUPA PEG MODEL) [for 2 brackets] (8180)	HD Hitch Tradesman III (SUPA PEG MODEL) [for 3 brackets] (8181)	HD Awning Adapter Bars (80-105mm track spacing) (Double) (8175)	HD Awning Adapter Bars (80-105mm track spacing) (Triple) (8176)
Pull-out awnings	Single track	Rhino-Rack® Sunseeker® (2 brackets)	"L" bracket with single fastener hole			✓	✓	✗	✓	✓	✓	✗	✗	✗
	33	SUPA PEG® awnings (2 brackets)	✓	✗	✗	✗	✗	✗	✓	✓	✓	✗	✗	✗
	33	SUPA PEG® awnings (3 brackets)	✓	✗	✗	✗	✗	✗	✓	✗	✗	✓	✗	✗
	40-53	Most pull-out awnings (2 brackets)	✗	✓	✗	✓	✓	✗	✓	✓	✓	✗	✗	✗
	40-53	Most pull-out awnings (3 brackets)	✗	✓	✗	✗	✗	✓	✓	✗	✗	✓	✗	✗
180 degree and wing-style awnings	33	SUPA PEG® awnings (2 brackets)	✓	✗	✗	✗	✗	✗	✓	✓	✓	✗	✗	✗
	33	SUPA PEG® and King Wing® awnings (3 brackets)	✓	✗	✗	✗	✗	✗	✓	✗	✗	✓	✗	✗
	100	Rhino-Rack® Batwing®; Oztent® Foxwing® (2 brackets)	✗	✗	✓	✓	✓	✗	✓	✓	✓	✗	✓	✗
	100	Rhino-Rack® Batwing®; Oztent® Foxwing® (3 brackets)	✗	✗	✓	✗	✗	✓	✓	✗	✗	✓	✗	✓
	101+	Darche® 180 degree and 270 degree	COMING SOON!											
Ensuites mounted to roof racks	40-53	Quick Pitch® Quick-en-Suite® (Box Unit)* (2 brackets)	✗	✗	✓	✓	✗	✗	✓	✓	✗	✗	✗	✗
	40-53	Ensuite (bag) similar to pull out awning spines (2 brackets)	✗	✓	✗	✓	✗	✗	✓	✓	✗	✗	✗	✗

* The Quick Pitch® Quick-en-Suite® (Box Unit) will need to have fastener holes added (by the customer) to match the RacksBrax HD Hitch Holders.

LEGEND & QUICK GUIDE

✗	Not compatible.
✓	Minimum requirements for accessory setup.
✓	Compatible but optional.
★★	Refer to Recovery Board Mounting Reckoner for your specific circumstances.

			BRACKETS (between your vehicle and your RacksBrax HD Hitch Body) (min. 5mm x 40mm cross-section)			RACKSBRAX® HD HITCH RANGE							RACKSBRAX® ACCESSORY RANGE			
Accessory Type	Spine Track spacing (mm)	EXAMPLE compatible accessory models	"L" Bracket (33mm fastener spacing)	"L" Bracket (40-53mm fastener spacing)	"T" Bracket (40-53mm fastener spacing)	HD Hitch Standard [for 2 brackets] (8159)	HD Hitch Tradesman II [for 2 brackets] (8162)	HD Hitch Tradesman III [for 3 brackets] (8163)	HD Wall Mount (8160)	HD Hitch Standard (SUPA PEG MODEL) [for 2 brackets] (8179)	HD Hitch Tradesman II (SUPA PEG MODEL) [for 2 brackets] (8180)	HD Hitch Tradesman III (SUPA PEG MODEL) [for 3 brackets] (8181)	HD Accessory Bars (8173)	HD Accessory Plate (8174)		
													ROOF BARS	PLATF. RACK	ROOF BARS	PLATF. RACK
Recovery boards	-	MAXTRAX® (MKII) (2 brackets)	X	✓	✓	✓	X	X	✓	✓	X	X	★★	✓	✓	X
	-	MAXTRAX® (XTREME) (2 brackets)	X	✓	✓	✓	X	X	✓	✓	X	X	★★	✓	✓	X
	-	TRED® Pro (2 brackets)	X	✓	✓	✓	X	X	✓	✓	X	X	★★	✓	✓	X
	-	ARB x TRED® Pro (2 brackets)	X	✓	✓	✓	X	X	✓	✓	X	X	★★	✓	✓	X
	-	TRED® HD (2 brackets)	COMING SOON!													
	-	TRED® GT (2 brackets)	COMING SOON!													
	-	TRED® 1100 (2 brackets)	X	✓	✓	✓	X	X	✓	✓	X	X	★★	✓	✓	X

^ Accessory Bars (8173) have 2 uses:

- ROOF RACK BARS** with the RacksBrax Accessory Bars (8173) allow you to add further vertical adjustment to your Accessory Plate (8174) where needed. This depends on the combination of your top of roof rack bar height above the doors or roof (at the outer extremity of the roof rack bars). Refer to our [Recovery Board Mounting Reckoner](#). Your roof rack bar or rig configuration may require a set of RacksBrax HD Accessory Bars (8173) to allow additional height adjustment in excess of that provided by the RacksBrax HD Accessory Plate (8174).
- Using the HD Accessory Bars (8173), in combination with the HD Hitch Standard (8159), recovery boards can be stored on the side of your **PLATFORM-STYLE ROOF RACKS** (e.g. Rhino-Rack® Pioneer Platforms®) with brackets supported in the tracks running longitudinally along the vehicle. An HD Accessory Plate is **not** required for this type of roof rack.

PLEASE NOTE: Where 3 or 4 recovery boards are loaded to a platform-style roof rack, follow the roof rack manufacturer's instructions. Rhino-Rack® Pioneer Platforms® and Tradie Trays® require an additional support bracket (i.e. the Pioneer® MAXTRAX® Support Bracket [Rhino-Rack® Product Code 43197]) to spread the load across 2 longitudinal platform slats.

LEGEND & QUICK GUIDE

X	Not compatible.
✓	Minimum requirements for accessory setup.
✓	Compatible but optional.
★★	Refer to Recovery Board Mounting Reckoner for your specific circumstances.