

# RACKS BRAX.<sup>®</sup>

## COMPATIBILITY POCKET GUIDE

**FOR**



*FAST ON!  
FAST OFF!*

# AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW  
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

**THULE® OUTLAND BOX AWNING 320011**..... 3  
**THULE® OVERCAST 901086** ..... 4



# THULE® OUTLAND BOX AWNING 320011

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8179 – HD Hitch (SUPA PEG MODEL)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	<small>SUPPLIED BRACKETS FROM THULE® WILL WORK WITH THE HD HITCH RANGE.</small>

- ✓ **FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)**

8300 – HD L50 L Brackets (DOUBLE)\*; **OR**

8304 – HD Adjustable Brackets Short (DOUBLE)\*; **OR**

- ✓ **FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)**

8300 – HD L50 L Brackets (DOUBLE)\*; **OR**

8306 – HD Adjustable Brackets Long (DOUBLE)\*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
----------	--

SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>
------------------	------------------------------------

- ✓ **LOCKED GARAGES**
- ✓ **WORKSHOP WALLS**

UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>
--------------------	---

- ✓ **OPEN CARPORTS**
- ✓ **PUBLIC/SHARED GARAGE AREA**

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## THULE® OVERCAST 901086

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	<small>SUPPLIED BRACKETS FROM THULE® WILL WORK WITH THE HD HITCH RANGE.</small>

- ✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)

8300 – HD L50 L Brackets (DOUBLE)\*; **OR**

8304 – HD Adjustable Brackets Short (DOUBLE)\*; **OR**

- ✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

8300 – HD L50 L Brackets (DOUBLE)\*; **OR**

8306 – HD Adjustable Brackets Long (DOUBLE)\*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
----------	--

SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>
------------------	------------------------------------

- ✓ **LOCKED GARAGES**
- ✓ **WORKSHOP WALLS**

UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>
--------------------	---

- ✓ **OPEN CARPORTS**
- ✓ **PUBLIC/SHARED GARAGE AREA**

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.