RACKS BRAX®

COMPATIBILITY POCKET GUIDE





AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

DARCHE® ECLIPSE CUBE SHOWER TENT	3
DARCHE® ECLIPSE SLIMLINE 2 x 2.5m	4
DARCHE® ECLIPSE SLIMLINE 2.5 x 2.5m	5
DARCHE® ECLIPSE 180	6
DARCHE® ECLIPSE 180 Gen 2	7
DARCHE® ECLIPSE 180 Versatile	8
DARCHE® ECLIPSE 270	9
DARCHE® ECLIPSE 270 G2 (right/left)	10
DARCHE® ECLIPSE 270 FREESTANDING LED AWNING Left	11
DARCHE® ECO ECLIPSE 180	12
DARCHE® ECO ECLIPSE 270 Left	13
DARCHE® KOZI ALL-ROUNDER 1.8m	14
DARCHE® KOZI 2 x 2.5m	15
DARCHE® KOZI 270	16



DARCHE® ECLIPSE CUBE SHOWER TENT

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

2 MOUNTING POINTS

8159 - HD Hitch Standard HITCHES NEEDED

BRACKETS OPTIONAL

(WITH NO PERIMETER LIP)

MOUNTING POINTS 2

SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH **BRACKETS NEEDED**

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH 8300 - HD L50 L Brackets (DOUBLE)*; OR

8304 - HD Adjustable Brackets Short (DOUBLE)*; or

FOR PLATFORM STYLES WITH 8300 - HD L50 L Brackets (DOUBLE)*; or **TUDINAL SLATS** (WITH NO PERIMETER LIP)

8306 - HD Adjustable Brackets Long (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR **BENEFITS**

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 8160 - HD Wall Mounts⁺

✓ LOCKED GARAGES ✓ WORKSHOP WALLS

UNSECURED LOCATION 8161 - HD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA



DARCHE® ECLIPSE SLIMLINE 2x2.5m

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

2 MOUNTING POINTS

8159 - HD Hitch Standard* HITCHES NEEDED

ALSO WORKS WITH 8162*, 8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

BRACKETS OPTIONAL

2 MOUNTING POINTS

SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH **BRACKETS NEEDED**

RANGE

✓ FOR BARS OR PLATFORM STYLES WITH **E SLATS** (WITH NO PERIMETER LIP)

8300 - HD L50 L Brackets (DOUBLE)*; or

8304 - HD Adjustable Brackets Short (DOUBLE)*; or

✓ FOR PLATFORM STYLES WITH LSLATS (WITH NO PERIMETER LIP)

8300 - HD L50 L Brackets (DOUBLE)*; or

8306 - HD Adjustable Brackets Long (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 8160 - HD Wall Mounts+

✓ LOCKED GARAGES ✓ WORKSHOP WALLS

UNSECURED LOCATION 8161 - HD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these

are for static wall use ONLY.



DARCHE® ECLIPSE SLIMLINE 2.5 x 2.5m

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 8159 – HD Hitch Standard*

ALSO WORKS WITH 8162*, 8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

BRACKETS OPTIONAL

MOUNTING POINTS 2

BRACKETS NEEDED SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 8300 - HD L50 L Brackets (DOUBLE)*; or

8304 - HD Adjustable Brackets Short (DOUBLE)*; or

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

8300 - HD L50 L Brackets (DOUBLE)*; or

8306 - HD Adjustable Brackets Long (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 8160 – HD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 8161 - HD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these

are for static wall use ONLY.



DARCHE® ECLIPSE 180

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

2 MOUNTING POINTS

HITCHES NEEDED 9000 - XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

2 MOUNTING POINTS

SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH **BRACKETS NEEDED**

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH SLATS (WITH NO PERIMETER LIP)

9100 - XD Adjustable Brackets Short (DOUBLE)*; or

9104 - XD Side Twist Bracket Short Foot (DOUBLE)*.

✓ FOR PLATFORM STYLES WITH AL SLATS (WITH NO PERIMETER LIP)

9102 - XD Adjustable Brackets Long (DOUBLE)*; or

9106 - XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK **GUIDE** FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR **BENEFITS**

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts+

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA



DARCHE® ECLIPSE 180 Gen 2

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS 2

BRACKETS NEEDED SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 9100 - XD Adjustable Brackets Short (DOUBLE)*; or

9104 - XD Side Twist Bracket Short Foot (DOUBLE)*.

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP) 9102 - XD Adjustable Brackets Long (DOUBLE)*; or

9106 - XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA



DARCHE® ECLIPSE 180 Versatile

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS 2

BRACKETS NEEDED SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 9100 - XD Adjustable Brackets Short (DOUBLE)*; or

9104 - XD Side Twist Bracket Short Foot (DOUBLE)*.

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

9102 - XD Adjustable Brackets Long (DOUBLE)*; or

9106 - XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 – XD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA



DARCHE® ECLIPSE 270

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

3 MOUNTING POINTS

9001 - XD Hitch (TRIPLE) HITCHES NEEDED

BRACKETS OPTIONAL

MOUNTING POINTS 3

SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH **BRACKETS NEEDED**

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH 9101 - XD Adjustable Brackets Short (TRIPLE)*; or

(WITH NO PERIMETER LIP)

(WITH NO PERIMETER LIP)

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

FOR PLATFORM STYLES WITH 9103 - XD Adjustable Brackets Long (TRIPLE)*; or

9107 - XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK **GUIDE** FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR **BENEFITS**

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA



DARCHE® ECLIPSE 270 G2 (right/left)

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

3 MOUNTING POINTS

9001 - XD Hitch (TRIPLE) HITCHES NEEDED

BRACKETS OPTIONAL

(WITH NO PERIMETER LIP)

(WITH NO PERIMETER LIP)

MOUNTING POINTS 3

SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH **BRACKETS NEEDED**

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH 9101 - XD Adjustable Brackets Short (TRIPLE)*; or

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

FOR PLATFORM STYLES WITH 9103 - XD Adjustable Brackets Long (TRIPLE)*; or

9107 - XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK **GUIDE** FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR **BENEFITS**

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA



DARCHE® ECLIPSE 270 FREESTANDING LED AWNING Left

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 3

HITCHES NEEDED 9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS 3

BRACKETS NEEDED SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH

RANGE.

FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 9101 – XD Adjustable Brackets Short (TRIPLE)*; OR

9105 - XD Side Twist Bracket Short Foot (TRIPLE)*.

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

9103 – XD Adjustable Brackets Long (TRIPLE)*; OR

9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE <u>PACKERS</u> TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO <u>ROOF RACK</u> <u>GUIDE</u> FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 – XD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA



DARCHE® ECO ECLIPSE 180

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS 2

BRACKETS NEEDED SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 9100 - XD Adjustable Brackets Short (DOUBLE)*; or

9104 - XD Side Twist Bracket Short Foot (DOUBLE)*.

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

9102 - XD Adjustable Brackets Long (DOUBLE)*; or

9106 - XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA



DARCHE® ECO ECLIPSE 270 Left

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS 3

HITCHES NEEDED 9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS 3

BRACKETS NEEDED SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH

RANGE.

FOR BARS OR PLATFORM STYLES WITH
TRANSVERSE SLATS
(WITH NO PERIMETER LIP)

9101 - XD Adjustable Brackets Short (TRIPLE)*; or

9105 - XD Side Twist Bracket Short Foot (TRIPLE)*.

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS
(WITH NO PERIMETER LIP)

9103 - XD Adjustable Brackets Long (TRIPLE)*; or

9107 - XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (*SOLD SEPARATEL* Y). REFER TO <u>ROOF RACK</u> GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 – XD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

DARCH



DARCHE® KOZI ALL-ROUNDER 1.8m

NOT COMPATIBLE



DARCHE® KOZI 2 x 2.5m

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 8159 – HD Hitch Standard*

ALSO WORKS WITH 8162*, 8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

BRACKETS OPTIONAL

MOUNTING POINTS 2

BRACKETS NEEDED SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH

RANGE.

FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS
(WITH NO PERIMETER LIP)

8300 - HD L50 L Brackets (DOUBLE)*; or

8304 - HD Adjustable Brackets Short (DOUBLE)*; or

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP) 8300 - HD L50 L Brackets (DOUBLE)*; or

8306 - HD Adjustable Brackets Long (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 8160 – HD Wall Mounts⁺

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 8161 - HD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

 $^{\mbox{\scriptsize +}}\mbox{NOTE:}$ You cannot use Wall Mounts to mount anything to the vehicle – these

are for static wall use ONLY.



DARCHE® KOZI 270

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

3 MOUNTING POINTS

HITCHES NEEDED 8182 - HD Hitch (TRIPLE)

8193 - HD Adaptor Plate (TRIPLE) ADAPTOR NEEDED

BRACKETS OPTIONAL

MOUNTING POINTS 3

SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH **BRACKETS NEEDED**

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH 8301 - HD L50 L Brackets (TRIPLE)*; or (WITH NO PERIMETER LIP)

8305 - HD Adjustable Brackets Short (TRIPLE)*; or

FOR PLATFORM STYLES WITH 8301 - HD L50 L Brackets (TRIPLE)*; or NAL SLATS (WITH NO PERIMETER LIP)

8307 - HD Adjustable Brackets Long (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK **GUIDE** FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR **BENEFITS**

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 8160 - HD Wall Mounts+

✓ LOCKED GARAGES ✓ WORKSHOP WALLS

UNSECURED LOCATION 8161 - HD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA