## RACKS BRAX®

# COMPATIBILITY POCKET GUIDE





### AWNING AND ACCESSORY MODELS

#### CLICK OR TAP ON AN AWNING/ACCESSORY BELOW TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

<b>OZTRAIL® BLOCKOUT</b> 2 x 2.5m	3
OZTRAIL® BLOCKOUT 3 x 2.5m	4
OZTRAIL® BLOCKOUT 270 2m	
OZTRAIL® BLOCKOUT 270 2.5m	6



#### **OZTRAIL® BLOCKOUT 2 x 2.5m**

#### **HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 8159 – HD Hitch Standard\*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

#### **BRACKETS OPTIONAL**

MOUNTING POINTS 2

BRACKETS NEEDED SUPPLIED BRACKETS FROM OZTRAIL® WILL WORK WITH THE HD HITCH

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS

TRANSVERSE SLATS
(WITH NO PERIMETER LIP)

8300 - HD L50 L Brackets (DOUBLE)\*; or

8304 - HD Adjustable Brackets Short (DOUBLE)\*; or

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

8300 - HD L50 L Brackets (DOUBLE)\*; or

8306 - HD Adjustable Brackets Long (DOUBLE)\*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

#### WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 8160 - HD Wall Mounts<sup>+</sup>

✓ LOCKED GARAGES

**✓** WORKSHOP WALLS

UNSECURED LOCATION 8161 – HD Lockable Wall Mounts<sup>+</sup>

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



#### **OZTRAIL® BLOCKOUT** 3 x 2.5m

#### **HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

3 MOUNTING POINTS

HITCHES NEEDED 8182 - HD Hitch (TRIPLE)

#### **BRACKETS OPTIONAL**

(WITH NO PERIMETER LIP)

(WITH NO PERIMETER LIP)

MOUNTING POINTS 3

SUPPLIED BRACKETS FROM OZTRAIL® WILL WORK WITH THE HD HITCH **BRACKETS NEEDED** 

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH 8301 - HD L50 L Brackets (TRIPLE)\*; or

8305 - HD Adjustable Brackets Short (TRIPLE)\*; or

FOR PLATFORM STYLES WITH 8301 - HD L50 L Brackets (TRIPLE)\*; or TUDINAL SLATS

8307 - HD Adjustable Brackets Long (TRIPLE)\*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

#### WALL MOUNTS OPTIONAL

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR **BENEFITS** 

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 8160 - HD Wall Mounts<sup>+</sup>

**✓ LOCKED GARAGES ✓** WORKSHOP WALLS

UNSECURED LOCATION 8161 - HD Lockable Wall Mounts<sup>+</sup>

**✓** OPEN CARPORTS

**✓ PUBLIC/SHARED GARAGE AREA** 

\*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



#### **OZTRAIL® BLOCKOUT 270 2m**

#### **HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 9000 – XD Hitch (DOUBLE)\*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

#### **BRACKETS OPTIONAL**

MOUNTING POINTS 2

BRACKETS NEEDED SUPPLIED BRACKETS FROM OZTRAIL® WILL WORK WITH THE XD HITCH

RANGE.

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 9100 - XD Adjustable Brackets Short (DOUBLE)\*; or

9104 - XD Side Twist Bracket Short Foot (DOUBLE)\*.

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP) 9102 - XD Adjustable Brackets Long (DOUBLE)\*; or

9106 - XD Side Twist Bracket Long Foot (DOUBLE)\*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

#### **WALL MOUNTS OPTIONAL**

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts<sup>+</sup>

**✓ LOCKED GARAGES** 

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts<sup>+</sup>

✓ OPEN CARPORTS

**✓ PUBLIC/SHARED GARAGE AREA** 

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



#### **OZTRAIL® BLOCKOUT 270 2.5m**

#### **HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

3 MOUNTING POINTS

HITCHES NEEDED 9001 - XD Hitch (TRIPLE)

#### **BRACKETS OPTIONAL**

MOUNTING POINTS 3

SUPPLIED BRACKETS FROM OZTRAIL® WILL WORK WITH THE XD HITCH **BRACKETS NEEDED** 

RANGE.

**✓** FOR BARS OR PLATFORM STYLES WITH 9101 - XD Adjustable Brackets Short (TRIPLE)\*; or

(WITH NO PERIMETER LIP)

(WITH NO PERIMETER LIP)

9105 – XD Side Twist Bracket Short Foot (TRIPLE)\*.

FOR PLATFORM STYLES WITH 9103 - XD Adjustable Brackets Long (TRIPLE)\*; or

9107 - XD Side Twist Bracket Long Foot (TRIPLE)\*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK **GUIDE** FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

#### WALL MOUNTS OPTIONAL

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR **BENEFITS** 

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts<sup>+</sup>

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts<sup>+</sup>

**✓** OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

\*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.