

COMPATIBILITY POCKET GUIDE

FOR 23ZER

FAST ON! FAST OFF!

AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

23ZERO® FALCON 270	3
23ZERO® OSPREY	4
23ZERO® PEREGRINE 270	5
23ZERO® RAVEN 2000	6
23ZERO® RAVEN 2500	7
23ZERO® SHOWER TENT	8

23ZERO® FALCON 270

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM 23ZERO® WILL WORK WITH THE XD HITCH RANGE.
 FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 	9101 – XD Adjustable Brackets Short (TRIPLE)*; or
	9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9103 – XD Adjustable Brackets Long (TRIPLE)*; or
	9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.
	*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (<i>SOLD SEPARATELY</i>). REFER TO <u>ROOF RACK</u> <u>GUIDE</u> FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts⁺
✓ LOCKED GARAGES✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts⁺
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	
	⁺ NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

23ZERO® OSPREY

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*
	*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM 23ZERO® WILL WORK WITH THE XD HITCH RANGE.
 FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 	9100 – XD Adjustable Brackets Short (DOUBLE)*; or
	9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; or
	9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.
	*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO <u>ROOF RACK</u> <u>GUIDE</u> FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts⁺
✓ LOCKED GARAGES✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts⁺
 ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	

 $^{\rm +}{\rm NOTE}$: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

23ZERO® PEREGRINE 270

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM 23ZERO® WILL WORK WITH THE XD HITCH RANGE.
 FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 	9101 – XD Adjustable Brackets Short (TRIPLE)*; or
	9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9103 – XD Adjustable Brackets Long (TRIPLE)*; or
()	9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.
	*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (<i>SOLD SEPARATELY</i>). REFER TO <u>ROOF RACK</u> <u>GUIDE</u> FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts⁺
✓ LOCKED GARAGES✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts⁺
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	
	⁺ NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

23ZERO

23ZERO® RAVEN 2000

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*
	*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM 23ZERO® WILL WORK WITH THE HD HITCH RANGE.
 FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 	8300 – HD L50 L Brackets (DOUBLE)*; or
	8304 – HD Adjustable Brackets Short (DOUBLE)*; or
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; or
	8306 – HD Adjustable Brackets Long (DOUBLE)*.
	*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (<i>SOLD SEPARATEL</i> Y). REFER TO <u>ROOF RACK</u> <u>GUIDE</u> FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts⁺
✓ LOCKED GARAGES✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts⁺
 ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	
	*NOTE You connet use Wall Mountate mount enviting to the vehicle these

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

23ZERO® RAVEN 2500

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*
	*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM 23ZERO® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; or
	8304 – HD Adjustable Brackets Short (DOUBLE)*; or
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; or
	8306 – HD Adjustable Brackets Long (DOUBLE)*.
	*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO <u>ROOF RACK</u> <u>GUIDE</u> FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts⁺
✓ LOCKED GARAGES✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts⁺
✓ OPEN CARPORTS✓ PUBLIC/SHARED GARAGE AREA	
	*NOTE: You connect use Wall Mounta to mount anything to the vehicle these

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

23ZERO® SHOWER TENT

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM 23ZERO® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; or
	8304 – HD Adjustable Brackets Short (DOUBLE)*; or
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; or
	8306 – HD Adjustable Brackets Long (DOUBLE)*.
	*ROOF RACKS WITH PERIMETER LIPS REQUIRE <u>PACKERS</u> TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO <u>ROOF RACK</u> <u>GUIDE</u> FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts⁺
✓ LOCKED GARAGES✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts⁺
✓ OPEN CARPORTS✓ PUBLIC/SHARED GARAGE AREA	
	⁺ NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.