

# RACKS BRAX.®

## COMPATIBILITY POCKET GUIDE

FOR

**KINGS** ADVENTURE

FAST ON!  
FAST OFF!

# AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW  
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

- ADVENTURE KINGS® 270 KING WING** ..... 3
- ADVENTURE KINGS® 270 FREE-STANDING AWNING** ..... 4
- ADVENTURE KINGS® KING WING DELUXE 270 *Wrap-around*** ..... 5
- ADVENTURE KINGS® SIDE AWNING 1.4m, 2m, 2.5m, 3m** ..... 6
- ADVENTURE KINGS® INSTANT ENSUITE AWNING SHOWER**..... 7

## ADVENTURE KINGS® 270 KING WING

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8179 – HD Hitch (SUPA PEG MODEL)*
ALSO WORKS WITH	8180*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM KINGS® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>
	8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>+</sup>
UNSECURED LOCATION <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# ADVENTURE KINGS® 270 FREE-STANDING AWNING

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)
ADAPTOR NEEDED	9115 – XD Multi-Awn Adaptor (TRIPLE)

## BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM KINGS® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	<p>9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b></p> <p>9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.</p>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	<p>9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b></p> <p>9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.</p>

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	9010 – XD Wall Mounts <sup>+</sup>
UNSECURED LOCATION <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	9011 – XD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# ADVENTURE KINGS® KING WING DELUXE 270 *Wrap-around*

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	8183 – HD Hitch (TRIPLE) (SUPA PEG MODEL)
ALSO WORKS WITH	8181

## BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM KINGS® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8301 – HD L50 L Brackets (TRIPLE)*; <b>OR</b>  8305 – HD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8307 – HD Adjustable Brackets Long (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>+</sup>
UNSECURED LOCATION <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## ADVENTURE KINGS® SIDE AWNING *1.4m, 2m, 2.5m, 3m*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM KINGS® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>+</sup>
UNSECURED LOCATION <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# ADVENTURE KINGS® INSTANT ENSUITE AWNING SHOWER

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM KINGS® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>+</sup>
UNSECURED LOCATION <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.