Panoramagic

Unique design that combines the technical features of professional kitchens with the Italian culture of design, Panoramagic range cookers come in three models, all with a 4.3-inch touch screen: 48 inches with double oven and precise temperature control, 36 inches with 6 burners or with induction hob with 6 zones. The gas hobs use dual burners up to btu 20000 as standard and a highly professional nanotechnological treatment to achieve a non-stick surface with a total black finish.

Color range Body







Knobs, handles, feet, frames



Satin







Dual gas burners with power up to btu 20000 as standard



Highly specialised cooktops



LED backlit knobs



Hob with cast iron pan supports



Display 4.3" full touch



Single control of the two ovens



Door with softclosing system



Precise electronic temperature control



Warming drawer with soft-closing system



Steam discharge



Cooking probe



Cold door with triple removable glass



Ovens available for Panoramagic range cookers

General features	UOV 80 E3 TFT S	UOV 30 E3 TFT
	Large multi-function electric oven with TFT control	Small static electric oven with TFT control
Cooking modes	16	5
Operating temperature	85-575°F	85-485°F
Programmer	electronic touch TFT	electronic touch TFT
Electronic temperature control	Yes	Yes
Cooking probe	Yes	-
Lighting	Double internal light	Internal light
Automatic oven light switch on	Yes	Yes
Soft-closing door	Yes	Yes
Door glass	Triple glass cold door	Triple glass cold door
Ventilation	cooling tangential	cooling tangential
Child lock	Yes	Yes
Cavity features		
Cavity	with easy clean enamel	with easy clean enamel
Internal dimensions (inches)	26%×14%×16½	10%×14×175/16
Capacity (cu. ft.)	3.5	1.52
Steam discharge	controlled with dry or moist cooking option	Yes
Folding grill heating element	Yes	-
Rotisserie	diagonal	Yes
Thermostat	with electronic probe	with electronic probe
Consumption		
Maximum input	3.7 kW	2.5 kW
Top electrical heating element	1300 W	870 W
Bottom electrical heating element	1470 W	870 W
Electric grill	2340 W	1630 W
Circular heating element	2290 W	-
	-	

Cooking modes



