



24" SIGNATURE SERIES
Freezer



eco friendly
R600a Refrigerant



Solid Door Model

| | |
|-----------|--|
| JOB | |
| AREA | |
| ITEM NO. | |
| MODEL NO. | |

| MODELS | DESCRIPTION |
|----------------------|---|
| HP24FS-4-1L/R | Indoor Signature Series Freezer Solid Stainless Steel Door |
| HP24FS-4-2L/R | Indoor Signature Series Freezer Solid Panel Ready Door |
| HP24FO-4-1L/R | Outdoor Signature Series Freezer Solid Stainless Steel Door |
| HP24FO-4-2L/R | Outdoor Signature Series Freezer Solid Panel Ready Door |
| HP24FM-4-1L/R | Marine Signature Series Freezer Solid Stainless Steel Door |
| HP24FM-4-2L/R | Marine Signature Series Freezer Solid Panel Ready Door |

KEY PRODUCT FEATURES AND BENEFITS

- 1000 BTU/hr capacity delivers industry’s most energy efficient cool down; indoors or outdoors
- Up to 70% faster cooling speeds than leading competitor
- Variable speed compressor minimizes sound; up to 30% quieter than competitors
- Commercial-grade all stainless steel interior and exterior provides superior durability and easy cleaning
- Perlick Anti-Condensation System™ eliminates condensation from forming on the cabinet (Outdoor and Marine models only)
- Marine & Coastal Grade with Perlick Armor™ upgrades stainless steel, fasteners, and refrigeration system to the highest blend of corrosion resistance and food safety

Quick Features:

- Full extension shelving provides faster and safer product access with no reaching in the back of the cabinet; shelves fully extend on vibration dampened stainless steel ball bearing glides
- Industry’s best full 6 year warranty for owner ease of mind
- Available with stainless steel or panel ready doors to match your design style
- Audible door alarm warns user if door is held open
- White LED task lighting
- R600a Natural Refrigerant offers maximum energy efficiency with zero ozone depletion potential
- Available storage racks for martini glasses and beer mugs allow you to store glasses with an assortment of liquors just like your favorite cocktail bar!



24" SIGNATURE SERIES
Freezer

| MODEL NUMBERS | | HP24FS | HP24FO | HP24FM |
|----------------------------------|-----------------------------|---|---|---|
| MODEL DESCRIPTION | | 24" Indoor Freezer | 24" Outdoor Freezer | 24" Marine/Coastal Freezer |
| ATTRIBUTES | | | | |
| Perlick Anti-Condensation System | | NO | YES | YES |
| Perlick Armor™ | | NO | NO | YES |
| OVERALL DIMENSIONS | Width - in. (mm) | 23-7/8" (606 mm.) | 23-7/8" (606 mm.) | 23-7/8" (606 mm.) |
| | Depth - in. (mm) | 24" (610 mm.) | 24" (610 mm.) | 24" (610 mm.) |
| | Height - in. (mm) | 34-1/4" (870 mm.) | 34-1/4" (870 mm.) | 34-1/4" (870 mm.) |
| OPENING DIMENSIONS | Width - in. (mm) | 24" (610 mm.) | 24" (610 mm.) | 24" (610 mm.) |
| | Depth - in. (mm) | 24-7/8" (632 mm.) | 24-7/8" (632 mm.) | 24-7/8" (632 mm.) |
| | Height - in. (mm) | 34-1/2" (876 mm.) | 34-1/2" (876 mm.) | 34-1/2" (876 mm.) |
| INTERNAL VOLUME Net. Cu. Ft. | | 5.2 cu. ft. | 5.2 cu. ft. | 5.2 cu. ft. |
| SHIPPING WEIGHT Lbs. (kg.) | | 144 lbs (100.7 kg.) | 144 lbs (100.7 kg.) | 144 lbs (100.7 kg.) |
| ELECTRICAL SPECIFICATIONS | Electrical Supply | 115 VAC/60 Hz/1 Ph | 115 VAC/60 Hz/1 Ph | 115 VAC/60 Hz/1 Ph |
| | Running Load Amps | 2.2 amps | 2.2 amps | 2.2 amps |
| | Electrical Connection | Cord connected | Cord connected | Cord connected |
| | Cord Plug Type | NEMA 3 Prong 5-15P | NEMA 3 Prong 5-15P | NEMA 3 Prong 5-15P |
| | Cord Length | 6' | 6' | 6' |
| | Defrost Initiation | Hot Gas | Hot Gas | Hot Gas |
| | Defrost Type | Off cycle | Off cycle | Off cycle |
| | Thermostat | Digital | Digital | Digital |
| | Lighting Type | LED | LED | LED |
| REFRIGERATION SPECIFICATIONS | Refrigerant | R600a (57g) | R600a (57g) | R600a (57g) |
| | Expansion Device | Capillary Tube | Capillary Tube | Capillary Tube |
| | Temperature Settings F°(C°) | -10° (-23.3°) - 10° (-12.2°) Factory Set Point 36° (2.2°) | -10° (-23.3°) - 10° (-12.2°) Factory Set Point 36° (2.2°) | -10° (-23.3°) - 10° (-12.2°) Factory Set Point 36° (2.2°) |
| | Heat Rejection (at 75°F) | 700 BTU/hr | 700 BTU/hr | 700 BTU/hr |
| | Pull Down Capacity | 1000 BTU/hr | 1000 BTU/hr | 1000 BTU/hr |
| | Front Vented | Yes | Yes | Yes |
| PLUMBING | | None Required | None Required | None Required |

Installation Notes: To achieve 24" install depth, place electrical connection adjacent to the installation cavity.

ACCESSORIES

| MODEL NOS. | DESCRIPTION |
|------------|--|
| (L) | Factory Installed Lock |
| 67991-L/R | Stacking Kit for HP24/HC24/HA24 models |
| 66736 | Caster Kit for HP24/HC24/HA24 models |
| RS-24-24M | Martini Rack |

Perlick accessories are available for purchase through an authorized Perlick dealer. For a full list of accessories and to find a dealer near you, visit perlick.com.



24" SIGNATURE SERIES
Freezer

| | CUSTOMER MODEL NUMBER | REGULATORY MODEL NUMBER | Hinge Side | Lock |
|------------------|-----------------------|-------------------------|------------|------|
| INDOOR | HP24FS-4-1L | HP24FS4A-00-SLF0R | Left | No |
| | HP24FS-4-1R | HP24FS4A-00-SRF0R | Right | No |
| | HP24FS-4-2L | HP24FS4A-00-PL00R | Left | No |
| | HP24FS-4-2R | HP24FS4A-00-PR00R | Right | No |
| | HP24FS-4-1LL | HP24FS4A-00-SLFLR | Left | Yes |
| | HP24FS-4-1RL | HP24FS4A-00-SRFLR | Right | Yes |
| | HP24FS-4-2LL | HP24FS4A-00-PL0LR | Left | Yes |
| | HP24FS-4-2RL | HP24FS4A-00-PR0LR | Right | Yes |
| OUTDOOR | HP24FO-4-1L | HP24FO4A-00-SLF0R | Left | No |
| | HP24FO-4-1R | HP24FO4A-00-SRF0R | Right | No |
| | HP24FO-4-2L | HP24FO4A-00-PL00R | Left | No |
| | HP24FO-4-2R | HP24FO4A-00-PR00R | Right | No |
| | HP24FO-4-1LL | HP24FO4A-00-SLFLR | Left | Yes |
| | HP24FO-4-1RL | HP24FO4A-00-SRFLR | Right | Yes |
| | HP24FO-4-2LL | HP24FO4A-00-PL0LR | Left | Yes |
| | HP24FO-4-2RL | HP24FO4A-00-PR0LR | Right | Yes |
| MARINE & COASTAL | HP24FM-4-1L | HP24FM4A-00-MLF0R | Left | No |
| | HP24FM-4-1R | HP24FM4A-00-MRF0R | Right | No |
| | HP24FM-4-2L | HP24FM4A-00-PL00R | Left | No |
| | HP24FM-4-2R | HP24FM4A-00-PR00R | Right | No |
| | HP24FM-4-1LL | HP24FM4A-00-MLFLR | Left | Yes |
| | HP24FM-4-1RL | HP24FM4A-00-MRFLR | Right | Yes |
| | HP24FM-4-2LL | HP24FM4A-00-PL0LR | Left | Yes |
| | HP24FM-4-2RL | HP24FM4A-00-PR0LR | Right | Yes |



24" SIGNATURE SERIES
Freezer

