

Certificate of Analysis

Sample Information

CTLA ID: 8398
Date Received: 5/30/2019
Sample Name: CBD Oil 10%, 3000 mg, 30 ml
Lot Number: 1905014
Customer: Blue Mountain

Analysis	Method	MDL Specification	Result	Units
Complete Micro				
Total Plate Count	USP <2021>	100 Report	<100	cfu/g
Total Coliforms	BAM CH.4	10 Report	<10	cfu/g
E. Coli	USP <2022>	Report	Negative	
Salmonella	USP <2022>	Report	Negative	
Staph. aureus	USP <2022>	Report	Negative	
Yeast & Mold	USP <2021>	100 Report	<100	cfu/g
Heavy Metals				
Arsenic	USP <2232>	0.047 Report	<0.047	ppm
Cadmium	USP <2232>	0.047 Report	<0.047	ppm
Lead	USP <2232>	0.047 Report	<0.047	ppm
Mercury	USP <2232>	0.047 Report	<0.047	ppm
Cannabinoid Concentration				
Total Cannabidiol (CBD)	HPLC	0.483 Report	3,009.835	mg/30 ml
Total Tetrahydrocannabinol (THC)	HPLC	0.005 Report	ND	%
CBD	HPLC	0.483 Report	3,009.835	mg/30 ml
CBDA	HPLC	0.483 Report	ND	mg/30 ml
Δ9-THC	HPLC	0.483 Report	ND	mg/30 ml
THCA	HPLC	0.483 Report	ND	mg/30 ml
Δ8-THC	HPLC	0.483 Report	ND	mg/30 ml
THCV	HPLC	0.483 Report	ND	mg/30 ml
CBDV	HPLC	0.483 Report	41.206	mg/30 ml
CBDVA	HPLC	0.483 Report	ND	mg/30 ml
CBGA	HPLC	0.483 Report	ND	mg/30 ml


Quality Manager

Specifications provided by the Customer. Results with an asterisk (*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit.

CTLA ID: 8398
 Date Received: 5/30/2019
 Sample Name: CBD Oil 10%, 3000 mg, 30 ml
 Lot Number: 1905014
 Customer: Blue Mountain

Analysis	Method	MDL Specification	Result	Units
CBG	HPLC	0.483 Report	66.740	mg/30 ml
CBN	HPLC	0.483 Report	ND	mg/30 ml
CBC	HPLC	0.483 Report	ND	mg/30 ml
CBL	HPLC	0.483 Report	ND	mg/30 ml

ND = None Detected

Total CBD = CBD + (CBDA*0.877)
 Total THC = Δ9-THC


 Quality Manager

Specifications provided by the Customer. Results with an asterisk (*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit.