Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

Air freshener- Floral Symphony

· Other means of identification:

Registration number: No available data. UFI code:5JSJ-K0SP-C00G-7FFW

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against on
- · Application of the substance/ mixture:

Consumer uses, fresh air.

· Uses advised against:

No available data.

· Reason why uses advised against:

No available data.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SC Trade & Services GmbH

Schmiedeweg 4, 45731 Waltrop, Germany

Post code: 45731

Email: info@kaeltebringer.de

National contact: Malte Schlienkamp

· Only Representative/other EU contact point:

No information available.

· Further information obtainable from:

SC Trade & Services GmbH

· 1.4 Emergency telephone number

Giftinformationszentrum Mainz - Tel. +49 (0) 6131 19240 (24h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · 2.1.1 Classification according to regulation (EC) 1272/2008:

Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Asp. Tox. 1, H304	Summation approach
Skin Sens. 1B, H317	Cut-off values/concentration limits approach
Eye Irrit. 2, H319	Additivity approach
Aquatic Chronic 3, H412	Summation method

· 2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

- · 2.2 Label elements
- · Labeling according to Regulation (EC) No 1272/2008:

The product is labelled according to CLP Regulation.

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

· Hazard pictograms:





GHS07 GHS08

· Signal word:

Danger

· Hazard-determining components of labelling:

C13-C16 Isoparaffin

Benzyl salicylate

Linalool

3,7-Dimethylnona-1,6- dien-3-ol

· Hazard statements:

H304 May be fatal if swallowed and enters airways

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

· Precautionary statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children

P103 Read carefully and follow all instructions

P261 Avoid breathing vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

· Supplemental label elements:

Contains Mountain pine; Cinnamaldehyde.

· 2.3 Other hazards

None of the ingredients ($\geq 0.1\%$) meets the criteria for PBT/vPvB in accordance with Annex XIII.

None of the ingredients ($\geq 0.1\%$) is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

SECTION 3: Composition/information on ingredients

· 3.1 Substance

Not applicable

- · 3.2 Mixtures
- · Description of the mixture:

Air freshener.

Ingredients:						
Substance	CAS No.	Index No.	EC No.	w/w, %	CLP Classification	SCL/M-factor/ATE
C13-C16 Isoparaffin	68551-20-2	-	271-370-0	59.9	Asp. Tox. 1, H304	-
Hedione	24851-98-7	-	246-495-9	14.4-18.8	None	-

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

Benzyl salicylate	118-58-1	607-754-00-5	204-262-9	4.8-7.6	Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	-
Galaxolide	1222-05-5	603-212-00-7	214-946-9	2-6.4	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M=1 M(Chronic)=1
Linalool	78-70-6	603-235-00-2	201-134-4	2.604	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	-
3,7-Dimethylnona-1,6 -dien-3-ol	10339-55-6	-	233-732-6	0.4-3.2	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	-
Benzyl acetate	140-11-4	-	205-399-7	0.4-2.4	Aquatic Chronic 3, H412	-
Phenethyl alcohol	60-12-8	-	200-456-2	0.4-2.4	Acute Tox. 4, H302 Eye Irrit. 2, H319	ATE (oral)=1790 mg/kg
Hex-3-en-1-yl acetate	3681-71-8	-	222-960-1	0.4-2	Flam. Liq. 3, H226	-
Ethyl 2-methylbutyrate	7452-79-1	-	231-225-4	0.4-1.6	Flam. Liq. 3, H226	-
Mountain pine	8000-26-8	-	-	0-0.4	Flam. Liq.3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M=1 M(Chronic)=1
Cinnamaldehyde	14371-10-9	-	-	0-0.4	Acute Tox. 4, H312 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	ATE (dermal)=1260 mg/kg
Pigment	-	-	-	0.1	None	-
Citral	5392-40-5	605-019-00-3	226-394-6	0.016	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	-

Additional information:

For full text of H-statements, see SECTION 16.

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

· 4.1 Description of first aid measures

General advice:

If medical advice is needed, have product container or label at hand.

After inhalation:

Supply with fresh air.

Get medical attention if you feel unwell.

After skin contact:

Wash with plenty of soap and water.

If there are signs of irritation or other symptoms seek medical attention.

After eye contact:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation occurs: Get medical advice/attention.

After swallowing:

Rinse mouth.

Call a POISON CENTER/doctor if you feel unwell.

· 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are as indicated in sections 2 and 11.

· 4.3 Indication of any immediate medical attention and special treatment needed:

Treat according to symptom, there is not known specific medicine.

SECTION 5: Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use CO₂, chemical powder, water spray or alcohol resistant foam to extinguish.

· Unsuitable extinguishing media:

Water with full jet.

· 5.2 Special hazards arising from the substance or mixture:

May produce allergic / irritant vapor in air under fire.

· 5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus for firefighting.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · 6.1.1 For non-emergency personnel

Protective equipment:

Protective gloves/ eye protection/face protection.

Emergency procedures:

Avoid contact with eyes and skin.

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

· 6.1.2 For emergency responders

Personal protective equipment:

Protective gloves/ eye protection/face protection.

· 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so.

Prevent spillage from entering drains, sewer, basement or confined areas.

If the spillage contaminates rivers, lakes or drains inform respective authorities.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections:

See section 7 for information on safe handing.

See section 8 for information on personal protection equipment.

See section 13 for disposal in formation.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Read carefully and follow all instructions.

Avoid contact with skin and eyes.

Avoid release to the environment.

· Information about fire and explosion protection:

Normal measures for preventive fire protection.

- · 7.2 Conditions for safe storage, including any non-compatibility
- · Requirements to be met by storerooms and receptacles:

Store in a cool and well-ventilated place.

· Information about storage in one common storage facility:

Keep out of reach of children.

· Further information about storage conditions:

Store locked up.

· Storage class:

10.

\cdot 7.3 Specific end use(s):

See section 1.2.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Country	untry Limit value - Eight hours Limit value – Short term		
140-11-4 Benzyi	acetate		
Belgium 10ppm; 62mg/m ³ -			

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

Denmark	10ppm; 61mg/m³	20ppm; 122mg/m ³
Latvia	$5mg/m^3$	-
Romania	8ppm; 50mg/m ³	13ppm; 80mg/m³15 minutes average value
Spain	10ppm; 62mg/m³	-
5392-40-5 Citra	l	
Belgium	5ppm; 32mg/m³Inhalable fraction and vapour	-
Poland	27mg/m³	54mg/m³
Spain	5ррт	-

· DNELs:

DNEL type		DNEL worker value	DNEL consumer value	
118-58-1 Benzyl	salicylate			
Systemic effects	Long-term, inhalation exposure	$7.8 mg/m^3$	$1.37 \ mg/m^3$	
	Long-term, dermal exposure	2.21 mg/kg bw/day	790 μg/kg bw/day	
	Long-term, oral exposure	-	790 μg/kg bw/day	
1222-05-5 Galax	xolide	·		
Systemic effects	Long-term, inhalation exposure	13.5 mg/m³	4 mg/m³	
	Long-term, dermal exposure	36.7 mg/kg bw/day	22 mg/kg bw/day	
	Long-term, oral exposure	-	2.3 mg/kg bw/day	
78-70-6 Linaloo		·		
Systemic effects	Long-term, inhalation exposure	$24.58 mg/m^3$	$4.33 \ mg/m^3$	
	Long-term, dermal exposure	3.5 mg/kg bw/day	1.25 mg/kg bw/day	
	Long-term, oral exposure	-	2.49 mg/kg bw/day	
Local effects	Long-term, dermal exposure	3 mg/cm ²	1.5 mg/cm ²	
	Acute /short term, dermal exposure	3 mg/cm ²	1.5 mg/cm ²	
10339-55-6 3,7-	-Dimethylnona-1,6- dien-3-ol	·		
Systemic effects	Long-term, inhalation exposure	3 mg/m^3	$740 \mu g/m^3$	
	Acute /short term, inhalation exposure	18 mg/m³	4.4 mg/m³	
	Long-term, dermal exposure	2.7 mg/kg bw/day	1.4 mg/kg bw/day	

· PNECs:

PNEC type	Value	
118-58-1 Benzyl salicylate		
Freshwater	$1.03~\mu g/L$	
Intermittent releases (freshwater)	$10.3~\mu g/L$	
Marine water	103 ng/L	
Sewage treatment plant (STP)	10 mg/L	
Sediment (freshwater)	583 μg/kg sediment dw	
Sediment (marine water)	58.3 μg/kg sediment dw	
Soil	1.41 mg/kg soil dw	
Secondary poisoning 52.7 mg/kg food		
1222-05-5 Galaxolide		
Freshwater	6.8 µg/L	
Marine water	440 ng/L	
Sewage treatment plant (STP)	1 mg/L	

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

· Additional information:

The lists valid during the marking were used as basis.

· 8.2 Exposure controls

- · Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.
- · Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice.

Wash hands and face before breaks and at the end of work.

Take off contaminated clothing and wash it before reuse.

See section 7 for information about design of technical facilities.

· Personal protective equipment

· Eye and face protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



Safety glasses

Protective goggles with side-shields.

· Skin protection

· Hand protection:

Not required under normal conditions of use.

For industrial applications, following protection required:

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener



Protective gloves

Gloves made from butyl rubber Neoprene TM rubber, nitrile rubber (thickness> 0.3mm; breakthrough times up to 480 minutes).

· Other skin protection:

Not required under normal conditions of use.

For industrial applications, following protection required:











Safety overalls

Face shield, gauntlets, boots, bodysuit are recommended.

· Respiration protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



Respiratory equipment

Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.

· Thermal hazards:

Not required under normal conditions of use.

For industrial applications, following protection required:

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and chemical properties		
· Physical state	Liquid	
· Color	Color	
· Odor & Odor threshold	Characteristic	
· Melting point/freezing point (or softening point/range)	Not determined	
· Boiling point or initial boiling point and boiling range Not determined		
· Flammability Not flammable liquid		
· Lower and upper explosion limit Not determined		
· Flash point	>60°C	
· Auto-ignition temperature	Not determined	
· Decomposition temperature	Not determined	
· pH	Not determined	
· Kinematic viscosity (mm2/s)	<20.5 (40°C)	
· Solubility	Not determined	
· Partition coefficient n-octanol/water (log value)	Not applicable	
· Vapor pressure	Not determined	

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener	
· Density and/or relative density	Not determined
· Relative vapor density	Not determined
· Particle characteristics	Not applicable
· 9.2 Other information	
• 9.2.1 Information with regard to physical hazard classes.	:
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases	Not applicable
in contact with water	
· Oxidizing liquids	Not applicable
· Oxidizing solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable
· 9.2.2 Other safety characteristics	
· Mechanical sensitivity	Not applicable
· Self-accelerating polymerisation temperature	Not applicable
· Formation of explosible dust/air mixtures	Not applicable
· Acid/alkaline reserve	Not applicable
· Evaporation rate	Not determined
· Miscibility	Not determined
· Conductivity	Not applicable
· Corrosiveness	Not applicable
· Gas group	Not applicable
· Redox potential	Not applicable
· Radical formation potential	Not applicable
· Photocatalytic properties	Not applicable

Not determined

SECTION 10: Stability and reactivity

· Other physical and chemical parameters

· 10.1 Reactivity:

The product is non-reactive under normal conditions of use, storage and transport.

· 10.2 Chemical stability:

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

Under storage at normal ambient temperatures, the product is stable.

· 10.3 Possibility of hazardous reactions:

No known hazardous reaction.

· 10.4 Conditions to avoid:

High temperature.

· 10.5 Incompatible materials:

Strong oxidizing agent and acids.

· 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

Based on available data, the classification criteria are not met.

· LD50/LC50	· LD50/LC50 values relevant for classification:		
118-58-1 B	118-58-1 Benzyl salicylate		
Rat	LD50-oral	2227mg/kg	
78-70-6 Lii	nalool		
Rabbit	LD50-skin	5610mg/kg	
D4	LD50-oral	2790mg /kg	
Rat	LD50-skin	5610mg/kg	
Mouse	LD50-oral	3000mg/kg	
140-11-4 B	Benzyl acetate		
Guinea pig	LD50-oral	2200mg/kg	
Rat	LD50-oral	2490mg/kg	
Rabbit	LD50-skin	>5000mg/kg	
	LD50-oral	2200mg/kg	
Remark: All	Remark: All the above data are from literature.		

· Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

· Serious eyes damage/irritation:

Causes serious eye irritation.

· Respiratory or skin sensitization:

May cause an allergic skin reaction.

· Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

· Carcinogenicity:

Based on available data, the classification criteria are not met.

Version No.: 1.0 Revision: November 15, 2023 Printing Date: November 15, 2023

Trade Name: Air freshener

· Reproductive toxicity:

Based on available data, the classification criteria are not met.

· STOT-single exposure:

Based on available data, the classification criteria are not met.

· STOT-repeated exposure:

Based on available data, the classification criteria are not met.

· Aspiration hazard:

May be fatal if swallowed and enters airways.

· 11.2 Information on other hazards

· 11.2.1 Endocrine disrupting properties:

None of the ingredients (≥0.1%) is considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

· 11.2.2 Other information:

No known other relevant information on adverse health effects.

SECTION 12: Ecological information

12.1 Toxicity:				
LC50/EC50/NOEC values relevant for classification:				
118-58-1 Benzyl salicylate				
Short–term toxicity to fish	LC50 (4 days) 1.03 mg/L			
	EC50 (48 h) 1.16 mg/L			
Short–term toxicity to aquatic invertebrates	LC50 (24 h) 4.34 mg/L			
	NOEC (48 h) 894 μg/L			
Tonicity to accepting along and even abantonia	EC50 (72 h) 1.29 mg/L			
Toxicity to aquatic algae and cyanobacteria	NOEC (72 h) 502 μg/L			
1222-05-5 Galaxolide				
Short–term toxicity to fish	LC50 (4 days) 950 μg/L			
Long–term toxicity to fish	NOEC (36 days) 68 μg/L			
	LC50 (36 days) 140 µg/L			
Short–term toxicity to aquatic invertebrates	EC50 (48 h) 300 μg/L			
Long–term toxicity to aquatic invertebrates	NOEC (21 days) 111 μg/L			
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 723 - 854 μg/L			
	NOEC (72 h) 201 μg/L			
140-11-4 Benzyl acetate				
Short–term toxicity to fish	LC50 (4 days) 4 mg/L			
Long–term toxicity to fish	NOEC (28 days) 920 μg/L			
Short–term toxicity to aquatic invertebrates	EC50 (48 h) 17 mg/L			
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 92 - 110 mg/L			
Toxicity to microorganisms	EC50 (3 h) 855 mg/L			

12.2 Persistence and degradability:

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

118-58-1	Benzyl salicylate	Readily biodegradable in water
1222-05-5	Galaxolide	COD= 3 g O2/g test material;
		Under test conditions no biodegradation observed
140-11-4	Benzyl acetate	Readily biodegradable in water

· 12.3 Bio-accumulative potential:

118-58-1	Benzyl salicylate	Log Pow =4
1222-05-5	Galaxolide	Log Pow = 5.3
140-11-4	Benzyl acetate	Log Pow = 1.96

· 12.4 Mobility in soil:

	118-58-1	Benzyl salicylate	Log Koc=3.75
	1222-05-5	Galaxolide	Log Koc= 4.39
	140-11-4	Benzyl acetate	<i>Log Koc</i> = 2.40

· 12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substances ($\geq 0.1\%$) that are assessed to be a PBT or a vPvB.

· 12.6 Endocrine disrupting properties:

None of the ingredients ($\geq 0.1\%$) is considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

· 12.7 Other adverse effects:

No known other adverse effects.

· 12.8 Additional ecological information

· General notes:

WGK2 (German Regulation) (self-assessment): obviously hazardous to water.

Do not allow the product to reach ground water, water course or sewage system.

SECTION 13: Disposal consideration

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed together with household garbage.

· 13.2 Un-cleaned packaging

· Recommendation:

Dispose of contents/container in according to the local/regional/national/international regulation.

SECTION 14: Transport information	on
· ADR/ADN/RID (2023 Edition)	This product is not subject to ADR/ADN/RID.
· IATA-DGR (64th)	This product is not subject to IATA-DGR.
· IMO/IMDG (40-20)	This product is not subject to IMO/IMDG code.

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK (German Maximum Workplace Concentration):

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances-ANNEX I:

None of the ingredients is listed.

- · Seveso category: Not applicable
- · Qualifying quantity (tonnes) for the application of lower-tier requirements: Not applicable
- · Qualifying quantity (tonnes) for the application of upper-tier requirements: Not applicable
- · National regulations.
- · Water hazard class:

WGK2 (German Regulation) (self-assessment): obviously hazardous to water.

- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate list of REACH Regulation Annex XIV Authorization:

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction:

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorization List:

None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safe Assessment has not been carried out.

SECTION 16: Other information

· 16.1 Indication of changes:

None.

· 16.2 Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic

vPvB: very persistent and very bio accumulative

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

Flam. Liq. 3: Flammable liquids, hazard category 3

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

Acute Tox. 4: Acute toxicity, hazard category 4

Asp. Tox. 1: Aspiration toxicity, hazard category 1

Skin Irrit. 2: Skin corrosion/irritation, hazard category 2

Skin Sens. 1: Skin sensitization, hazard category 1

Skin Sens. 1B: Skin sensitization, hazard category 1B

Eye Irrit. 2: Eye damage/irritation, hazard category 2

STOT SE 3: Specific target organ toxicity after single exposure, hazard category 3

Aquatic Acute 1: Short-term (acute) aquatic hazard, hazard category 1

Aquatic Chronic 1: Long-term (chronic) aquatic hazard, hazard category 1

Aquatic Chronic 3: Long-term (chronic) aquatic hazard, hazard category 3

· 16.3 Key literature references and sources for data:

https://echa.europa.eu/

https://chem.nlm.nih.gov/

https://www.osha.gov/

http://www.unece.org/

http://www.imo.org/

https://www.dguv.de/

https://epa.govt.nz/

http://www.ilo.org/

https://www.phmsa.dot.gov/

· 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]:

See section 2.1 (classification).

· 16.5 Relevant H- and EUH-phrases (number and full text):

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

· 16.6 Training advice:

Workers must be trained in general and specific aspects of safe work procedures for this chemical. Workers need easy to understand guidelines and instructions for safe working with this chemical. Instructions, guidelines and legally required documents need to be available for workers in easy to understand language.

· 16.7 Further information:

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, its amendment Regulation (EU) No 2020/878 and (EC) No 1272/2008.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without

Printing Date: November 15, 2023 Version No.: 1.0 Revision: November 15, 2023

Trade Name: Air freshener

any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of safety data sheet